

Ocean County Board of Commissioners

OFFICE OF THE OCEAN COUNTY COMMISSIONERS

Director Joseph H. Vicari **Deputy Director Gary Quinn** Commissioner Barbara Jo Crea Commissioner Virginia E. Haines Commissioner John P. Kelly

101 Hooper Avenue Toms River, New Jersey 08754-2191

> Tel: (732)929-2005 Fax: (732)505-1918

Board Meeting Agenda

Date: July 19, 2023 - 4:00 PM

Location: Administration Building

Room 119


101 Hooper Avenue Toms River, NJ 08754

Agenda: Awarding a Contract for the furnishing and delivery of PUMPOUT BOAT to Marine Boatbuilders Co., the lowest qualified bidder. (B2023-138)

Official Resolution#			2023001024					
Meeting Date			07/19/2023					
Introduced Date		07/19/2023						
Adopted Date			07/19/2023					
Agenda Item			r	n-7				
CAF#			Γ					
Purchase Req. #			E	320	23-	138	3	
Result			Adopted					
COUNTY COMMISSIONER	PRES.	ABS.		MOVE	SEC	AYE	NAY	ABST.
Vicari		~						
Quinn	~					~		
Crea	~				V	~		
Haines	~					~		
Kelly	~			~		~		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

> Michelle 1. Gunther Clerk Of The Board



RESOLUTION

July 19, 2023

WHEREAS, on June 27, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of PUMPOUT BOAT for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Marine Boatbuilders Co. PO Box 7826 Warwick, RI 02887 (401) 935-1186

Name and Address of Bidder

JC Enterprises 6606 Rimridge Way Bakersfield, CA 93313 (661) 831-2452

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, MARINE BOATBUILDERS CO. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of PUMPOUT BOAT for the County of Ocean, for the contract period from date of award through July 18, 2024, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

Introduced on: Adopted on: Official Resolution#: 2023001024

July 19, 2023 July 19, 2023

JULY 19, 2023

MARINE BOATBUILDERS CO. for three (3) items, to wit:

ITEM NOS. 1, 1A and 1B.

For a Total Lump Sum Award (Item Nos. 1-1B) of \$270,870.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment and services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. Funds for the equipment and services shall be available within the following funding Source: Planning Board O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-138.
- 5. **BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Planning Board and Marine Boatbuilders Co., the successful bidder.

Introduced on: Adopted on: Official Resolution#: 2023001024

July 19, 2023 July 19, 2023

MARINE BOATBUILDERS CO.

	Warranty: Delivery, A.R.O.: ear on Hull We expect to have the boats delivered over the Fall/winter months and ready for prior to the 2024 boating season. All lead times are subject to engine availability.		Varrantee 5yr the Vessels. on Structural all other components 2 years. This warranty is from Load Rite	No warranty on Delivered with Canvas vessel. enclosure	_
	Year/Make/Model: Warranty: Marine Soeat on Hull Boatbuilders and tank see uploaded Kleen Pumpout warranty. Boats		New 2024yr Load Load Rite Nite Model SS- Warrantee Syr 25T6000102TG2 on Structural al other components 2 years. This warranty is from Load Rite	New [4] piece No warran 2024yr all around Carwas weather enclosure. Per bid specs. If you want the [3] piece without the back the price will be less.	
	\$244,370.00 N		\$17,500.00	\$9,000.00	\$270,870,00
	Unit Cost \$122,185.00		\$8,750.00	\$4,500.00	
	Unit of Measure		EA	Ą	
	Quantity 2		2	N	
pted on: pted on: pted on: pted on: pted on:	Description Current Model Year, or Newer, Pumpout Boat and Options, As Specified, or Equal		Current Model Year, or Newer, Venture VRT-5950, Tandem Axle Roller Trailer, As Specified, or Equal	Removable Weather Enclosure to Fit Over Specified Center Console, As Specified	
VIMPOUT B	item item	OPTIONS	¥I.	18	TOTAL

COMPLIANCE PAGES FOR PUMPOUT BOAT ITEM #1 - CURRENT MODEL YEAR, OR NEWER, PUMPOUT BOAT AND	0.7	ge 1 of 2 <u>S</u>
SPECIFIED, OR EQUAL	COMPLI	ANCE
	YES	NO NO
Boat:	<u> </u>	
Fully Equipped Pumpout Boat 23-25 feet in length	a ′_	
Constructed of ALL Composite, NO Wood		
Modified V Hull	Ø,	
Minimum 8 ft. Beam	Ø	
Stainless Steel Deck Fittings - Minimum of seven (7) cleats: bow cyes,		
stern eyes, etc.		
Engine: Installed Marine Outboard Engine shall be Yamaha,		
Honda, or Suzuki 250HP, 4-stroke, fly by wire, fully digital, or		
approved equal, with a fuel system, meeting current EPA standards		
Fuel Tank: Minimum Capacity shall be 50 Gallons		
Engine Protection Hoop		<u>Г</u>
Heavy Duty Water/Fuel Separator	رثيا	
Center Console with Safety Glass Windshield, Fiberglass		
Top Canopy and Padded Forward Built-in Seat, with seat back with		С
Grab-rails on Roof		
Rope Storage under Deck	वृष्ट्रव्यव्यव्यव्य	00000000
Automatic Bilge Pump		
Stainless Steel Propeller	<u> </u>	
Bottom Painting and Striping of Hull Sides		
Wash-down pump system	CZ/	
Stern platform, both sides		
All-Round Fender System surrounding Hull. Bow to Stern		
Hydraulic Trim Tabs	<u> </u>	Ц
Pump and Holding Tank:		
Holding Tank: Minimum Capacity shall be 400 Gallons		
Electric Diaphragm Pump with a Minimum Pumping Capacity	/	

of 30 Gallons per Minute, with Fittings and Hoses Electric Tank Gauge with Overflow Alarm Minimum 50 ft. Suction Hose @ 1.5" Diameter and Hose Cover Waste Tank Indicator Electrical Gauges, Console, etc.: Integrated VHF Radio with DSC (Digital Service Calling) ICOM M510 or Approved equal, with Shakespeare Mariner 4400 stainless steel antenna or approved equal Garmin 943XSV Chart Plotter, or approved equal Hydraulic Steering with steering knob Flush-mounted electronics, including: Electric Fuel Gauge Flush-Mounted Lighted Compass Navigation and Anchor Lights Built-in 12-volt Circuit Breaker Panel

Introduced on: July 19, 2023 Adopted on: July 19, 2023 Official Resolution#: 2023001024

COMPLIANCE PAGES FOR PUMPOUT BOAT		ge 2 of 2
/ ITEM #1 - CURRENT MODEL YEAR, OR NEWER, PUMPOUT BOAT A	<u>,ND OPTIONS, AS</u>	<u>S</u>
SPECIFIED, OR EQUAL (CONT'D)		
	COMPLL	
	YES	<u>NO</u>
Electrical Gauges, Console, etc.: (Cont'd)	TX	П
Upgraded Heavy Duty Group 29 battery		
Dual Battery Switch and Wiring		
Dual Battery Condition Indicator		
12-volt power outlet		
Engine hour meter	جے	_
Miscellaneous:	_/	
US Coast Guard Safety Package including a minimum of four (4) life jackets		L
Bidder shall provide, with bid, documentation that the pumpout boat being proposed has been designed to meet certified stability and tank standards	Ø	
proposed has been designed to meet certified statemy and		
OPTIONS: Von Naver Venture VRT-5950, Tandem Axle Roller T	railer, As Specifie	<u>d, or Equal</u>
OPTIONS: IA. Current Model Year Newer, Venture VRT-5950, Tandem Axle Roller T	railer, As Specifie	
1A. Current Model Year Newer, Venture VRT-5950, Tandem Axie Roller 1	railer, As Specifie	d, or Equal □ □
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5"	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity; 5,950 pounds	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102"	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102" Shall have mately fenders above wheels capable of supporting weight of	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102" Shall have mately fenders above wheels capable of supporting weight of	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102" Shall have metal fenders above wheels capable of supporting weight of an adult and use as a step gain entry on to the boat while mounted	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102" Shall have metal fenders above wheels capable of supporting weight of an adult and use as a step gain entry on to the boat while mounted on trailer	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102" Shall have metal fenders above wheels capable of supporting weight of an adult and use as a step gain entry on to the boat while mounted on trailer Width between fenders: 84"	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102" Shall have metal fenders above wheels capable of supporting weight of an adult and use as a step gain entry on to the boat while mounted on trailer Width between fenders: 84" Coupler size: 2" 8,000 pound ball mount style	railer, As Specifie	
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1 Hot-dipped galvanized steel frame, 3" x 5" Load capacity: 5.950 pounds Tires and wheels: Four (4) 225/75D15 LRD 5H Forty four (44) rollers Brakes: Disc brakes shall be equipped as standard Total width: 102" Shall have metal fenders above wheels capable of supporting weight of an adult and use as a step gain entry on to the boat while mounted on trailer Width between fenders: 84"	railer, As Specifie	

Introduced on: Adopted on:

July 19, 2023 July 19, 2023