



## Ocean County Board of Commissioners

OFFICE OF THE  
OCEAN COUNTY COMMISSIONERS

Director Gary Quinn  
Deputy Director Gerry P. Little  
Commissioner Virginia E. Haines  
Commissioner John P. Kelly  
Commissioner Joseph H. Vicari

101 Hooper Avenue  
Toms River, New Jersey  
08754-2191  
Tel: (732)929-2005  
Fax: (732)505-1918

### Board Meeting Agenda

Date: December 15, 2021 - 4:00 PM  
Location: Administration Building  
Room 119  
101 Hooper Avenue  
Toms River, NJ 08754

Agenda: Awarding Contracts for the furnishing and delivery of GOLF COURSE AND LANDSCAPING EQUIPMENT to Turf Equipment and Supply Co., Inc.; Cherry Valley Tractor Sales, Inc.; Golf Cart Services, Inc.; Peach Country Tractor; and Ocean County Equipment, Inc. dba Ace Outdoor Power Equipment, the lowest qualified bidders. No bids were received for items 21, 21a, 21b, 21c, 21d, 21e, 21f, 21g, 21h, 21i, 28, 28a, 29, 29a, 32, 32a and 32b. All no bid items will be rebid. (B2021-180)


<b>Official Resolution#</b>	<b>2021001731</b>						
Meeting Date	12/15/2021						
Introduced Date	12/15/2021						
Adopted Date	12/15/2021						
Agenda Item	m-2						
CAF #							
Purchase Req. #	B2021-180						
Result	Adopted						
<b>COUNTY COMMISSIONER</b>	<b>PRES.</b>	<b>ABS.</b>	<b>MOVE</b>	<b>SEC</b>	<b>AYE</b>	<b>NAY</b>	<b>ABST.</b>
Quinn	<				<		
Little		<					
Haines		<					
Kelly	<		<		<		
Vicari	<			<	<		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

*Michelle I. Gunther*

---

Clerk Of The Board



## RESOLUTION

December 15, 2021

WHEREAS, on October 19, 2021, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of GOLF COURSE AND LANDSCAPING EQUIPMENT for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Turf Equipment and Supply Co., Inc.  
8015 Dorsey Run Rd.  
Jessup, MD 20794  
(610) 335-1634

Golf Cart Services, Inc.  
4296 York Rd.  
New Oxford, PA 17350  
(717) 752-4244

Ocean County Equipment, Inc. dba  
Ace Outdoor Power Equipment  
395 Rt. 9  
Bayville, NJ 08721  
(732) 269-1155

Name and Address of Bidder

Cherry Valley Tractor Sales, Inc.  
35 Route 70 West  
Marlton, NJ 08053  
(856) 983-0111

Peach Country Tractor  
749 Mullica Hill Rd.  
Mullica Hill, NJ 08062  
(856) 589-3953 Ext-3

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, TURF EQUIPMENT AND SUPPLY CO., INC.; CHERRY VALLEY TRACTOR SALES, INC.; GOLF CART SERVICES, INC.; PEACH COUNTRY TRACTOR and OCEAN COUNTY EQUIPMENT INC., DBA ACE OUTDOOR POWER EQUIPMENT. No bids were received for items 21, 21a, 21b, 21c, 21d, 21e, 21f, 21g, 21h, 21i, 28, 28a, 29, 29a, 32, 32a and 32b. All no bid items will be rebid. .

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Golf Course and Landscaping Equipment for the County of Ocean, for the contract period from date of award through December 14, 2022, a period of one (1) year, OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

A. TURF EQUIPMENT AND SUPPLY CO., INC. for one (1) item, to wit:  
ITEM NO. 10.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. CHERRY VALLEY TRACTOR SALES, INC. for five (5) items, to wit:  
ITEM NOS. 1, 9, 19, 20 and 23.

This vendor has extended this contract to County Cooperative Contract System Participants.

C. GOLF CART SERVICES, INC. for five (5) items, to wit:  
ITEM NOS. 27, 27a, 27b, 27c and 27d.

This vendor has extended this contract to County Cooperative Contract System Participants.

D. PEACH COUNTRY TRACTOR for six (6) items, to wit:  
ITEM NOS. 2, 3, 4, 16, 17 and 34.

This vendor has extended this contract to County Cooperative Contract System Participants.

E. OCEAN COUNTY EQUIPMENT INC. /DBA ACE OUTDOOR POWER EQUIPMENT for thirty five (35) items, to wit:

ITEM NOS. 5, 6, 7, 8, 11, 12, 13, 14, 15, 18, 22, 22a, 22b, 22c, 22d, 22e, 22f, 24, 25, 26, 26a, 26b, 26c, 26d, 30, 30a, 30b, 30c, 30d, 31, 31a, 31b, 31c, 31d and 33.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2021-180.

4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Department of Parks and Recreation, Planning Board, County Road Supervisor, Solid Waste Management, and the successful bidders.

**TURF EQUIPMENT AND SUPPLY CO., INC.**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

---

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
3	Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal	10	EA			X
4	Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal	3	EA			X
5	Hedge trimmer, Stihl HS 82 R, 30" blade	8	EA			X
6	Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal	13	EA			X
<b>SECTION II - BLOWERS</b>						
7	Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal	3	EA			X
8	Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal	16	EA			X
9	Hand Held Blower, Red Max HB281 As Specified, or Equal	13	EA			X
✓ 10	Pro Force Debris Blower ,Toro 44538 As Specified, or Equal	2	EA	\$9,373.42	\$18,746.84	
11	Hurricane Z3000, Zero Turn, Stand-On Blower, As Specified or Equal	1	EA			X
<b>SECTION III - BRUSH AND TREE EQUIPMENT</b>						
12	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal	2	EA			X

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 7

**SECTION II – BLOWERS**

**ITEM #7, LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL**

		<b><u>COMPLIANCE</u></b>	
		<b><u>YES</u></b>	<b><u>NO</u></b>
Model No.:	F1302H – 13.0 HP Honda GX	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Front Wheel:	10" x 3" pneumatic	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rear Wheels:	13" x 5" pneumatic	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Engine Base:	12 gauge steel, robotically welded	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Discharge Size:	5"	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Unit Weight:	152 lbs.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Dimensions:	33" L x 30" W x 35" H	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**ITEM #8, BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL**

Engine:	Strato 75.6 cm <sup>3</sup>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Weight:	24.7 lbs	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Horsepower:	4.4	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Air Speed:	206 MPH	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Air Volume:	908 CFM	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel Capacity:	77.77 fl. oz	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Emission Durability:	300 hrs.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**ITEM #9, HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL**

Engine:	28 cc, 2 stroke	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Weight:	9.4 lbs	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Horse Power:	1.1	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Air Speed:	170 MPH	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel Capacity:	16.9 OZ	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Air Flow in Pipe:	425 CFM	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Air Flow in Housing:	470 CFM	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Standard Warranty	2 years	<input type="checkbox"/>	<input checked="" type="checkbox"/>

✓ **ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL**

Engine:	27 hp twin cylinder air-cooled Kohler command pro with electronic governor	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fan:	Aerial flow	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height:	33 inches	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length:	79-115 inches from adjustable tow hitch to nozzle outlet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Nozzle Type:	impact resistant plastic with 13 inch outlet diameter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires:	10X10.8, 4 ply turf tire	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	475 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width:	48 inches	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION II – BLOWERS (CONT'D)**

**ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL (CONT'D)**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Features:	Wireless RF controller engine start, engine stop, engine speed, nozzle directional control	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #11 – HURRICANE Z3000, ZERO TURN, STAND-ON BLOWER, AS SPECIFIED, OR EQUAL**

Model Number	5901807-Z3000, or Equal	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Engine	Vanguard V-Twin	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Engine Power/HP	35	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Displacement (cc)	993	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Transmission	Twin Hydro-Gear® 3100 IZTs	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Velocity (mph)	165+	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Air Flow (cubic ft/min)	8,500+	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Travel Speed (mph)	11	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel Capacity (gal)	10	<input type="checkbox"/>	<input checked="" type="checkbox"/>
RPM	2,600	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Drive Train Type	Dual Hydrostatic	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Number of Speeds	Infinitely Variable	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Charging Systems (amps)	20	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Drive	Solenoid Shift	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel Type	Regular, Unleaded Gasoline	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Front Tire Size (inches)	13	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rear Tire Size (inches)	22	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Ignition	Flywheel Magneto	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Length (inches)	65	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Width (inches)	45	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Height (inches)	56	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Weight (lbs.)	895	<input type="checkbox"/>	<input checked="" type="checkbox"/>
FIO Wire	30	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Warranty (Balance of Machine)	Standard 2-Year	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Warranty (Engine)	2-Year Limited Manufacturer's	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**CHERRY VALLEY TRACTOR SALES, INC.**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

---

**12. Acknowledgement of Submission of Forms from Current Bid Package\***

Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.

Confirmed

**13. Submission of Bid Package\***

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

**PRICE TABLES**

**GOLF COURSE AND LANDSCAPING EQUIPMENT**

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
<b>SECTION I - TRIMMERS</b>						
1	Line Trimmer, Red Max EXZ260S-94, As Specified or Equal As Specified, or Equal	12	EA	\$332.34	\$3,988.08	
2	Hedge Trimmer, Red Max CHT275R, As Specified, or Equal	8	EA	\$468.05	\$3,744.40	

---

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 6

**CHERRY VALLEY TRACTOR SALES, INC.**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
3	Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal	10	EA			X
4	Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal	3	EA			X
5	Hedge trimmer, Stihl HS 82 R, 30" blade	8	EA			X
6	Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal	13	EA			X
<b>SECTION II - BLOWERS</b>						
7	Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal	3	EA			X
8	Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal	16	EA	\$503.70	\$8,059.20	
9	Hand Held Blower, Red Max HB281 As Specified, or Equal	13	EA	\$139.15	\$1,808.95	
10	Pro Force Debris Blower ,Toro 44538 As Specified, or Equal	2	EA			X
11	Hurricane Z3000, Zero Turn, Stand-On Blower, As Specified or Equal	1	EA			X
<b>SECTION III - BRUSH AND TREE EQUIPMENT</b>						
12	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal	2	EA			X

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 7



**CHERRY VALLEY TRACTOR SALES, INC.**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
13	Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal	14	EA			X
14	Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal	3	EA			X
15	Chain Saw, Stihl MS362 (Complete Unit) without M-Tronic Technology, As Specified, or Equal	13	EA			X
16	Chain Saw, Husqvarna 562XP As Specified, or Equal	3	EA			X
17	Arborist Gas Saw, Stihl MS201T As Specified, or Equal	12	EA			X
18	Stihl MSA 220 C-B, Cordless Chainsaw (with required accessories), As Specified or Equal	15	EA			X
<b>SECTION IV - GENERATORS</b>						
✓ 19	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal	7	EA	\$1,905.44	\$13,338.08	
✓ 20	Generator, Honda EB5000XK3 As Specified, or Equal	7	EA	\$1,759.50	\$12,316.50	
<b>SECTION V - COMPRESSORS</b>						
21	Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal	9	EA			X
<b>OPTIONS FOR ITEM 21</b>						
21a	50' Single Hose Reel	9	EA			X

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 8

**CHERRY VALLEY TRACTOR SALES, INC.**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
22f	7.9" Diameter Auger Bit (For Dirt)	6	EA			X
<b>SECTION VII - MOWERS</b>						
23	21" Mower, Honda HRC216PDA, As Specified, or Equal	2	EA	\$614.79	\$1,229.58	
24	42" Deck, Walker Model T23 Commercial Lawn Mower, As Specified or Equal	2	EA			X
25	Zero Turn Rear Discharge Mower, Kubota Model ZD1211R60R As Specified, or Equal	7	EA			X
<b>SECTION VIII - UTILITY VEHICLES</b>						
<b>ITEM 26 AND OPTIONS</b>						
26	Utility Vehicle, Kubota RTV-X1100C As Specified, or Equal	6	EA			X
26a	25 x 10-12 ATV, 6 Ply, Front Set of Tires	5	SET			X
26b	25 x 10-12 HDWS, 6 Ply, Front Set of Tires	5	SET			X
26c	25 x 11-12 ATV, 6 Ply, Rear Set of Tires	5	SET			X
26d	25 x 10-12 HDWS, 6 Ply, Rear Set of Tires	4	SET			X
<b>ITEM 27 AND OPTIONS</b>						
27	Utility Golf Cart, Cushman Hauler 800 Elite Series, As Specified or Equal	2	EA			X
27a	Hard Cab Enclosure, As Specified or Equal	2	EA			X

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 10

**SECTION I - TRIMMERS**

**✓ ITEM #1, LINE TRIMMER, RED MAX EXZ260S-94, AS SPECIFIED, OR EQUAL**

		<b><u>COMPLIANCE</u></b>	
		<b><u>YES</u></b>	<b><u>NO</u></b>
Weight:	8.82 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Pro-GZ25N Strato charged	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	25.4 cm <sup>3</sup>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carburetor:	Diaphragm w/purge pump	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower:	1.27	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bore & Stroke:	34M x 28M	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition:	Solid State	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Clutch:	Centrifugal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	22.32 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Head:	4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Muffler:	Quiet tone with guard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Drive Shaft:	Straight solid shaft w/ splined ends	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shall meet all EPA Pollution Standards for Phase II/Carb Tier II		<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #2, HEDGE TRIMMER, RED MAX CHTZ275R, AS SPECIFIED, OR EQUAL**

Blade Type:	Double	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Length:	30"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Size:	23.6 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Type:	Strato-Charged®	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horse Power:	.80	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight:	13.3 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	15.2 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #3, HEDGE TRIMMER, 20" TANAKA, TCH22EAP2, AS SPECIFIED, OR EQUAL**

Blade Length	20 in.	<input type="checkbox"/>	<input type="checkbox"/>
Weight	9.5 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Displacement	21.1 cm <sup>3</sup>	<input type="checkbox"/>	<input type="checkbox"/>
Max. Strokes	3,760/min.	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	10.1 oz	<input type="checkbox"/>	<input type="checkbox"/>
Operation Time per Tank	32 mins.	<input type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled	<input type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2	<input type="checkbox"/>	<input type="checkbox"/>
Noise Level	87 dB	<input type="checkbox"/>	<input type="checkbox"/>
Rear Handle	5 Position, Adjustable	<input type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input type="checkbox"/>	<input type="checkbox"/>

**SECTION II – BLOWERS**

**ITEM #7, LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Model No.:	F1302H – 13.0 HP Honda GX	<input type="checkbox"/>	<input type="checkbox"/>
Front Wheel:	10" x 3" pneumatic	<input type="checkbox"/>	<input type="checkbox"/>
Rear Wheels:	13" x 5" pneumatic	<input type="checkbox"/>	<input type="checkbox"/>
Engine Base:	12 gauge steel, robotically welded	<input type="checkbox"/>	<input type="checkbox"/>
Discharge Size:	5"	<input type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	152 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Dimensions:	33" L x 30" W x 35" H	<input type="checkbox"/>	<input type="checkbox"/>

**ITEM #8, BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL**

Engine:	Strato 75.6 cm <sup>3</sup>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	24.7 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower:	4.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	206 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Volume:	908 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	77.77 fl. oz	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission Durability:	300 hrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #9, HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL**

Engine:	28 cc, 2 stroke	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	9.4 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horse Power:	1.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	170 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	16.9 OZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Pipe:	425 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Housing:	470 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL**

Engine:	27 hp twin cylinder air-cooled Kohler command pro with electronic governor	<input type="checkbox"/>	<input type="checkbox"/>
Fan:	Aerial flow	<input type="checkbox"/>	<input type="checkbox"/>
Height:	33 inches	<input type="checkbox"/>	<input type="checkbox"/>
Length:	79-115 inches from adjustable tow hitch to nozzle outlet	<input type="checkbox"/>	<input type="checkbox"/>
Nozzle Type:	impact resistant plastic with 13 inch outlet diameter	<input type="checkbox"/>	<input type="checkbox"/>
Tires:	10X10.8, 4 ply turf tire	<input type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	475 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Width:	48 inches	<input type="checkbox"/>	<input type="checkbox"/>

**SECTION IV – GENERATORS**

**✓ ITEM #19, GENERATOR, HONDA EU3000 IS SUPERQUIET, 4 WHEELED MODEL, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	6.5 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Single cylinder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	OV air cooled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	196 cc.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120V, 3000 watt max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DC Output:	12V, 144 watt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	3.4 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time:	Approx. 6.9 hrs. of run time on full tank		
	@ rated load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry WT:	130.7 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	25.9" x 17.6" x 22"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 yrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**✓ ITEM #20, GENERATOR, HONDA EB5000XK3, AS SPECIFIED, OR EQUAL**

Engine:	Honda iGX390	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	389cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120/240V 5000W max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex (2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125/250V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	6.2 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time per Tankful:	7.0 hrs. @ rated load, 11.2 hrs @ ½ load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight:	210.8 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
With Standard Wheel Kit		<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION VII – MOWERS**

**✓ ITEM #23, 21" MOWER, HONDA HRC 216 PDA, AS SPECIFIED, OR EQUAL**

Engine	GSV160	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Material	Heavy Duty 16 ga Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Width	21"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Range	¾"-4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Adjustments	8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Starter	Recoil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Choke System	Manual	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle	1" Steel Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steel Deck Guards	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels	9" Nexite	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ball Bearing Wheels	All	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Functions	3 in 1 Capable: Mulch/Bag, Side Discharge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bag Capacity (bushels)	2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade(s)	Twin blades (Microcut)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Control	Flywheel Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side/Rear Discharge	Rear Mount Optional	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight	99 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operating Weight	102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty	Two (2) years engine, One (1) year all other components	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #24 - 42" DECK, WALKER MODEL T23, COMMERCIAL LAWN MOWER, AS SPECIFIED OR EQUAL**

Power:	23 HP	<input type="checkbox"/>	<input type="checkbox"/>
Engine:	Kohler	<input type="checkbox"/>	<input type="checkbox"/>
Fuel System:	Carb	<input type="checkbox"/>	<input type="checkbox"/>
Displacement:	674 cc (41.1 cu. in.)	<input type="checkbox"/>	<input type="checkbox"/>
Max Power:	22.5 HP @ 3600 RPM	<input type="checkbox"/>	<input type="checkbox"/>
Max Torque:	37.9 ft./lb.	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	4.7 gallons (17.8 Liters)	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	1,009 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Dimensions:	50" H x 49.25" W x 93" L	<input type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 Years on Tractor	<input type="checkbox"/>	<input type="checkbox"/>
	3 Years /3,000 Hours on Drive System	<input type="checkbox"/>	<input type="checkbox"/>
	3 Years Engine	<input type="checkbox"/>	<input type="checkbox"/>
Standard Accessories:	18 X 9.5-8 Turf Tire	<input type="checkbox"/>	<input type="checkbox"/>
	Comfort Seat	<input type="checkbox"/>	<input type="checkbox"/>
	Implement Hitch	<input type="checkbox"/>	<input type="checkbox"/>
	48" Dozer Blade	<input type="checkbox"/>	<input type="checkbox"/>
	Two-Stage Snowblower	<input type="checkbox"/>	<input type="checkbox"/>
	Boom Sprayer	<input type="checkbox"/>	<input type="checkbox"/>

**GOLF CART SERVICES, INC.**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
22f	7.9" Diameter Auger Bit (For Dirt)	6	EA			X
<b>SECTION VII - MOWERS</b>						
23	21" Mower, Honda HRC216PDA, As Specified, or Equal	2	EA			X
24	42" Deck, Walker Model T23 Commercial Lawn Mower, As Specified or Equal	2	EA			X
25	Zero Turn Rear Discharge Mower, Kubota Model ZD1211R60R As Specified, or Equal	7	EA			X
<b>SECTION VIII - UTILITY VEHICLES</b>						
<b>ITEM 26 AND OPTIONS</b>						
26	Utility Vehicle, Kubota RTV-X1100C As Specified, or Equal	6	EA			X
26a	25 x 10-12 ATV, 6 Ply, Front Set of Tires	5	SET			X
26b	25 x 10-12 HDWS, 6 Ply, Front Set of Tires	5	SET			X
26c	25 x 11-12 ATV, 6 Ply, Rear Set of Tires	5	SET			X
26d	25 x 10-12 HDWS, 6 Ply, Rear Set of Tires	4	SET			X
<b>ITEM 27 AND OPTIONS</b>						
✓ 27	Utility Golf Cart, Cushman Hauler 800 Elite Series, As Specified or Equal	2	EA	\$10,145.00	\$20,290.00	
✓ 27a	Hard Cab Enclosure, As Specified or Equal	2	EA	\$2,590.00	\$5,180.00	

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 10

**GOLF CART SERVICES, INC.**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
✓ 27b	Front Windshield Wiper, As Specified or Equal	2	EA	\$210.00	\$420.00	
✓ 27c	Rear Receiver, As Specified or Equal	2	EA	\$0.00	\$0.00	
✓ 27d	Electronic Lift Utility Bed, As Specified or Equal	2	EA	\$450.00	\$900.00	
<b>SECTION IX - TRAILERS</b>						
28	Utility Trailer, Big Tex #10PI-20, As Specified, or Equal	8	EA			X
<b>OPTION FOR ITEM 28</b>						
28a	4' Heavy Duty Integrated Ramp Gate w/Gas Shock Assist	8	EA			X
<b>SECTION X - MISCELLANEOUS EQUIPMENT</b>						
<b>ITEM 29 AND OPTIONS</b>						
29	Vibratory Asphalt Plate, Wacker Neuson WP 1550AW, As Specified or Equal	6	EA			X
29a	Wheel Kit for Vibratory Asphalt Plate	6	KIT			X
<b>ITEM 30 AND OPTIONS</b>						
30	Stihl TS 420 Cutquik Cut-Off Machine, As Specified or Equal	6	EA			X
30a	Stihl Cutquik Cart with Mounting Kit	6	EA			X
30b	Water Tank for Stihl Cutquik Cart	6	EA			X

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 11



**SECTION VIII – UTILITY VEHICLES (CONT'D)**

**ITEM #26, UTILITY VEHICLE, KUBOTA RTV-X1100C, AS SPECIFIED, OR EQUAL (CONT'D)**

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<b>OPTIONS:</b>		
<b>26A. <u>25 x 10-12 ATV, 6 Ply – Front Set of Tires</u></b>	<input type="checkbox"/>	<input type="checkbox"/>
<b>26B. <u>25 x 10-12 HDWS, 6 Ply – Front Set of Tires</u></b>	<input type="checkbox"/>	<input type="checkbox"/>
<b>26C. <u>25 x 11-12 ATV, 6 Ply – Rear Set of Tires</u></b>	<input type="checkbox"/>	<input type="checkbox"/>
<b>26D. <u>25 x 10-12 HDWS, 6 Ply – Rear Set of Tires</u></b>	<input type="checkbox"/>	<input type="checkbox"/>

**ITEM #27 – UTILITY GOLF CART, CUSHMAN HAULER 800 ELITE SERIES, AS SPECIFIED OR EQUAL**

Frame:	Welded steel with E-Shield ecoat plus DuraShield powder coat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Body and Finish:	Injection Molded TPO (front), Injection Molded PP (rear)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Color:	Forest Green or Patriot Blue	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length:	110 in (280 cm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Width:	49 in (125 cm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Height:	47 in (120 cm)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Wheel Base:	65.5 in (166 cm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Wheel Track:	37.0 in (94 cm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Wheel Track:	38.0 in (97 cm)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ground Clearance:	4.3 in (11 cm)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cargo Box Capacity:	8.4 cu ft. (0.24 m3)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powertrain:	48- Volt AC Drive	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Horsepower:	11.7 HP (8.7 kW) Peak	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Electrical System:	48- Volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery:	Two (2) Lithium Ion 48 Volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Key or Pedal Start:	Pedal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Drive Train:	Motor Shaft Direct Drive	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transaxle:	Differential with Helical Gears	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gear Selection:	Dash Mount Forward-Neutral-Reverse	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Axle Ratio:	16.99:1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Seating Capacity:	2-Person	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Curb Weight:	803 lb. (364 kg)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bed Load Capacity:	800 lb. (360 kg)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Speed:	14.5+/-0.5 mph (23.3+/-0.8 kph)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Towing Capacity:	900 lb. (408 kg)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Outside Clearance			

✓ ITEM #27 – UTILITY GOLF CART, CUSHMAN HAULER 800 ELITE SERIES, AS SPECIFIED OR EQUAL (CONT'D)

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Circle:	18.9 ft. (5.8 m)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering:	Self-Compensating Rack and Pinion	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension:	Leaf Springs with Hydraulic Shock Absorbers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Service Brake:	Rear Wheel Mechanical, Self-Adjusting Drum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parking Brake:	Self-Compensating, Single-Point Engagement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires: (Front/Rear):	20x 8-10 (6 Ply Rated)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <b><u>OPTIONS:</u></b>			
✓ 27A.	<u>Hard Cab Enclosure</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 27B.	<u>Front Windshield Wiper</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 27C.	<u>Rear Receiver</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 27D.	<u>Electronic Lift Utility Bed</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**PEACH COUNTRY TRACTOR**

PROPOSAL DOCUMENT REPORT  
Bid No. TBD  
GOLF COURSE AND LANDSCAPING EQUIPMENT

---

**12. Acknowledgement of Submission of Forms from Current Bid Package\***

Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.

Confirmed

**13. Submission of Bid Package\***

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

**PRICE TABLES**

**GOLF COURSE AND LANDSCAPING EQUIPMENT**

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
<b>SECTION I - TRIMMERS</b>						
1	Line Trimmer, Red Max EXZ260S-94, As Specified or Equal As Specified, or Equal	12	EA	\$335.00	\$4,020.00	
2	Hedge Trimmer, Red Max CHTZ75R, As Specified, or Equal	8	EA	\$455.00	\$3,640.00	

**PEACH COUNTRY TRACTOR**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
✓ 3	Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal	10	EA	\$431.00	\$4,310.00	
✓ 4	Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal	3	EA	\$455.00	\$1,365.00	
5	Hedge trimmer, Stihl HS 82 R, 30" blade	8	EA	\$455.00	\$3,640.00	
6	Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal	13	EA	\$495.00	\$6,435.00	
<b>SECTION II - BLOWERS</b>						
7	Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal	3	EA			X
8	Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal	16	EA	\$463.00	\$7,408.00	
9	Hand Held Blower, Red Max HB281 As Specified, or Equal	13	EA	\$231.00	\$3,003.00	
10	Pro Force Debris Blower, Toro 44538 As Specified, or Equal	2	EA			X
11	Hurricane Z3000, Zero Turn, Stand-On Blower, As Specified or Equal	1	EA	\$11,264.00	\$11,264.00	
<b>SECTION III - BRUSH AND TREE EQUIPMENT</b>						
12	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal	2	EA			X

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 7

**PEACH COUNTRY TRACTOR**

PROPOSAL DOCUMENT REPORT  
 Bid No. TBD  
 GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
13	Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal	14	EA	\$519.00	\$7,266.00	
14	Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal	3	EA	\$519.00	\$1,557.00	
15	Chain Saw, Stihl MS362 (Complete Unit) without M-Tronic Technology, As Specified, or Equal	13	EA	\$631.00	\$8,203.00	
✓ 16	Chain Saw, Husqvarna 562XP As Specified, or Equal	3	EA	\$631.00	\$1,893.00	
✓ 17	Arborist Gas Saw, Stihl MS201T As Specified, or Equal	12	EA	\$479.00	\$5,748.00	
18	Stihl MSA 220 C-B, Cordless Chainsaw (with required accessories), As Specified or Equal	15	EA	\$905.00	\$13,575.00	
<b>SECTION IV - GENERATORS</b>						
19	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal	7	EA			X
20	Generator, Honda EB5000XK3 As Specified, or Equal	7	EA			X
<b>SECTION V - COMPRESSORS</b>						
21	Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal	9	EA			X
<b>OPTIONS FOR ITEM 21</b>						
21a	50' Single Hose Reel	9	EA			X

**PEACH COUNTRY TRACTOR**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

---

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
33	Sod Cutter, Blue Bird, Honda Engine 5.5 HP, 18 in., As Specified or Equal	2	EA	\$3,999.00	\$7,998.00	
ITEM 34						
34	Walk Behind Edger, Husqvarna LE475, As Specified, or Equal	2	EA	\$419.00	\$838.00	
TOTAL						\$92,163.00

---

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 13

# PEACH COUNTRY TRACTOR



749 Mullica Hill Road  
 Mullica Hill, NJ 08062  
 Phone: 856-589-3953  
 Service Fax: 856-269-4658  
 www.peachcountrytractor.com



GOLF COURSE AND LANDSCAPING EQUIPMENT  
**SECTION I - TRIMMERS**

**ITEM #1, LINE TRIMMER, RED MAX EXZ260S-94, AS SPECIFIED, OR EQUAL**

*Unit Being Bid Husqvarna 525LK w/trimmer head*

		COMPLIANCE	
		YES	NO
Weight:	8.82 lbs.	<input type="checkbox"/> 9.6 lbs.	<input checked="" type="checkbox"/>
Engine:	Pro-GZ25N Strato charged	<input type="checkbox"/> Brand name	<input type="checkbox"/>
Displacement:	25.4 cm <sup>3</sup>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carburetor:	Diaphragm w/purge pump	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower:	1.27	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bore & Stroke:	34M x 28M	<i>Not Published</i>	
Ignition:	Solid State	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Clutch:	Centrifugal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	22.32 oz.	<input type="checkbox"/> 17.5 oz	<input checked="" type="checkbox"/>
Cutting Head:	4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Muffler:	Quiet tone with guard	<input type="checkbox"/> Brand name	<input checked="" type="checkbox"/>
Drive Shaft:	Straight solid shaft w/ splined ends	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shall meet all EPA Pollution Standards for Phase II/Carb Tier II		<input type="checkbox"/>	<input type="checkbox"/>

**ITEM #2, HEDGE TRIMMER, RED MAX CHTZ275R, AS SPECIFIED, OR EQUAL**

*Unit Bid Husqvarna 522 HDR 75S*

Blade Type:	Double	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Length:	30"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Size:	23.6 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Type:	Strato-Charged®	<input type="checkbox"/> Brand name	<input checked="" type="checkbox"/>
Horse Power:	.80	<input checked="" type="checkbox"/> 1.1	<input type="checkbox"/>
Dry Weight:	13.3 lbs.	<input checked="" type="checkbox"/> 12.1	<input type="checkbox"/>
Fuel Capacity:	15.2 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #3, HEDGE TRIMMER, 20" TANAKA, TCH22EAP2, AS SPECIFIED, OR EQUAL**

*Unit Bid Husqvarna 522 HD 60S*

Blade Length	20 in.	<input type="checkbox"/> 24"	<input checked="" type="checkbox"/>
Weight	9.5 lbs.	<input type="checkbox"/> 11.2	<input checked="" type="checkbox"/>
Displacement	21.1 cm <sup>3</sup>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Strokes	3,760/min.	<input checked="" type="checkbox"/> 4400	<input type="checkbox"/>
Fuel Capacity	10.1 oz	<input checked="" type="checkbox"/> 15.2 oz	<input type="checkbox"/>
Operation Time per Tank	32 mins.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Noise Level	87 dB	<input type="checkbox"/> 93	<input checked="" type="checkbox"/>
Rear Handle	5 Position, Adjustable	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

# PEACH COUNTRY TRACTOR



749 Mullica Hill Road  
 Mullica Hill, NJ 08062  
 Phone: 856-589-3953  
 Service Fax: 856-269-4658  
 www.peachcountrytractor.com



GOLF COURSE AND LANDSCAPING EQUIPMENT  
**SECTION I - TRIMMERS (CONT'D)**

**ITEM #4, HEDGE TRIMMER, 30" TANAKA, TCH22ECP2, AS SPECIFIED, OR EQUAL**

*Unit Bid, Husqvarna 522 HDR 75 S*

		COMPLIANCE	
		YES	NO
Blade Length	30 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	11.4 lbs.	<input type="checkbox"/> 12.1	<input checked="" type="checkbox"/>
Displacement	21.1 cm <sup>3</sup>	<input checked="" type="checkbox"/> 23.6	<input type="checkbox"/>
Max. Strokes	3,760/min.	<input type="checkbox"/> 3200	<input checked="" type="checkbox"/>
Fuel Capacity	10.1 oz	<input checked="" type="checkbox"/> 17.5 <sup>oz</sup>	<input type="checkbox"/>
Blades	Double-Sided	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operation Time per Tank	32 mins.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Noise Level	89 dB	<input type="checkbox"/> 93	<input checked="" type="checkbox"/>
Rear Handle	5 Position, Adjustable	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #5, HEDGE TRIMMER, STIHL HS 82R, 30" BLADE, AS SPECIFIED, OR EQUAL**

*Unit Bid Husqvarna 522 HDR 75 S*

Displacement	22.7cc (1.4 in <sup>3</sup> )	<input checked="" type="checkbox"/> 23.6	<input type="checkbox"/>
Engine Power	0.7 kw (094 bhp)	<input checked="" type="checkbox"/> 1.1 BHP	<input type="checkbox"/>
Fuel	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	460 cc (15.6 oz)	<input checked="" type="checkbox"/> 17.5 <sup>oz</sup>	<input type="checkbox"/>
Blade Length	30"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Strokes/Minute	3100	<input checked="" type="checkbox"/> 3200	<input type="checkbox"/>
Weight	5.7 kg with 30" Blade	<input checked="" type="checkbox"/> 11 lbs.	<input type="checkbox"/>
Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #6, BIKE HANDLE TRIMMER/BRUSH CUTTER, STIHL FS110, AS SPECIFIED, OR EQUAL**

*Unit Bid Husqvarna 336 FR*

Stihl 4-MIX® Engine, meets EPA emission requirements,		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Auto Cut® cutting head, lightweight.		<input checked="" type="checkbox"/> 2.1	<input type="checkbox"/>
Displacement:	1.9 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	1.4 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	12.8 lbs. (without cutting attachment or deflector)	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	18 oz.	<input type="checkbox"/> 17.5 <sup>oz</sup>	<input checked="" type="checkbox"/>





**PEACH COUNTRY TRACTOR**



749 Mullica Hill Road  
 Mullica Hill, NJ 08062  
 Phone: 856-589-3953  
 Service Fax: 856-269-4658  
 www.peachcountrytractor.com



**GOLF COURSE AND LANDSCAPING EQUIPMENT  
 SECTION III - BRUSH AND TREE EQUIPMENT (CONT'D)**

**ITEM #17, STIHL MS201T, ARBORIST GAS SAW, AS SPECIFIED, OR EQUAL**

*Unit Bid Husqvarna T540 XP 14"*

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Displacement:	2.14 cu. in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	2.41 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powerhead weight:	8.16 lbs.	<input type="checkbox"/> 8.6	<input checked="" type="checkbox"/>
Fuel capacity:	10.5 oz.	<input checked="" type="checkbox"/> 11.5 oz	<input type="checkbox"/>
Chain oil capacity:	7.4 oz.	<input checked="" type="checkbox"/> 8.7 oz	<input type="checkbox"/>
Oilmatic® chain:	63 PS3 (30" to 40")	<input type="checkbox"/> Brand Specific	<input type="checkbox"/>
Guide bar lengths:	Stihl Rollomatic®E or E light	<input checked="" type="checkbox"/> 14"	<input type="checkbox"/>

**ITEM #18, STIHL MSA 220 C-B, CORDLESS CHAINSAW, AS SPECIFIED, OR EQUAL**

Weight	3.6 kg <i>Unit Bid Husqvarna T540 Exp 14"</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Length/Bar Length	35	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated voltage	36V	<input type="checkbox"/> 40v	<input checked="" type="checkbox"/>
Sound pressure level	89 dB(A)	<input type="checkbox"/> 93	<input checked="" type="checkbox"/>
Vibration level left/right	4.8/3.6 m/s <sup>2</sup>	<input checked="" type="checkbox"/> 2.0/2.4	<input type="checkbox"/>
Saw chain pitch	3/8" P	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery technology	Lithium-Ion AP System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery Life	Minimum 42 Minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Included Accessories:</b>			
AL 300 Quick Charger, 220-240V	<i>Unit Bid Husqvarna charger</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AP 300 S 36V Lithium Ion Battery	<i>Unit Bid Husqvarna BLI 300</i>	<input checked="" type="checkbox"/> 40v	<input type="checkbox"/>

# PEACH COUNTRY TRACTOR



749 Mullica Hill Road  
 Mullica Hill, NJ 08062  
 Phone: 856-589-3953  
 Service Fax: 856-289-4658  
 www.peachcountrytractor.com



GOLF COURSE AND LANDSCAPING EQUIPMENT  
**SECTION X - MISCELLANEOUS EQUIPMENT (CONT'D)**

**ITEM #34 - WALK BEHIND EDGER, HUSQVARNA LE475, AS SPECIFIED, OR EQUAL**

*cutt Brod Tracy Built TRE 550*

		COMPLIANCE	
		YES	NO
Capacity:			
Working depth	4 in	<input type="checkbox"/> 2.5"	<input checked="" type="checkbox"/>
Trimming Width	9 in	<i>Not published</i>	
Cylinder displacement	9.03 cu.inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power output	4.2 hp	<i>Not published</i>	
Fuel tank volume	1.89 qt	<i>Not published</i>	
Fuel consumption	411 g/kWh	<i>Not published</i>	
Motor/engine manufacturer	Briggs & Stratton	<i>Not published</i>	
Gross Torque	5.5 lb-ft	<i>Not published</i>	
Transmission type	Belt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Consumer Warranty	2 Years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

*NOTE: Husqvarna LE475  
 is no longer in production*

**OCEAN COUNTY EQUIPMENT INC. DBA ACE OUTDOOR POWER EQUIPMENT**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

---

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
1	Line Trimmer, Red Max EXZ260S-94, As Specified or Equal As Specified, or Equal	12	EA	\$359.92	\$4,319.04	
2	Hedge Trimmer, Red Max CHTZ75R, As Specified, or Equal	8	EA	\$459.21	\$3,673.68	
3	Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal	10	EA	\$431.10	\$4,311.00	
4	Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal	3	EA			X
✓ 5	Hedge trimmer, Stihl HS 82 R, 30" blade	8	EA	\$434.99	\$3,479.92	
✓ 6	Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal	13	EA	\$359.96	\$4,679.48	
<b>SECTION II - BLOWERS</b>						
✓ 7	Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal	3	EA	\$1,577.73	\$4,733.19	
✓ 8	Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal	16	EA	\$454.99	\$7,279.84	
9	Hand Held Blower, Red Max HB281 As Specified, or Equal	13	EA	\$151.20	\$1,965.60	
10	Pro Force Debris Blower ,Toro 44538 As Specified, or Equal	2	EA			X

---

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 7

**OCEAN COUNTY EQUIPMENT INC. DBA ACE OUTDOOR POWER EQUIPMENT**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
✓ 11	Hurricane Z3000, Zero Turn, Stand-On Blower, As Specified or Equal	1	EA	\$10,471.23	\$10,471.23	
<b>SECTION III - BRUSH AND TREE EQUIPMENT</b>						
✓ 12	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal	2	EA	\$3,618.23	\$7,236.46	
✓ 13	Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal	14	EA	\$498.50	\$6,979.00	
✓ 14	Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal	3	EA	\$456.00	\$1,368.00	
✓ 15	Chain Saw, Stihl MS362 (Complete Unit) without M-Tronic Technology, As Specified, or Equal	13	EA	\$608.31	\$7,908.03	
16	Chain Saw, Husqvarna 562XP As Specified, or Equal	3	EA	\$638.25	\$1,914.75	
17	Arborist Gas Saw, Stihl MS201T As Specified, or Equal	12	EA	\$558.21	\$6,698.52	
✓ 18	Stihl MSA 220 C-B, Cordless Chainsaw (with required accessories), As Specified or Equal	15	EA	\$409.99	\$6,149.85	
<b>SECTION IV - GENERATORS</b>						
19	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal	7	EA	\$2,114.00	\$14,798.00	
20	Generator, Honda EB5000XK3 As Specified, or Equal	7	EA	\$1,818.21	\$12,727.47	
<b>SECTION V - COMPRESSORS</b>						

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 8

**OCEAN COUNTY EQUIPMENT INC. DBA ACE OUTDOOR POWER EQUIPMENT**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
21	Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal	9	EA			X
<b>OPTIONS FOR ITEM 21</b>						
21a	50' Single Hose Reel	9	EA			X
21b	50' Dual Hose Reel	9	EA			X
21c	50' Hose	12	EA			X
21d	100' Single Hose Reel	9	EA			X
21e	100' Dual Hose Reel	9	EA			X
21f	100' Hose	12	EA			X
21g	2" Adjustable Bulldog Hitch	9	EA			X
21h	18" Extended Drawbar with Jockeywheel	8	EA			X
21i	Block Heater	8	EA			X
<b>SECTION VI - AUGERS</b>						
✓ 22	Earth Auger, Stihl BT131, with 5.9" Diameter Bit, As Specified, or Equal	6	EA	\$571.30	\$3,427.80	
<b>OPTIONS FOR ITEM 22</b>						
✓ 22a	1.6" Diameter Auger Bit (For Dirt)	6	EA	\$88.00	\$528.00	

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 9

**OCEAN COUNTY EQUIPMENT INC. DBA ACE OUTDOOR POWER EQUIPMENT**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
✓ 22b	2.4" Diameter Auger Bit (For Dirt)	5	EA	\$98.00	\$490.00	
✓ 22c	3.5" Diameter Auger Bit (For Dirt)	5	EA	\$104.00	\$520.00	
✓ 22d	4.7" Diameter Auger Bit (For Dirt)	6	EA	\$108.00	\$648.00	
✓ 22e	5.9" Diameter Auger Bit (For Dirt)	5	EA	\$116.00	\$580.00	
✓ 22f	7.9" Diameter Auger Bit (For Dirt)	6	EA	\$128.00	\$768.00	
<b>SECTION VII - MOWERS</b>						
23	21" Mower, Honda HRC216PDA, As Specified, or Equal	2	EA	\$615.41	\$1,230.82	
✓ 24	42" Deck, Walker Model T23 Commercial Lawn Mower, As Specified or Equal	2	EA	\$13,169.50	\$26,339.00	
✓ 25	Zero Turn Rear Discharge Mower, Kubota Model ZD1211R60R As Specified, or Equal	7	EA	\$14,502.59	\$101,518.13	
<b>SECTION VIII - UTILITY VEHICLES</b>						
<b>ITEM 26 AND OPTIONS</b>						
✓ 26	Utility Vehicle, Kubota RTV-X1100C As Specified, or Equal	6	EA	\$18,344.21	\$110,065.26	
✓ 26a	25 x 10-12 ATV, 6 Ply, Front Set of Tires	5	SET	\$240.00	\$1,200.00	
✓ 26b	25 x 10-12 HDWS, 6 Ply, Front Set of Tires	5	SET	\$270.00	\$1,350.00	
✓ 26c	25 x 11-12 ATV, 6 Ply, Rear Set of Tires	5	SET	\$240.00	\$1,200.00	

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 10

**OCEAN COUNTY EQUIPMENT INC. DBA ACE OUTDOOR POWER EQUIPMENT**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
26d	25 x 10-12 HDWS, 6 Ply, Rear Set of Tires	4	SET	\$270.00	\$1,080.00	
<b>ITEM 27 AND OPTIONS</b>						
27	Utility Golf Cart, Cushman Hauler 800 Elite Series, As Specified or Equal	2	EA			X
27a	Hard Cab Enclosure, As Specified or Equal	2	EA			X
27b	Front Windshield Wiper, As Specified or Equal	2	EA			X
27c	Rear Receiver, As Specified or Equal	2	EA			X
27d	Electronic Lift Utility Bed, As Specified or Equal	2	EA			X
<b>SECTION IX - TRAILERS</b>						
28	Utility Trailer, Big Tex #10PI-20, As Specified, or Equal	8	EA			X
<b>OPTION FOR ITEM 28</b>						
28a	4' Heavy Duty Integrated Ramp Gate w/Gas Shock Assist	8	EA			X
<b>SECTION X - MISCELLANEOUS EQUIPMENT</b>						
<b>ITEM 29 AND OPTIONS</b>						
29	Vibratory Asphalt Plate, Wacker Neuson WP 1550AW, As Specified or Equal	6	EA			X
29a	Wheel Kit for Vibratory Asphalt Plate	6	KIT			X

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 11



**OCEAN COUNTY EQUIPMENT INC. DBA ACE OUTDOOR POWER EQUIPMENT**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
<b>ITEM 30 AND OPTIONS</b>						
✓ 30	Stihl TS 420 Cutquik Cut-Off Machine, As Specified or Equal	6	EA	\$894.44	\$5,366.64	
✓ 30a	Stihl Cutquik Cart with Mounting Kit	6	EA	\$388.50	\$2,331.00	
✓ 30b	Water Tank for Stihl Cutquik Cart	6	EA	\$116.00	\$696.00	
✓ 30c	Wheel Kit for Stihl Cutquik	6	EA	\$28.80	\$172.80	
✓ 30d	Guide Wheel Kit for Stihl Cutquik cart	6	EA	\$37.60	\$225.60	
<b>ITEM 31 AND OPTIONS</b>						
✓ 31	Stihl KombiSystem, Powerhead KM 131R, As Specified, or Equal	4	EA	\$326.21	\$1,304.84	
✓ 31a	Adjustable Power Scythe, Compatible with KM 131R, As Specified or Equal	4	EA	\$195.00	\$780.00	
✓ 31b	Pole Pruner Attachment, Compatible with KM 131R, As Specified, or Equal	4	EA	\$165.00	\$660.00	
✓ 31c	Shaft Extension, Compatible with KM 131R, As Specified or Equal	4	EA	\$115.00	\$460.00	
✓ 31d	Adjustable Hedge Trimmer, Compatible with KM 131R, As Specified, or Equal	4	EA	\$216.00	\$864.00	
<b>ITEM 32 AND OPTIONS</b>						

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 12

**OCEAN COUNTY EQUIPMENT INC. DBA ACE OUTDOOR POWER EQUIPMENT**

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid
32	Turfco Triwave 45 Overseeder, Model 85859, As Specified or Equal	1	EA			X
32a	Hydraulic Power Kit, Model 86196, As Specified or Equal	1	EA			X
32b	Hydraulic Hose Kit, Model Number 86505, As Specified or Equal	1	EA			X
<b>ITEM 33</b>						
33	Sod Cutter, Blue Bird, Honda Engine 5.5 HP, 18 in., As Specified or Equal	2	EA	\$3,823.20	\$7,646.40	
<b>ITEM 34</b>						
34	Walk Behind Edger, Husqvarna LE475, As Specified, or Equal	2	EA	\$939.00	\$1,878.00	
<b>TOTAL</b>						<b>\$384,023.35</b>

PROPOSAL DOCUMENT REPORT

Bid - GOLF COURSE AND LANDSCAPING EQUIPMENT

Page 13

GOLF COURSE AND LANDSCAPING EQUIPMENT  
**SECTION I – TRIMMERS (CONT'D)**

**ITEM #4, HEDGE TRIMMER, 30" TANAKA, TCH22ECP2, AS SPECIFIED, OR EQUAL**

		<b>COMPLIANCE</b>	
		<b>YES</b>	<b>NO</b>
Blade Length	30 in.	<input type="checkbox"/>	<input type="checkbox"/>
Weight	11.4 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Displacement	21.1 cm <sup>3</sup>	<input type="checkbox"/>	<input type="checkbox"/>
Max. Strokes	3,760/min.	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	10.1 oz	<input type="checkbox"/>	<input type="checkbox"/>
Blades	Double-Sided	<input type="checkbox"/>	<input type="checkbox"/>
Operation Time per Tank	32 mins.	<input type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled	<input type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2	<input type="checkbox"/>	<input type="checkbox"/>
Noise Level	89 dB	<input type="checkbox"/>	<input type="checkbox"/>
Rear Handle	5 Position, Adjustable	<input type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #5, HEDGE TRIMMER, STIHL HS 82R, 30" BLADE, AS SPECIFIED, OR EQUAL**

Displacement	22.7cc (1.4 in <sup>3</sup> )	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	0.7 kw (094 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	460 cc (15.6 oz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Length	30"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Strokes/Minute	3100	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	5.7 kg with 30" Blade	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #6, BIKE HANDLE TRIMMER/BRUSH CUTTER, STIHL FS110, AS SPECIFIED, OR EQUAL**

Stihl 4-MIX® Engine, meets EPA emission requirements, Auto Cut® cutting head, lightweight.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	1.9 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	1.4 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	12.8 lbs. (without cutting attachment or deflector)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	18 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION II - BLOWERS**

**ITEM #7, LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL**

		<b><u>COMPLIANCE</u></b>	
		<b><u>YES</u></b>	<b><u>NO</u></b>
Model No.:	F1302H – 13.0 HP Honda GX	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Wheel:	10" x 3" pneumatic	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Wheels:	13" x 5" pneumatic	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Base:	12 gauge steel, robotically welded	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Discharge Size:	5"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	152 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	33" L x 30" W x 35" H	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #8, BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL**

Engine:	Strato 75.6 cm <sup>3</sup>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	24.7 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower:	4.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	206 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Volume:	908 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	77.77 fl. oz	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission Durability:	300 hrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #9, HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL**

Engine:	28 cc, 2 stroke	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	9.4 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horse Power:	1.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	170 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	16.9 OZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Pipe:	425 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Housing:	470 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL**

Engine:	27 hp twin cylinder air-cooled Kohler command pro with electronic governor	<input type="checkbox"/>	<input type="checkbox"/>
Fan:	Aerial flow	<input type="checkbox"/>	<input type="checkbox"/>
Height:	33 inches	<input type="checkbox"/>	<input type="checkbox"/>
Length:	79-115 inches from adjustable tow hitch to nozzle outlet	<input type="checkbox"/>	<input type="checkbox"/>
Nozzle Type:	impact resistant plastic with 13 inch outlet diameter	<input type="checkbox"/>	<input type="checkbox"/>
Tires:	10X10.8, 4 ply turf tire	<input type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	475 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Width:	48 inches	<input type="checkbox"/>	<input type="checkbox"/>

**SECTION II – BLOWERS (CONT'D)**

**ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL (CONT'D)**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Features:	Wireless RF controller engine start, engine stop, engine speed, nozzle directional control	<input type="checkbox"/>	<input type="checkbox"/>

**✓ ITEM #11 – HURRICANE Z3000, ZERO TURN, STAND-ON BLOWER, AS SPECIFIED, OR EQUAL**

Model Number	5901807-Z3000, or Equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine	Vanguard V-Twin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power/HP	35	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement (cc)	993	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission	Twin Hydro-Gear® 3100 IZTs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Velocity (mph)	165+	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow (cubic ft/min)	8,500+	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Travel Speed (mph)	11	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity (gal)	10	<input checked="" type="checkbox"/>	<input type="checkbox"/>
RPM	2,600	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Drive Train Type	Dual Hydrostatic	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Number of Speeds	Infinitely Variable	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Charging Systems (amps)	20	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Drive	Solenoid Shift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Type	Regular, Unleaded Gasoline	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Tire Size (inches)	13	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Tire Size (inches)	22	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition	Flywheel Magneto	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length (inches)	65	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width (inches)	45	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height (inches)	56	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (lbs.)	895	<input checked="" type="checkbox"/>	<input type="checkbox"/>
FIO Wire	30	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty (Balance of Machine)	Standard 2-Year	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty (Engine)	2-Year Limited Manufacturer's	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION III – BRUSH AND TREE EQUIPMENT**

**ITEM #12, BRUSH CUTTER, BILLY GOAT OUTBACK BC2601HHC, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	Honda 388cc Electric Start	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transaxle:	Tuff Torq hydrostatic transmission featuring fully automatic enhanced traction control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Clutch:	Blade brake/clutch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Slope:	20°	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cut Width:	26"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cut Height:	Saplings up to 2" in diameter, and brush 6 ft. tall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels Rear:	16" diameter with puncture sealant	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	335 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	72" L (Overall) x 31" W x 48" H	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #13, TELESCOPING POLE PRUNER, 80", STIHL HT103, AS SPECIFIED, OR EQUAL**

Automatic chain oiling, side access chain tensioner.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	1.9 cu. in., 31.4cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Stihl 4-MIX®	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	1.05 Kw	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight with Cutting Attachment:	16.3 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	18.0 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain Oil Capacity:	7.4 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilomatic® Chain:	¾" PMM <sup>3</sup> , 12" bar and chain	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Shaft Length:	80"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #14, TELESCOPING POWER PRUNER, ECHO PPT-2620H, AS SPECIFIED, OR EQUAL**

Engine Displacement:	25.4 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carburetor (w/ purge pump):	Rotary Valve-Diaphragm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	20.6 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil Capacity:	6.6 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Collapsed:	107 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Extended:	146 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Optional Extension to be included:	4 ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bar Length:	12 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight (w/o bar and chain):	17 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shoulder Strap Included		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side-access Chain Tensioner		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Adjustable auto oiler		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) guide bar studs		<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION III – BRUSH AND TREE EQUIPMENT (CONT'D)**

**ITEM #15, CHAIN SAW, STIHL MS362 (COMPLETE UNIT), WITHOUT M-TRONIC TECHNOLOGY, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Anti-vibration system, pre-separation air filtration system to increase filter servicing intervals, IntelliCarb™ compensating carburetor, decompression valve, side access chain tensioner, and toolless fuel and oil caps with retainers.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	3.6 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	3.4 kW	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (power head only):	13 lbs., flush-cut	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	20.3 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain Oil Capacity:	11 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilomatic® Chain:	3/8" RS3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Bar Length:	20"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	90 days commercial	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #16, CHAIN SAW, HUSQVARNA 562XP, AS SPECIFIED, OR EQUAL**

Cylinder displacement	59.8 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder bore	1.81 inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder stroke	1.42 inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power output	4.7 hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maximum power speed	9600 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maximum recommended engine speed	14000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition system	SEM DM61	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition module air gap	0.01"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Idling speed	2800 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Spark plug	NGK CMR6H	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Electrode gap	0.02"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil tank volume	0.7 US pint	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil pump capacity	6-15 ml/min	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain pitch	3/8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Recommended bar length, min-max	15"-28"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain speed at max power	69.9 ft/s	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bar mount	Large	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (HC average)	56 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO average)	241 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (NOx average)	4.8 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO <sub>2</sub> average)	802 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Equivalent vibration level (ahv,eq) front/rear handle 2.7/3.2 m/s <sup>2</sup>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level at operators' ear	106 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound power level, guaranteed (LWA)	118 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (excl. cutting equipment)	12.57 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION III – BRUSH AND TREE EQUIPMENT (CONT'D)**

**ITEM #17, STIHL MS201T, ARBORIST GAS SAW, AS SPECIFIED, OR EQUAL**

		<b><u>COMPLIANCE</u></b>	
		<b><u>YES</u></b>	<b><u>NO</u></b>
Displacement:	2.14 cu. in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	2.41 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powerhead weight:	8.16 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	10.5 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain oil capacity:	7.4 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilmatic® chain:	63 PS3 (30" to 40")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide bar lengths:	Stihl Rollomatic®E or E light	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #18, STIHL MSA 220 C-B, CORDLESS CHAINSAW, AS SPECIFIED, OR EQUAL**

Weight	3.6 kg	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Length/Bar Length	35	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated voltage	36V	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level	89 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vibration level left/right	4.8/3.6 m/s <sup>2</sup>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Saw chain pitch	3/8" P	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery technology	Lithium-Ion AP System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery Life	Minimum 42 Minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Included Accessories:</b>			
AL 300 Quick Charger, 220-240V		<input checked="" type="checkbox"/>	<input type="checkbox"/>
AP 300 S 36V Lithium Ion Battery		<input checked="" type="checkbox"/>	<input type="checkbox"/>



**SECTION VI – AUGERS**

**ITEM #22, EARTH AUGER, STIHL BT 131 WITH 5.9" (150mm) DIAMETER BIT, AS SPECIFIED, OR EQUAL**

**COMPLIANCE**  
**YES**                      **NO**

High Torque one-person auger, 4 MIX engine with low fuel consumption, Low Noise and vibration level. Standard with QuickStop drill brake, long live air filter system and support cushion.                      

Displacement cm                      36.3                      

Power output Kw/BHP                      1.4/ 1.9                      

Weight kg                      10 KG                      

Tank volume                      550.00                      

Included Bit                      5.9" (150mm) diameter (for dirt)                      

QuickStop drill brake for work safety. QuickStop drill brake acts to stop backwards rotation. A jammed drilling bit can simply be unscrewed from the borehole                      

**OPTIONS:**

✓ **22A. 1.6 (40mm) diameter auger bit (for dirt)**                      

✓ **22B. 2.4 (60mm) diameter auger bit (for dirt)**                      

✓ **22C. 3.5 (90mm) diameter auger bit (for dirt)**                      

✓ **22D. 4.7 (120 mm) diameter auger bit (for dirt)**                      

✓ **22E. 5.9 (150mm) diameter auger bit (for dirt)**                      

✓ **22F. 7.9 (200 mm) diameter auger bit (for dirt)**

GOLF COURSE AND LANDSCAPING EQUIPMENT  
**SECTION VII – MOWERS**

**ITEM #23, 21" MOWER, HONDA HRC 216 PDA, AS SPECIFIED, OR EQUAL**

Engine	GSV160	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Material	Heavy Duty 16 ga Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Width	21"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Range	¾"-4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Adjustments	8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Starter	Recoil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Choke System	Manual	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle	1" Steel Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steel Deck Guards	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels	9" Nexite	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ball Bearing Wheels	All	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Functions	3 in 1 Capable: Mulch/Bag, Side Discharge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bag Capacity (bushels)	2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade(s)	Twin blades (Microcut)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Control	Flywheel Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side/Rear Discharge	Rear Mount Optional	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight	99 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operating Weight	102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty	Two (2) years engine, One (1) year all other components	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #24 - 42" DECK, WALKER MODEL T23, COMMERCIAL LAWN MOWER, AS SPECIFIED OR EQUAL**

Power:	23 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Kohler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel System:	Carb	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	674 cc (41.1 cu. in.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Power:	22.5 HP @ 3600 RPM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Torque:	37.9 ft./lb.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	4.7 gallons (17.8 Liters)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	1,009 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	50" H x 49.25" W x 93" L	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 Years on Tractor	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	3 Years /3,000 Hours on Drive System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	3 Years Engine	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Accessories:	18 X 9.5-8 Turf Tire	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Comfort Seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Implement Hitch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	48" Dozer Blade	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Two-Stage Snowblower	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Boom Sprayer	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION VII – MOWERS (CON'T)**

**ITEM #25, ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
<b><u>DIESEL ENGINE</u></b>			
Engine Model	3 Cylinder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower (Gross):	24.8 Gross HP @ 3000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Total Displacement	68.5 cu. in. Displacement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12v 475 Amp Hour Battery:	14 Amps Charging Output	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>DIMENSIONS:</u></b>			
Wheel Base:	56.7"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length:	89"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Width (with mower):	73.8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Width (w/o mower):	59.6"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Height (with ROPS upright)	78.7"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Height (with ROPS folded)	54"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>TIRES AND WHEELS</u></b>			
Front	15 x 6.0 – 6 Flat-free	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear	26 x 12.0 – 16	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>WEIGHT (W/MOWER)</u></b>			
	1750 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>FLUID CAPACITY</u></b>			
Dual Fuel Tanks (total cap)	12.9 gal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Coolant:	3.96 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Crankcase with filter	4.1 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission Case:	12.8 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>TRANSMISSION</u></b>			
Hydrostatic Drive	(2) HST w/Gear Reduction	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brake Type:	Wet Multi Disks	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Forward Speed:	0-10.6 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Reverse Speed:	0-5.3 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>STEERING/MOTION CONTROL</u></b>			
Two (2) Hand Levers, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulically Damped, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>SAFETY EQUIPMENT</u></b>			
Electric Key Shut Off		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Control Lever Safety Switch		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parking Brake Safety Switch		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Foldable ROPS		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>POWER TAKE OFF</u></b>			
Hydraulic Independent PTO		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shaft Drive Mower Deck		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wet Disk Clutch		<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #25, ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R,  
AS SPECIFIED, OR EQUAL (CONT'D)**

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<b><u>REAR DISCHARGE MOWER</u></b>		
60" Kubota PRO Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5" Deep Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1-5" Cut Height, (1/4" adjustable increments)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3 Blades	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bolt-on Skid Bars	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>OPERATING FEATURES</u></b>		
Adj. Front Axle: Rigid/Oscillating	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dual Element Air Filter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deluxe Suspension Seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Hydraulic Deck Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Parking Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cup Holder	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION VIII – UTILITY VEHICLES**

**ITEM #26, UTILITY VEHICLE, KUBOTA RTV-X1100C, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Type:	3 cylinder, water-cooled 4-cycle diesel OHV	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	68.5 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower (HP):	24.8 @3000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity:	7.9 gals.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission:	Variable hydro transmission (VHT - X)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Traveling Speed:	25 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels, Drive System:	4, rear 2WD or 4WD selection	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Differential Lock:	Standard foot operated with mechanical holder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gear Selection:	Hi-Med-Lo range forward, neutral, reverse	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brakes:	Front/Rear Wet-disc brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parking Brake:	Rear wheel, hand lever	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering:	Hydrostatic power	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension:	Front: Independent Dual A arms with adjustable spring pre load		
	Rear: Independent with coil over shock	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length:	122.5 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width:	65.4 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall:	82.3 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Tread Centers:	48.8 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Tread Centers:	48.8 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheelbase:	80.5 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ground Clearance:	Front/rear axle 10.5/10.4 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Turning Diameter:	26.2 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Rolling Weight:	Towing capacity – 1300 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Payload capacity – 1629 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	2370 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Bed Width x Length x Depth:	57.7 x 40.5 x 11.2 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Volume:	15.2 cu. ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bed Height:	Unloaded – 34.9 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Bed Load:	1102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound Level:	Operator ear 83 dB @ max. engine speed w/no load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires, Front:	25 x 12-12 TURF, 4 ply	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires, Rear:	25 x 12-12 TURF, 4 ply	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Guard:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic Bed Lift:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Speedometer:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Color:	Orange	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION VIII – UTILITY VEHICLES (CONT'D)**

**ITEM #26, UTILITY VEHICLE, KUBOTA RTV-X1100C, AS SPECIFIED, OR EQUAL (CONT'D)**

**COMPLIANCE**  
**YES NO**

**OPTIONS:**

✓ 26A. <u>25 x 10-12 ATV, 6 Ply – Front Set of Tires</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26B. <u>25 x 10-12 HDWS, 6 Ply – Front Set of Tires</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26C. <u>25 x 11-12 ATV, 6 Ply – Rear Set of Tires</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26D. <u>25 x 10-12 HDWS, 6 Ply – Rear Set of Tires</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**ITEM #27 – UTILITY GOLF CART, CUSHMAN HAULER 800 ELITE SERIES, AS SPECIFIED OR EQUAL**

Frame:	Welded steel with E-Shield ecoat plus DuraShield powder coat	<input type="checkbox"/>	<input type="checkbox"/>
Body and Finish:	Injection Molded TPO (front), Injection Molded PP (rear)	<input type="checkbox"/>	<input type="checkbox"/>
Standard Color:	Forest Green or Patriot Blue	<input type="checkbox"/>	<input type="checkbox"/>
Overall Length:	110 in (280 cm)	<input type="checkbox"/>	<input type="checkbox"/>
Overall Width:	49 in (125 cm)	<input type="checkbox"/>	<input type="checkbox"/>
Overall Height:	47 in (120 cm)	<input type="checkbox"/>	<input type="checkbox"/>
Wheel Base:	65.5 in (166 cm)	<input type="checkbox"/>	<input type="checkbox"/>
Front Wheel Track:	37.0 in (94 cm)	<input type="checkbox"/>	<input type="checkbox"/>
Rear Wheel Track:	38.0 in (97 cm)	<input type="checkbox"/>	<input type="checkbox"/>
Ground Clearance:	4.3 in (11 cm)	<input type="checkbox"/>	<input type="checkbox"/>
Cargo Box Capacity:	8.4 cu ft. (0.24 m3)	<input type="checkbox"/>	<input type="checkbox"/>
Powertrain:	48- Volt AC Drive	<input type="checkbox"/>	<input type="checkbox"/>
Horsepower:	11.7 HP (8.7 kW) Peak	<input type="checkbox"/>	<input type="checkbox"/>
Electrical System:	48- Volt	<input type="checkbox"/>	<input type="checkbox"/>
Battery:	Two (2) Lithium Ion 48 Volt	<input type="checkbox"/>	<input type="checkbox"/>
Key or Pedal Start:	Pedal	<input type="checkbox"/>	<input type="checkbox"/>
Drive Train:	Motor Shaft Direct Drive	<input type="checkbox"/>	<input type="checkbox"/>
Transaxle:	Differential with Helical Gears	<input type="checkbox"/>	<input type="checkbox"/>
Gear Selection:	Dash Mount Forward-Neutral-Reverse	<input type="checkbox"/>	<input type="checkbox"/>
Rear Axle Ratio:	16.99:1	<input type="checkbox"/>	<input type="checkbox"/>
Seating Capacity:	2-Person	<input type="checkbox"/>	<input type="checkbox"/>
Curb Weight:	803 lb. (364 kg)	<input type="checkbox"/>	<input type="checkbox"/>
Bed Load Capacity:	800 lb. (360 kg)	<input type="checkbox"/>	<input type="checkbox"/>
Speed:	14.5+/-0.5 mph (23.3+/-0.8 kph)	<input type="checkbox"/>	<input type="checkbox"/>
Towing Capacity:	900 lb. (408 kg)	<input type="checkbox"/>	<input type="checkbox"/>
Outside Clearance			

**SECTION VII – MISCELLANEOUS EQUIPMENT (CONT'D)**

✓ **ITEM #30, STIHL TS 420 CUTQUICK CUT-OFF MACHINE, AS SPECIFIED OR EQUAL**

		<b><u>COMPLIANCE</u></b>	
		<b><u>YES</u></b>	<b><u>NO</u></b>
Displacement	66.7 cc (4.07 in <sup>3</sup> )	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	3.2 kW (4.4 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	9.6 kg (21.2 lbs.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity	710 cc (24 oz.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Speed	9,000 rpm (elec. Gov.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Spindle Speed	5,350 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Arbor Size	20 mm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Wheel Size	350 mm (14")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Cutting Depth	125 mm (4.9")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b><u>OPTIONS:</u></b>			
✓ 30A. <u>Stihl CutQuik Cart with Mounting Kit</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 30B. <u>Water Tank for Cart</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 30C. <u>Stihl TS Wheel Kit</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 30D. <u>Guide Wheel Kit for Cart</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #31 – STIHL KOMBI SYSTEM POWERHEAD KM-131R, AS SPECIFIED, OR EQUAL**

Weight	4.4Kg (9.7lbs)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement	36.3cc (2.2cu. in.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	1.4 kw (1.9 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 31A. <u>Adjustable Power Scythe</u>			
145°, 10" Blade		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 31B. <u>Pole Pruner</u>			
Guide Bar Length shall be 12"		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 31C. <u>Shaft Extension</u>			
Lengthens shaft by at least 37"		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 31D. <u>Adjustable Hedge Trimmer</u>			
Blade length shall be 20"		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length shall be 58.3"		<input checked="" type="checkbox"/>	<input type="checkbox"/>
145° working range		<input checked="" type="checkbox"/>	<input type="checkbox"/>

**SECTION X – MISCELLANEOUS EQUIPMENT (CONT'D)**

**ITEM #32, TURFCO TRI WAVE 45 OVERSEEDER, MODEL 85859, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Dimensions	66" W X 56.5" H X 80.5" L	<input type="checkbox"/>	<input type="checkbox"/>
Weight	1,070 lbs. empty	<input type="checkbox"/>	<input type="checkbox"/>
Engine	Briggs and Stratton Vanguard with electric Start and a 20 amp charging system	<input type="checkbox"/>	<input type="checkbox"/>
Electrical	Fuse protected electric clutch and seed box motor. One (1) 12Volt DC group U1 battery must be included	<input type="checkbox"/>	<input type="checkbox"/>
Hydraulics	Cylinder to raise/lower the wheels	<input type="checkbox"/>	<input type="checkbox"/>
Hitch	Standard 5/8" pin, equipped with jackstand	<input type="checkbox"/>	<input type="checkbox"/>
Capacity	3.2 cubic foot/Approx. 50 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Seed Application Pattern:	Seed Spacing 1 1/2" apart	<input type="checkbox"/>	<input type="checkbox"/>
Seeding Width	40"	<input type="checkbox"/>	<input type="checkbox"/>
Seed Gate	Automatic operation, adjustable variable opening	<input type="checkbox"/>	<input type="checkbox"/>
Operating Speed	3 mph	<input type="checkbox"/>	<input type="checkbox"/>
Transport Speed	6 mph	<input type="checkbox"/>	<input type="checkbox"/>
Productivity	5,868 yards/hour at 3 mph	<input type="checkbox"/>	<input type="checkbox"/>
Cutting Heads	Two (2) heads, independently floating	<input type="checkbox"/>	<input type="checkbox"/>
Blade assembly	Two (2) WaveBlade Sets, 20 Blades total	<input type="checkbox"/>	<input type="checkbox"/>
Blade Assembly operating depth range	0-1 3/8"	<input type="checkbox"/>	<input type="checkbox"/>
Warranty	Three (3) Year Manufacturer's	<input type="checkbox"/>	<input type="checkbox"/>

**OPTIONS**

<b><u>32A. Hydraulic Power Kit, Model Number 86196</u></b>	<input type="checkbox"/>	<input type="checkbox"/>
<b><u>32B. Hydraulic Hose Kit, Model Number 86505</u></b>	<input type="checkbox"/>	<input type="checkbox"/>
Shall be compatible with Cushman Trucks	<input type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #33 - SOD CUTTER, 18 IN. BLUE BIRD, HONDA ENGINE 5.5 HP, AS SPECIFIED OR EQUAL**

Engine:	Honda GX160 or Kohler CH255	<input type="checkbox"/>	<input type="checkbox"/>
Power:	5.5 hp	<input type="checkbox"/>	<input type="checkbox"/>
Drive Train:	Chain Drive	<input type="checkbox"/>	<input type="checkbox"/>
Clutch Mechanism:	Centrifugal, throttle controlled	<input type="checkbox"/>	<input type="checkbox"/>
Transmission Type	4-Speed with reverse	<input type="checkbox"/>	<input type="checkbox"/>
Gears, Forward/Reverse	4/1	<input type="checkbox"/>	<input type="checkbox"/>
Product Size:	54 X 24 X 36	<input type="checkbox"/>	<input type="checkbox"/>