



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director John P. Kelly
Deputy Director Virginia E. Haines
Commissioner Barbara Jo Crea
Commissioner Gary Quinn
Commissioner Joseph H. Vicari

101 Hooper Avenue
Toms River, New Jersey
08754-2191
Tel: (732)929-2005
Fax: (732)505-1918

Board Meeting Agenda

Date: December 21, 2022 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding Contracts for the furnishing and delivery of GOLF COURSE AND LANDSCAPING EQUIPMENT to Turf Equipment and Supply Co., Inc.; John Guire Supply, LLC and Ocean County Equipment, Inc. dba Ace Outdoor Power Equipment, the lowest qualified bidders. No bids were received on Item Nos. 20, 20a, 20b, 20c, 20d, 20e, 20f, 20g, 20h, 20i, 26, 26a and 27a. Recommendation is made to reject Item No. 27 as unresponsive. All no bid and rejected items will be rebid. (B2022-148)

Official Resolution#	2022001785						
Meeting Date	12/21/2022						
Introduced Date	12/21/2022						
Adopted Date	12/21/2022						
Agenda Item	n-1						
CAF #							
Purchase Req. #	B2022-148						
Result	Adopted						
COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Kelly		✓					
Haines	✓				✓		
Crea	✓			✓	✓		
Quinn	✓		✓		✓		
Vicari	✓				✓		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board



RESOLUTION

December 21, 2022

WHEREAS, on October 18, 2022, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of GOLF COURSE AND LANDSCAPING EQUIPMENT for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Turf Equipment and Supply Co., Inc.
8015 Dorsey Run Rd.
Jessup, MD 20794
(610) 335-1634

Ocean County Equipment, Inc. dba
Ace Outdoor Power Equipment
395 Rt. 9
Bayville, NJ 08721
(732) 269-1155

Cherry Valley Tractor
35 West Route 70
Marlton, NJ 08053
(856) 983-0111

Name and Address of Bidder

John Guire Supply, LLC
187 Brighton Avenue
Long Branch, NJ 07740
(732) 222-0613

Central Jersey Equipment, LLC
670 Rt. 40
Elmer, NJ 08318
(856) 358-2880

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, TURF EQUIPMENT AND SUPPLY CO., INC.; JOHN GUIRE SUPPLY, LLC and OCEAN COUNTY EQUIPMENT INC., DBA ACE OUTDOOR POWER EQUIPMENT. No bids were received on Item Nos. 20, 20a, 20b, 20c, 20d, 20e, 20f, 20g, 20h, 20i, 26, 26a and 27a. Recommendation is made to reject Item No. 27 as unresponsive. All no bid and rejected items will be rebid.

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Golf Course and Landscaping Equipment for the County of Ocean, for the contract period from date of award through December 20, 2023, a period of one (1) year, OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

A. TURF EQUIPMENT AND SUPPLY CO., INC. for one (1) item, to wit:
ITEM NO. 10.

B. JOHN GUIRE SUPPLY, LLC. for thirteen (13) items, to wit:
ITEM NOS. 1, 3, 15, 17, 21, 21a, 21b, 21c, 21d, 21e, 21f, 22 and 30.

This vendor has extended this contract to County Cooperative Contract System Participants.

C. OCEAN COUNTY EQUIPMENT INC. /DBA ACE OUTDOOR POWER EQUIPMENT for thirty two (32) items, to wit:
ITEM NOS. 2, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 16, 18, 19, 23, 24, 25, 25a, 25b, 25c, 25d, 28, 28a, 28b, 28c, 28d, 29, 29a, 29b, 29c, 29d and 31.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2022-148.

4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, and the successful bidders.

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
8	Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal	16	EA	No Bid	No Bid	X			
9	Hand Held Blower, Red Max HB281 As Specified, or Equal	13	EA	No Bid	No Bid	X			
10	Pro Force Debris Blower, Toro 44538 As Specified, or Equal	5	EA	\$9,927.85	\$49,639.25		Toro	44552-ProForce Debris Blower	
SECTION III - BRUSH AND TREE EQUIPMENT									
11	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal	2	EA	No Bid	No Bid	X			
12	Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal	25	EA	No Bid	No Bid	X			
13	Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal	3	EA	No Bid	No Bid	X			

SECTION II - BLOWERS

ITEM #7, LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Model No.:	F1302H – 13.0 HP Honda GX	<input type="checkbox"/>	<input type="checkbox"/>
Front Wheel:	10" x 3" pneumatic	<input type="checkbox"/>	<input type="checkbox"/>
Rear Wheels:	13" x 5" pneumatic	<input type="checkbox"/>	<input type="checkbox"/>
Engine Base:	12 gauge steel, robotically welded	<input type="checkbox"/>	<input type="checkbox"/>
Discharge Size:	5"	<input type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	152 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Dimensions:	33" L x 30" W x 35" H	<input type="checkbox"/>	<input type="checkbox"/>

ITEM #8, BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL

Engine:	Strato 75.6 cm ³	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	24.7 lbs	<input type="checkbox"/>	<input type="checkbox"/>
Horsepower:	4.4	<input type="checkbox"/>	<input type="checkbox"/>
Air Speed:	206 MPH	<input type="checkbox"/>	<input type="checkbox"/>
Air Volume:	908 CFM	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	77.77 fl. oz	<input type="checkbox"/>	<input type="checkbox"/>
Emission Durability:	300 hrs.	<input type="checkbox"/>	<input type="checkbox"/>

ITEM #9, HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL

Engine:	28 cc, 2 stroke	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	9.4 lbs	<input type="checkbox"/>	<input type="checkbox"/>
Horse Power:	1.1	<input type="checkbox"/>	<input type="checkbox"/>
Air Speed:	170 MPH	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	16.9 OZ	<input type="checkbox"/>	<input type="checkbox"/>
Air Flow in Pipe:	425 CFM	<input type="checkbox"/>	<input type="checkbox"/>
Air Flow in Housing:	470 CFM	<input type="checkbox"/>	<input type="checkbox"/>
Standard Warranty	2 years	<input type="checkbox"/>	<input type="checkbox"/>

ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL

Engine:	27 hp twin cylinder air-cooled Kohler command pro with electronic governor	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fan:	Aerial flow	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height:	33 inches	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length:	79-115 inches from adjustable tow hitch to nozzle outlet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Nozzle Type:	impact resistant plastic with 13 inch outlet diameter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires:	10X10.8, 4 ply turf tire	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	475 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width:	48 inches	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: December 21, 2022
 Adopted on: December 21, 2022
 Official Resolution#: 2022001785

SECTION II - BLOWERS (CONT'D)

✓ ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL (CONT'D)

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Features:	Wireless RF controller engine start, engine stop, engine speed, nozzle directional control	<input checked="" type="checkbox"/>	<input type="checkbox"/>

10. Acknowledgement of Submission of Forms from Current Bid Package*

Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.

Confirmed

11. Submission of Bid Package*

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

PRICE TABLES

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
SECTION I - TRIMMERS									
1	Line Trimmer, Red Max EXZ260S-94, As Specified or Equal As Specified, or Equal	12	EA	\$422.57	\$5,070.84				COST FOR FULL UNIT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
2	Hedge Trimmer, Red Max CHTZ75R, As Specified, or Equal	8	EA	\$505.56	\$4,044.48				
3	Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal	10	EA	\$331.79	\$3,317.90				HS56
4	Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal	10	EA	No Bid	No Bid	X			
5	Hedge trimmer, Stihl HS 82 R, 30" blade	10	EA	No Bid	No Bid	X			
6	Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal	35	EA	\$379.19	\$13,271.65				FS111
SECTION II - BLOWERS									
7	Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal	3	EA	\$2,504.88	\$7,514.64				

PROPOSAL DOCUMENT REPORT

JOHN GUIRE SUPPLY, INC.

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
14	Chain Saw, Stihl MS362 (Complete Unit) without M-Tronic Technology, As Specified, or Equal	22	EA	\$695.19	\$15,294.18				
15	Chain Saw, Husqvarna 562XP As Specified, or Equal	3	EA	\$537.19	\$1,611.57				MS391
16	Arborist Gas Saw, Stihl MS201T As Specified, or Equal	22	EA	\$624.04	\$13,728.88				
17	Stihl MSA 220 C-B, Cordless Chainsaw (with required accessories), As Specified or Equal	15	EA	\$331.79	\$4,976.85				
SECTION IV - GENERATORS									
18	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal	7	EA	\$2,639.27	\$18,474.89				
19	Generator, Honda EB5000XK3 As Specified, or Equal	7	EA	\$2,609.10	\$18,263.70				
SECTION V - COMPRESSORS									

Introduced on: ~~December 21, 2022~~

Adopted ~~PROPOSAL DOCUMENT REPORT~~

Official Resolution#: 2022001785

BID - GOLF COURSE AND LANDSCAPING EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
21	Earth Auger, Stihl BT131, with 5.9" Diameter Bit, As Specified, or Equal	6	EA	\$584.59	\$3,507.54				
OPTIONS FOR ITEM 21									
21a	1.6" Diameter Auger Bit (For Dirt)	6	EA	\$82.94	\$497.64				
21b	2.4" Diameter Auger Bit (For Dirt)	6	EA	\$94.79	\$568.74				
21c	3.5" Diameter Auger Bit (For Dirt)	6	EA	\$102.69	\$616.14				
21d	4.7" Diameter Auger Bit (For Dirt)	6	EA	\$110.59	\$663.54				
21e	5.9" Diameter Auger Bit (For Dirt)	6	EA	\$118.49	\$710.94				
21f	7.9" Diameter Auger Bit (For Dirt)	6	EA	\$126.39	\$758.34				
SECTION VII - MOWERS									
22	21" Mower, Honda HRC216PDA, As Specified, or Equal	2	EA	\$854.10	\$1,708.20				

Introduced on: December 21, 2022

Adopted on: December 21, 2022

Official Resolution#: 2022001785
 BID - GOLF COURSE AND LANDSCAPING EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
29d	Adjustable Hedge Trimmer, Compatible with KM 131R, As Specified, or Equal	4	EA	\$244.84	\$979.36				
ITEM 30									
30	Sod Cutter, Blue Bird, Honda Engine 5.5 HP, 18 in., As Specified or Equal	2	EA	\$4,705.85	\$9,411.70				RYAN
ITEM 31									
31	Walk Behind Edger, Husqvarna LE475, As Specified, or Equal	2	EA	\$799.96	\$1,599.92				POWER TRIM

Introduced on: December 21, 2022

Adopted PROPOSAL DOCUMENT REPORT

Official Resolution#: 2022001785

BID - GOLF COURSE AND LANDSCAPING EQUIPMENT

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION I - TRIMMERS

✓ ITEM #1, LINE TRIMMER, RED MAX EXZ260S-94, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Weight:	8.82 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Pro-GZ25N Strato charged	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	25.4 cm ³	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carburetor:	Diaphragm w/purge pump	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower:	1.27	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bore & Stroke:	34M x 28M	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition:	Solid State	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Clutch:	Centrifugal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	22.32 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Head:	4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Muffler:	Quiet tone with guard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Drive Shaft:	Straight solid shaft w/ splined ends	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shall meet all EPA Pollution Standards for Phase II/Carb Tier II		<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #2, HEDGE TRIMMER, RED MAX CHTZ75R, AS SPECIFIED, OR EQUAL

Blade Type:	Double	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Length:	30"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Size:	23.6 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Type:	Strato-Charged®	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horse Power:	.80	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight:	13.3 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	15.2 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ ITEM #3, HEDGE TRIMMER, 20" TANAKA, TCH22EAP2, AS SPECIFIED, OR EQUAL

Blade Length	20 in.	<input type="checkbox"/>	<input type="checkbox"/>
Weight	9.5 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Displacement	21.1 cm ³	<input type="checkbox"/>	<input type="checkbox"/>
Max. Strokes	3,760/min.	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	10.1 oz	<input type="checkbox"/>	<input type="checkbox"/>
Operation Time per Tank	32 mins.	<input type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled	<input type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2	<input type="checkbox"/>	<input type="checkbox"/>
Noise Level	87 dB	<input type="checkbox"/>	<input type="checkbox"/>
Rear Handle	5 Position, Adjustable	<input type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input type="checkbox"/>	<input type="checkbox"/>

Stihl HS 56 24"
Substitution
Requested
- Specs
attached
to Bid.

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION III – BRUSH AND TREE EQUIPMENT (CONT'D)

ITEM #14, CHAIN SAW, STIHL MS362 (COMPLETE UNIT), WITHOUT M-TRONIC TECHNOLOGY, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Anti-vibration system, pre-separation air filtration system to increase filter servicing intervals, IntelliCarb™ compensating carburetor, decompression valve, side access chain tensioner, and toolless fuel and oil caps with retainers.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	3.6 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	3.4 kW	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (power head only):	13 lbs., flush-cut	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	20.3 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain Oil Capacity:	11 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilomatic® Chain:	3/8" RS3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Bar Length:	20"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	90 days commercial	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #15, CHAIN SAW, HUSQVARNA 562XP, AS SPECIFIED, OR EQUAL

Cylinder displacement	59.8 cc	<input type="checkbox"/>	<input type="checkbox"/>
Cylinder bore	1.81 inch	<input type="checkbox"/>	<input type="checkbox"/>
Cylinder stroke	1.42 inch	<input type="checkbox"/>	<input type="checkbox"/>
Power output	4.7 hp	<input type="checkbox"/>	<input type="checkbox"/>
Maximum power speed	9600 rpm	<input type="checkbox"/>	<input type="checkbox"/>
Maximum recommended engine speed	14000 rpm	<input type="checkbox"/>	<input type="checkbox"/>
Ignition system	SEM DM61	<input type="checkbox"/>	<input type="checkbox"/>
Ignition module air gap	0.01"	<input type="checkbox"/>	<input type="checkbox"/>
Idling speed	2800 rpm	<input type="checkbox"/>	<input type="checkbox"/>
Spark plug	NGK CMR6H	<input type="checkbox"/>	<input type="checkbox"/>
Electrode gap	0.02"	<input type="checkbox"/>	<input type="checkbox"/>
Oil tank volume	0.7 US pint	<input type="checkbox"/>	<input type="checkbox"/>
Oil pump capacity	6-15 ml/min	<input type="checkbox"/>	<input type="checkbox"/>
Chain pitch	3/8"	<input type="checkbox"/>	<input type="checkbox"/>
Recommended bar length, min-max	15"-28"	<input type="checkbox"/>	<input type="checkbox"/>
Chain speed at max power	69.9 ft/s	<input type="checkbox"/>	<input type="checkbox"/>
Bar mount	Large	<input type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (HC average)	56 g/kWh	<input type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO average)	241 g/kWh	<input type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (NOx average)	4.8 g/kWh	<input type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO2 average)	802 g/kWh	<input type="checkbox"/>	<input type="checkbox"/>
Equivalent vibration level (ahv,eq) front/rear handle 2.7/3.2 m/s ²		<input type="checkbox"/>	<input type="checkbox"/>
Sound pressure level at operators' ear	106 dB(A)	<input type="checkbox"/>	<input type="checkbox"/>
Sound power level, guaranteed (LWA)	118 dB(A)	<input type="checkbox"/>	<input type="checkbox"/>
Weight (excl. cutting equipment)	12.57 lbs	<input type="checkbox"/>	<input type="checkbox"/>

Stihl MS 391
Substitution Requested
- Specs Attached
with BID

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION III - BRUSH AND TREE EQUIPMENT (CONT'D)

ITEM #16, STIHL MS201TC, ARBORIST GAS SAW, AS SPECIFIED, OR EQUAL

Stihl MS201TCM

Current Model.

		COMPLIANCE	
		YES	NO
Displacement:	2.14 cu. in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	2.41 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powerhead weight:	8.16 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	10.5 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain oil capacity:	7.4 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilmatic® chain:	63 PS3 (30" to 40")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide bar lengths:	Stihl Rollomatic®E or E light	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #17, STIHL MSA 220 C-B, CORDLESS CHAINSAW, AS SPECIFIED, OR EQUAL**

Weight	3.6 kg	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Length/Bar Length	35	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated voltage	36V	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level	89 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vibration level left/right	4.8/3.6 m/s ²	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Saw chain pitch	3/8" P	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery technology	Lithium-Ion AP System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery Life	Minimum 42 Minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Included Accessories:			
AL 300 Quick Charger, 220-240V		<input checked="" type="checkbox"/>	<input type="checkbox"/>
AP 300 S 36V Lithium Ion Battery		<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION VI – AUGERS

✓ ITEM #21, EARTH AUGER, STIHL BT 131 WITH 5.9" (150mm) DIAMETER BIT, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
High Torque one-person auger, 4 MIX engine with low fuel consumption, Low Noise and vibration level. Standard with QuickStop drill brake, long live air filter system and support cushion.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement cm	36.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power output Kw/BHP	1.4/ 1.9	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight kg	10 KG	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tank volume	550.00	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Included Bit	5.9" (150mm) diameter (for dirt)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
QuickStop drill brake for work safety. QuickStop drill brake acts to stop backwards rotation. A jammed drilling bit can simply be unscrewed from the borehole		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPTIONS:</u>			
<u>✓ 21A. 1.6 (40mm) diameter auger bit (for dirt)</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>✓ 21B. 2.4 (60mm) diameter auger bit (for dirt)</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>✓ 21C. 3.5 (90mm) diameter auger bit (for dirt)</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>✓ 21D. 4.7 (120 mm) diameter auger bit (for dirt)</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>✓ 21E. 5.9 (150mm) diameter auger bit (for dirt)</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>✓ 21F. 7.9 (200 mm) diameter auger bit (for dirt)</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>

John Gure Supply LLC

GOLF COURSE AND LANDSCAPING EQUIPMENT

SECTION VII - MOWERS

✓ ITEM #22, 21" MOWER, HONDA HRC 216 PDA, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES NO

Engine	GSV160	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Material	Heavy Duty 16 ga Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Width	21"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Range	¾"-4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Adjustments	8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Starter	Recoil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Choke System	Manual	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle	1" Steel Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steel Deck Guards	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels	9" Nexite	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ball Bearing Wheels	All	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Functions	3 in 1 Capable: Mulch/Bag, Side Discharge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bag Capacity (bushels)	2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade(s)	Twin blades (Microcut)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Control	Flywheel Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side/Rear Discharge	Rear Mount Optional	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight	99 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operating Weight	102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty	Two (2) years engine, One (1) year all other components	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #23 - 42" DECK, WALKER MODEL T23, COMMERCIAL LAWN MOWER, AS SPECIFIED OR EQUAL

Power:	23 HP	<input type="checkbox"/>	<input type="checkbox"/>
Engine:	Kohler	<input type="checkbox"/>	<input type="checkbox"/>
Fuel System:	Carb	<input type="checkbox"/>	<input type="checkbox"/>
Displacement:	674 cc (41.1 cu. in.)	<input type="checkbox"/>	<input type="checkbox"/>
Max Power:	22.5 HP @ 3600 RPM	<input type="checkbox"/>	<input type="checkbox"/>
Max Torque:	37.9 ft./lb.	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	4.7 gallons (17.8 Liters)	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	1,009 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Dimensions:	50" H x 49.25" W x 93" L	<input type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 Years on Tractor	<input type="checkbox"/>	<input type="checkbox"/>
	3 Years /3,000 Hours on Drive System	<input type="checkbox"/>	<input type="checkbox"/>
	3 Years Engine	<input type="checkbox"/>	<input type="checkbox"/>
Standard Accessories:	18 X 9.5-8 Turf Tire	<input type="checkbox"/>	<input type="checkbox"/>
	Comfort Seat	<input type="checkbox"/>	<input type="checkbox"/>
	Implement Hitch	<input type="checkbox"/>	<input type="checkbox"/>
	48" Dozer Blade	<input type="checkbox"/>	<input type="checkbox"/>
	Two-Stage Snowblower	<input type="checkbox"/>	<input type="checkbox"/>
	Boom Sprayer	<input type="checkbox"/>	<input type="checkbox"/>

NO BID

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION X - MISCELLANEOUS EQUIPMENT (CONT'D)

ITEM #30 - SOD CUTTER, 18 IN. BLUE BIRD, HONDA ENGINE 5.5 HP, AS SPECIFIED OR EQUAL

Ryan Jr. Sod Cutter
 Substitution Requested

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	Honda GX160 or Kohler CH255	<input type="checkbox"/>	<input type="checkbox"/>
Power:	5.5 hp	<input type="checkbox"/>	<input type="checkbox"/>
Drive Train:	Chain Drive	<input type="checkbox"/>	<input type="checkbox"/>
Clutch Mechanism:	Centrifugal, throttle controlled	<input type="checkbox"/>	<input type="checkbox"/>
Transmission Type	4-Speed with reverse	<input type="checkbox"/>	<input type="checkbox"/>
Gears, Forward/Reverse	4/1	<input type="checkbox"/>	<input type="checkbox"/>
Product Size:	54 X 24 X 36	<input type="checkbox"/>	<input type="checkbox"/>

Specs
 attached to
 BID

ITEM #31 - WALK BEHIND EDGER, HUSQVARNA LE475, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Capacity:			
Working depth	4 in	<input type="checkbox"/>	<input type="checkbox"/>
Trimming Width	9 in	<input type="checkbox"/>	<input type="checkbox"/>
Cylinder displacement	9.03 cu.inch	<input type="checkbox"/>	<input type="checkbox"/>
Power output	4.2 hp	<input type="checkbox"/>	<input type="checkbox"/>
Fuel tank volume	1.89 qt	<input type="checkbox"/>	<input type="checkbox"/>
Fuel consumption	411 g/kWh	<input type="checkbox"/>	<input type="checkbox"/>
Motor/engine manufacturer	Briggs & Stratton	<input type="checkbox"/>	<input type="checkbox"/>
Gross Torque	5.5 lb-ft	<input type="checkbox"/>	<input type="checkbox"/>
Transmission type	Belt	<input type="checkbox"/>	<input type="checkbox"/>
Consumer Warranty	2 Years	<input type="checkbox"/>	<input type="checkbox"/>

Power Trim Edger
 Substitution
 Requested
 Specs
 attached
 to BID.

OCEAN COUNTY EQUIPMENT, INC. DBA ACE OUTDOOR POWER EQUIPMENT
 PROPOSAL DOCUMENT REPORT
 Bid No. TBD
 GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
1	Line Trimmer, Red Max EXZ260S-94, As Specified or Equal As Specified, or Equal	12	EA	\$515.00	\$6,180.00		As Spec	As Spec	
2	Hedge Trimmer, Red Max CHTZ75R, As Specified, or Equal	8	EA	\$495.18	\$3,961.44		Husqvarna	522HDR75S	
3	Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal	10	EA	\$463.24	\$4,632.40		Husqvarna	522HD60S	
4	Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal	10	EA	\$495.18	\$4,951.80		Husqvarna	522HDR75S	
5	Hedge trimmer, Stihl HS 82 R, 30" blade	10	EA	\$442.49	\$4,424.90		As Spec	As Spec	
6	Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal	35	EA	\$359.99	\$12,599.65		As Spec	FS111	
SECTION II - BLOWERS									

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
7	Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal	3	EA	\$1,709.99	\$5,129.97		As Spec	As Spec	
8	Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal	16	EA	\$545.00	\$8,720.00		As Spec	EBZ8560/RH	
9	Hand Held Blower, Red Max HB281 As Specified, or Equal	13	EA	\$148.00	\$1,924.00		As Spec	As Spec	
10	Pro Force Debris Blower, Toro 44538 As Specified, or Equal	5	EA	No Bid	No Bid	X			
SECTION III - BRUSH AND TREE EQUIPMENT									
11	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal	2	EA	\$3,799.99	\$7,599.98		As Spec	As Spec	
12	Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal	25	EA	\$502.49	\$12,562.25		As Spec	HT105	

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
13	Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal	3	EA	\$503.99	\$1,511.97		As Spec	As Spec	
14	Chain Saw, Stihl MS362 (Complete Unit) without M-Tronic Technology, As Specified, or Equal	22	EA	\$659.99	\$14,519.78		As Spec	As Spec	
15	Chain Saw, Husqvarna 562XP As Specified, or Equal	3	EA	\$662.67	\$1,988.01		As Spec	As Spec	
16	Arborist Gas Saw, Stihl MS201T As Specified, or Equal	22	EA	\$504.89	\$11,107.58		Husqvarna	540TXP II	
17	Stihl MSA 220 C-B, Cordless Chainsaw (with required accessories), As Specified or Equal	15	EA	\$567.97	\$8,519.55		As Spec	As Spec	
SECTION IV - GENERATORS									
18	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal	7	EA	\$2,057.00	\$14,399.00		As Spec	As Spec	

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
19	Generator, Honda EB5000XK3 As Specified, or Equal	7	EA	\$2,100.00	\$14,700.00		As Spec	As Spec	
SECTION V - COMPRESSORS									
20	Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal	5	EA	No Bid	No Bid	X			
OPTIONS FOR ITEM 20									
20a	50' Single Hose Reel	5	EA	No Bid	No Bid	X			
20b	50' Dual Hose Reel	5	EA	No Bid	No Bid	X			
20c	50' Hose	5	EA	No Bid	No Bid	X			
20d	100' Single Hose Reel	5	EA	No Bid	No Bid	X			
20e	100' Dual Hose Reel	5	EA	No Bid	No Bid	X			
20f	100' Hose	6	EA	No Bid	No Bid	X			
20g	2" Adjustable Bulldog Hitch	5	EA	No Bid	No Bid	X			
20h	18" Extended Drawbar with Jockeywheel	5	EA	No Bid	No Bid	X			
20i	Block Heater	5	EA	No Bid	No Bid	X			

PROPOSAL DOCUMENT REPORT
 Bid No. TBD
 GOLF COURSE AND LANDSCAPING EQUIPMENT

OCEAN COUNTY EQUIPMENT, INC. DBA ACE OUTDOOR POWER EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
22	21" Mower, Honda HRC216PDA, As Specified, or Equal	2	EA	\$1,236.00	\$2,472.00		As Spec	As Spec	
23	42" Deck, Walker Model T23 Commercial Lawn Mower, As Specified or Equal	2	EA	\$21,374.00	\$42,748.00		As Spec	As Spec	
24	Zero Turn Rear Discharge Mower, Kubota Model ZD1211R60R As Specified, or Equal	5	EA	\$15,771.00	\$78,855.00		As Spec	As Spec	
SECTION VIII - UTILITY VEHICLES									
25	Utility Vehicle, Kubota RTV-X1100CW-LH As Specified, or Equal	5	EA	\$20,350.00	\$101,750.00		As Spec	As Spec	
OPTIONS FOR ITEM 25									
25a	25 x 10-12 ATV, 6 Ply, Front Set of Tires	5	SET	\$310.00	\$1,550.00		As Spec	As Spec	
25b	25 x 10-12 HDWS, 6 Ply, Front Set of Tires	5	SET	\$340.00	\$1,700.00		As Spec	As Spec	
25c	25 x 10-12 ATV, 6 Ply, Rear Set of Tires	5	SET	\$310.00	\$1,550.00		As Spec	As Spec	

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
25d	25 x 10-12 HDWS, 6 Ply, Rear Set of Tires	5	SET	\$340.00	\$1,700.00		As Spec	As Spec	
SECTION IX - TRAILERS									
26	Utility Trailer, Big Tex #10PI-20, As Specified, or Equal	6	EA	No Bid	No Bid	X			
OPTION FOR ITEM 26									
26a	4' Heavy Duty Integrated Ramp Gate w/Gas Shock Assist	6	EA	No Bid	No Bid	X			
SECTION X - MISCELLANEOUS EQUIPMENT									
ITEM 27 AND OPTIONS									
27	Vibratory Asphalt Plate, Wacker Neuson WP 1550AW, As Specified or Equal	6	EA	No Bid	No Bid	X			
27a	Wheel Kit for Vibratory Asphalt Plate	6	KIT	No Bid	No Bid	X			
ITEM 28 AND OPTIONS									
28	Stihl TS 420 Cutquik Cut-Off Machine, As Specified or Equal	6	EA	\$899.99	\$5,399.94		As Spec	As Spec	

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE AND LANDSCAPING EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
✓ 28a	Stihl Cutquik Cart with Mounting Kit	6	EA	\$400.48	\$2,402.88		As Spec	As Spec	
✓ 28b	Water Tank for Stihl Cutquik Cart	6	EA	\$120.74	\$724.44		As Spec	As Spec	
✓ 28c	Wheel Kit for Stihl Cutquik	6	EA	\$29.99	\$179.94		As Spec	As Spec	
✓ 28d	Guide Wheel Kit for Stihl Cutquik cart	6	EA	\$39.74	\$238.44		As Spec	As Spec	
ITEM 29 AND OPTIONS									
✓ 29	Stihl KombiSystem, Powerhead KM 131R, As Specified, or Equal	4	EA	\$329.99	\$1,319.96		As Spec	As Spec	
✓ 29a	Adjustable Power Scythe, Compatible with KM 131R, As Specified or Equal	4	EA	\$209.99	\$839.96		As Spec	As Spec	
✓ 29b	Pole Pruner Attachment, Compatible with KM 131R, As Specified, or Equal	4	EA	\$157.49	\$629.96		As Spec	As Spec	
✓ 29c	Shaft Extension, Compatible with KM 131R, As Specified or Equal	4	EA	\$67.49	\$269.96		As Spec	As Spec	

PROPOSAL DOCUMENT REPORT
 Bid No. TBD
 GOLF COURSE AND LANDSCAPING EQUIPMENT

OCEAN COUNTY EQUIPMENT, INC. DBA ACE OUTDOOR POWER EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
29d	Adjustable Hedge Trimmer, Compatible with KM 131R, As Specified, or Equal	4	EA	\$217.49	\$869.96		As Spec	As Spec	
ITEM 30									
30	Sod Cutter, Blue Bird, Honda Engine 5.5 HP, 18 in., As Specified or Equal	2	EA	No Bid	No Bid	X			
ITEM 31									
31	Walk Behind Edger, Husqvarna LE475, As Specified, or Equal	2	EA	\$537.26	\$1,074.52		Atom	ATCPE4	

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION I - TRIMMERS

ITEM #1. LINE TRIMMER, RED MAX EXZ260S-94, AS SPECIFIED, OR EQUAL

<input type="checkbox"/>	<input checked="" type="checkbox"/>	Weight:	8.82 lbs.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Engine:	Pro-GZ25N Strato charged
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Displacement:	25.4 cm ³
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Carburetor:	Diaphragm w/purge pump
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Horsepower:	1.27
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Bore & Stroke:	34M x 28M
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Ignition:	Solid State
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Clutch:	Centrifugal
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Fuel Capacity:	22.32 oz.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Cutting Head:	4"
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Muffler:	Quiet tone with guard
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Drive Shaft:	Straight solid shaft w/ splined ends
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Shall meet all EPA Pollution Standards for Phase II/Carb Tier II	

ITEM #2. HEDGE TRIMMER, RED MAX CHTZ7SR, AS SPECIFIED, OR EQUAL

<input type="checkbox"/>	<input checked="" type="checkbox"/>	Blade Type:	Double
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Blade Length:	30"
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Engine Size:	23.6 cc
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Engine Type:	Strato-Charged*
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Horse Power:	.80
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Dry Weight:	13.3 lbs.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Fuel Capacity:	15.2 fl. oz.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Warranty:	2 years

Brand specific

ITEM #3. HEDGE TRIMMER, 20" TANAKA, TCHZ2EAP2, AS SPECIFIED, OR EQUAL

<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Blade Length:	20 in. UNIT BID HUSQVARNA 522HD60S
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Weight:	9.5 lbs.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Displacement:	21.1 cm ³
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Max. Strokes:	3,760/min.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Fuel Capacity:	10.1 oz.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Operation Time per Tank:	32 mins.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Exhaust Direction:	Forward/Angled
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Emission:	Standard Phase 2
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Noise Level:	87 dB
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Rear Handle:	5 Position, Adjustable
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Warranty:	2 years

COMPLIANCE
YES
NO

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION I - TRIMMERS (CONT'D)

✓ **ITEM #4, HEDGE TRIMMER, 30" TANAKA, TCH22ECP2, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Blade Length	30.in. <i>NET BED HUSQVARNA 522 HDR 755</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	11.4 lbs.	<input type="checkbox"/> 12.1	<input checked="" type="checkbox"/>
Displacement	21.1 cm ³	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Strokes	3,760/min.	<input type="checkbox"/> 3200	<input checked="" type="checkbox"/>
Fuel Capacity	10.1 oz	<input checked="" type="checkbox"/> 17.5	<input type="checkbox"/>
Blades	Double-Sided	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operation Time per Tank	32 mins.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Noise Level	89 dB	<input type="checkbox"/> 93	<input checked="" type="checkbox"/>
Rear Handle	5 Position, Adjustable	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #5, HEDGE TRIMMER, STIHL HS 82R, 30" BLADE, AS SPECIFIED, OR EQUAL**

Displacement	22.7cc (1.4 in ³)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	0.7 kw (094 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	460 cc (15.6 oz)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Length	30"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Strokes/Minute	3100	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	5.7 kg with 30" Blade	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #6, BIKE HANDLE TRIMMER/BRUSH CUTTER, STIHL FS110, AS SPECIFIED, OR EQUAL**

Stihl 4-MIX® Engine, meets EPA emission requirements.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Auto Cut® cutting head, lightweight.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	1.9 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	1.4 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	12.8 lbs. (without cutting attachment or deflector)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	18 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION II - BLOWERS

OCEAN COUNTY EQUIPMENT, INC. DBA ACE OUTDOOR POWER EQUIPMENT

✓ **ITEM #7, LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Model No.:	F1302H -- 13.0 HP Honda GX	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Wheel:	10" x 3" pneumatic	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Wheels:	13" x 5" pneumatic	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Base:	12 gauge steel, robotically welded	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Discharge Size:	5"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	152 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	33" L x 30" W x 35" H	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #8, BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL**

Engine:	Strato 75.6 cm ³	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	24.7 lbs <i>25.4</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Horsepower:	4.4 <i>4.59</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	206 MPH <i>220</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Volume:	908 CFM <i>1000</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	77.77 fl. oz	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission Durability:	300 hrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #9, HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL**

Engine:	28 cc, 2 stroke	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	9.4 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horse Power:	1.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	170 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	16.9 OZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Pipe:	425 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Housing:	470 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #10, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL

Engine:	27 hp twin cylinder air-cooled Kohler command pro with electronic governor	<input type="checkbox"/>	<input type="checkbox"/>
Fan:	Aerial flow	<input type="checkbox"/>	<input type="checkbox"/>
Height:	33 inches	<input type="checkbox"/>	<input type="checkbox"/>
Length:	79-115 inches from adjustable tow hitch to nozzle outlet.	<input type="checkbox"/>	<input type="checkbox"/>
Nozzle Type:	impact resistant plastic with 13 inch outlet diameter	<input type="checkbox"/>	<input type="checkbox"/>
Tires:	10X10.8, 4 ply turf tire	<input type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	475 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Width:	48 inches	<input type="checkbox"/>	<input type="checkbox"/>

**GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION III - BRUSH AND TREE EQUIPMENT**

ITEM #11. BRUSH CUTTER, BILLY GOAT OUTBACK BC2601HHC. AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	Honda 388cc Electric Start	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transaxle:	Tuff Torq hydrostatic transmission featuring fully automatic enhanced traction control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Clutch:	Blade brake/clutch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Slope:	20°	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cut Width:	26"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cut Height:	Saplings up to 2" in diameter, and brush 6 ft. tall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels Rear:	16" diameter with puncture sealant	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	335 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	72" L (Overall) x 31" W x 48" H	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #12. TELESCOPING POLE PRUNER, 80", STIHL HT103. AS SPECIFIED, OR EQUAL

Automatic chain oiling, side access chain tensioner.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	1.9 cu. in.. 31.4cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Stihl 4-MIX®	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	1.05 Kw	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight with Cutting Attachment:	16.3 lbs.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel Capacity:	18.0 oz.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Chain Oil Capacity:	7.4 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilomatic® Chain:	¾" PMM ³ , 12" bar and chain	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Shaft Length:	80"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #13. TELESCOPING POWER PRUNER, ECHO PPT-2620H, AS SPECIFIED, OR EQUAL

Engine Displacement:	25.4 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carburetor (w/ purge pump):	Rotary Valve-Diaphragm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	20.6 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil Capacity:	6.6 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Collapsed:	107 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Extended:	146 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Optional Extension to be included:	4 ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bar Length:	12 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight (w/o bar and chain):	17 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shoulder Strap Included		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side-access Chain Tensioner		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Adjustable auto oiler		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) guide bar studs		<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION III - BRUSH AND TREE EQUIPMENT (CONT'D)

✓ **ITEM #14. CHAIN SAW, STIHL MS362 (COMPLETE UNIT), WITHOUT M-TRONIC TECHNOLOGY, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Anti-vibration system, pre-separation air filtration system to increase filter servicing intervals, IntelliCarb™ compensating carburetor, decompression valve, side access chain tensioner, and toolless fuel and oil caps with retainers.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	3.6 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	3.4 kW	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (power head only):	13 lbs., flush-cut	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	20.3 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain Oil Capacity:	11 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilomatic® Chain:	3/8" RS3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Bar Length:	20"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	90 days commercial	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #15. CHAIN SAW, HUSQVARNA 562XP, AS SPECIFIED, OR EQUAL

Cylinder displacement	59.8 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder bore	1.81 inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder stroke	1.42 inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power output	4.7 hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maximum power speed	9600 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maximum recommended engine speed	14000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition system	SEM DM61	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition module air gap	0.01"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Idling speed	2800 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Spark plug	NGK CMR6H	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Electrode gap	0.02"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil tank volume	0.7 US pint	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil pump capacity	6-15 ml/min	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain pitch	3/8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Recommended bar length, min-max	15"-28"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain speed at max power	69.9 ft/s	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bar mount	Large	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (HC average)	56 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO average)	241 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (NOx average)	4.8 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO ₂ average)	802 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Equivalent vibration level (ahv,eq) front/rear handle	2.7/3.2 m/s ²	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level at operators' ear	106 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound power level, guaranteed (LWA)	118 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (excl. cutting equipment)	12.57 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION III - BRUSH AND TREE EQUIPMENT (CONT'D)

✓ ITEM #16, STIHL MS201T, ARBORIST GAS SAW, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Displacement:	2.14 cu. in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	2.41 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powerhead weight:	8.16 lbs.	<input checked="" type="checkbox"/> 8.6	<input checked="" type="checkbox"/>
Fuel capacity:	10.5 oz.	<input checked="" type="checkbox"/> 11.5	<input type="checkbox"/>
Chain oil capacity:	7.4 oz.	<input checked="" type="checkbox"/> 8.7	<input type="checkbox"/>
Oilmatic® chain:	63 PS3 (30" to 40")	<input checked="" type="checkbox"/> BRAND SPECIFIC	<input type="checkbox"/>
Guide bar lengths:	Stihl Rollomatic®E or E light	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #17, STIHL MSA 220 C-B, CORDLESS CHAINSAW, AS SPECIFIED, OR EQUAL

Weight	3.6 kg	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Length/Bar Length	35	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated voltage	36V	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level	89 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vibration level left/right	4.8/3.6 m/s ²	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Saw chain pitch	3/8" P	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery technology	Lithium-Ion AP System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery Life	Minimum 42 Minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Included Accessories:			
AL 300 Quick Charger, 220-240V		<input checked="" type="checkbox"/>	<input type="checkbox"/>
AP 300 S 36V Lithium Ion Battery		<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION IV - GENERATORS

✓ **ITEM #18. GENERATOR, HONDA EU3000 IS SUPERQUIET, 4 WHEELED MODEL, AS SPECIFIED, OR EQUAL**

		COMPLIANCE	
		YES	NO
Engine:	6.5 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Single cylinder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	OV air cooled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	196 cc.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120V, 3000 watt max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DC Output:	12V, 144 watt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	3.4 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time:	Approx. 6.9 hrs. of run time on full tank	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	@ rated load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry WT:	130.7 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	25.9" x 17.6" x 22"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 yrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #19. GENERATOR, HONDA EB5000XK3, AS SPECIFIED, OR EQUAL**

Engine:	Honda iGX390	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	389cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120/240V 5000W max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex (2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125/250V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	6.2 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time per Tankful:	7.0 hrs. @ rated load, 11.2 hrs @ 1/2 load	<input type="checkbox"/>	<input type="checkbox"/>
Dry Weight:	210.8 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
With Standard Wheel Kit		<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT

SECTION VII - MOWERS

ITEM #22, 21" MOWER, HONDA HRC 216 PDA, AS SPECIFIED, OR EQUAL

		COMPLIANCE	
		YES	NO
Engine	GSV160	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Material	Heavy Duty 16 ga Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Width	21"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Range	¾"-4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Adjustments	8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Starter	Recoil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Choke System	Manual	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle	1" Steel Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steel Deck Guards	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels	9" Nexite	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ball Bearing Wheels	All	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Functions	3 in 1 Capable: Mulch/Bag, Side Discharge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bag Capacity (bushels)	2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade(s)	Twin blades (Microcut)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Control	Flywheel Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side/Rear Discharge	Rear Mount Optional	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight	99 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operating Weight	102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty	Two (2) years engine, One (1) year all other components	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #23 - 42" DECK, WALKER MODEL T23, COMMERCIAL LAWN MOWER, AS SPECIFIED OR EQUAL

Power:	23 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Kohler	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel System:	Carb	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	674 cc (41.1 cu. in.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Power:	22.5 HP @ 3600 RPM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Torque:	37.9 ft./lb.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	4.7 gallons (17.8 Liters)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	1,009 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	50" H x 49.25" W x 93" L	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 Years on Tractor	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	3 Years /3,000 Hours on Drive System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	3 Years Engine	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Accessories:	18 X 9.5-8 Turf Tire	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Comfort Seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Implement Hitch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	48" Dozer Blade	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Two-Stage Snowblower	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Boom Sprayer	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT

SECTION VII - MOWERS (CON'T)

✓ **ITEM #24, ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
<u>DIESEL ENGINE</u>			
Engine Model	3 Cylinder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower (Gross):	24.8 Gross HP @ 3000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Total Displacement	68.5 cu. in. Displacement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12v 475 Amp Hour Battery:	14 Amps Charging Output	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DIMENSIONS:</u>			
Wheel Base:	56.7"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length:	89"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Width (with mower):	73.8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Width (w/o mower):	59.6"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Height (with ROPS upright)	78.7"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Height (with ROPS folded)	54"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>TIRES AND WHEELS</u>			
Front	15 x 6.0 - 6 Flat-free	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear	26 x 12.0 - 16	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	1750 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>WEIGHT (W/MOWER)</u>			
<u>FLUID CAPACITY</u>			
Dual Fuel Tanks (total cap)	12.9 gal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Coolant:	3.96 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Crankcase with filter	4.1 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission Case:	12.8 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>TRANSMISSION</u>			
Hydrostatic Drive	(2) HST w/Gear Reduction	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brake Type:	Wet Multi Disks	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Forward Speed:	0-10.6 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Reverse Speed:	0-5.3 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>STEERING/MOTION CONTROL</u>			
Two (2) Hand Levers, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulically Damped, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY EQUIPMENT</u>			
Electric Key Shut Off		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Control Lever Safety Switch		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parking Brake Safety Switch		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Foldable ROPS		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>POWER TAKE OFF</u>			
Hydraulic Independent PTO		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shaft Drive Mower Deck		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wet Disk Clutch		<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT

SECTION VII - MOWERS (CON'T)

ITEM #24, ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R,
AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>REAR DISCHARGE MOWER</u>		
60" Kubota PRO Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5" Deep Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1-5" Cut Height, (1/4" adjustable increments)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3 Blades	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bolt-on Skid Bars	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPERATING FEATURES</u>		
Adj. Front Axle: Rigid/Oscillating	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dual Element Air Filter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deluxe Suspension Seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Hydraulic Deck Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Parking Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cup Holder	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION VIII – UTILITY VEHICLES

✓ **ITEM #25, UTILITY VEHICLE, KUBOTA RTV-X1100CWLH, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Type:	3 cylinder, water-cooled 4-cycle diesel OHV	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	68.5 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower (HP):	24.8 @3000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity:	7.9 gals.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission:	Variable hydro transmission (VHT - X)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Traveling Speed:	25 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels, Drive System:	4, rear 2WD or 4WD selection	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Differential Lock:	Standard foot operated with mechanical holder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gear Selection:	Hi-Med-Lo range forward, neutral, reverse	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brakes:	Front/Rear Wet-disc brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parking Brake:	Rear wheel, hand lever	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering:	Hydrostatic power	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension:	Front: Independent Dual A arms with adjustable spring pre load	<input type="checkbox"/>	<input type="checkbox"/>
	Rear: Independent with coil over shock	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length:	122.5 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width:	65.4 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall:	82.3 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Tread Centers:	48.8 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Tread Centers:	48.8 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheelbase:	80.5 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ground Clearance:	Front/rear axle 10.5/10.4 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Turning Diameter:	26.2 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Rolling Weight:	Towing capacity – 1300 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Payload capacity – 1629 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	2370 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Bed Width x Length x Depth:	57.7 x 40.5 x 11.2 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Volume:	15.2 cu. ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bed Height:	Unloaded – 34.9 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Bed Load:	1102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires, Front:	TURF 25 x 10-12, 4-ply, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires, Rear:	TURF 25 x 10-12, 4-ply, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Guard:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic Bed Lift:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Speedometer:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bed Liner:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Color:	Orange	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE AND LANDSCAPING EQUIPMENT

SECTION VIII - UTILITY VEHICLES (CONT'D)

✓ ITEM #25, UTILITY VEHICLE, KUBOTA RTV-X1100CWLH, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES NO

OPTIONS:

- ✓ 25A. 25 x 11-12 ATV, 6 Ply - Front Set of Tires
- ✓ 25B. 25 x 10-12 HDWS, 6 Ply - Front Set of Tires
- ✓ 25C. 25 x 11-12 ATV, 6 Ply - Rear Set of Tires
- ✓ 25D. 25 x 10-12 HDWS, 6 Ply - Rear Set of Tires

- | | |
|-------------------------------------|--------------------------|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> |

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION VII – MISCELLANEOUS EQUIPMENT (CONT'D)

✓ **ITEM #28. STIHL TS 420 CUTQUICK CUT-OFF MACHINE, AS SPECIFIED OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Displacement	66.7 cc (4.07 in ³)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	3.2 kW (4.4 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	9.6 kg (21.2 lbs.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity	710 cc (24 oz.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Speed	9,000 rpm (elec. Gov.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Spindle Speed	5,350 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Arbor Size	20 mm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Wheel Size	350 mm (14")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Cutting Depth	125 mm (4.9")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OPTIONS:

- ✓ **28A. Stihl CutQuik Cart with Mounting Kit**
- ✓ **28B. Water Tank for Cart**
- ✓ **28C. Stihl TS Wheel Kit**
- ✓ **28D. Guide Wheel Kit for Cart**

✓ **ITEM #29 – STIHL KOMBI SYSTEM POWERHEAD KM-131R, AS SPECIFIED, OR EQUAL**

Weight	4.4Kg (9.7lbs)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement	36.3cc (2.2cu. in.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	1.4 kw (1.9 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OPTIONS:

- ✓ **29A. Adjustable Power Scythe**
145°, 10" Blade
- ✓ **29B. Pole Pruner**
Guide Bar Length shall be 12"
- ✓ **29C. Shaft Extension**
Lengthens shaft by at least 37"
- ✓ **29D. Adjustable Hedge Trimmer**
Blade length shall be 20"
- Overall Length shall be 58.3"
- 145° working range

GOLF COURSE AND LANDSCAPING EQUIPMENT
SECTION X - MISCELLANEOUS EQUIPMENT (CONT'D)

ITEM #30 - SOD CUTTER, 18 IN. BLUE BIRD, HONDA ENGINE 5.5 HP, AS SPECIFIED OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	Honda GX160 or Kohler CH255	<input type="checkbox"/>	<input type="checkbox"/>
Power:	5.5 hp	<input type="checkbox"/>	<input type="checkbox"/>
Drive Train:	Chain Drive	<input type="checkbox"/>	<input type="checkbox"/>
Clutch Mechanism:	Centrifugal, throttle controlled	<input type="checkbox"/>	<input type="checkbox"/>
Transmission Type	4-Speed with reverse	<input type="checkbox"/>	<input type="checkbox"/>
Gears, Forward/Reverse	4/1	<input type="checkbox"/>	<input type="checkbox"/>
Product Size:	54 X 24 X 36	<input type="checkbox"/>	<input type="checkbox"/>

✓ ITEM #31 - WALK BEHIND EDGER, HUSQVARNA LE475, AS SPECIFIED, OR EQUAL

Capacity:			
Working depth	4 in UNIT BID ATOM ATCPE4	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Trimming Width	9 in. HUSQVARNA LE475 IS NO	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cylinder displacement	9.03 cu.inch Longer Being Produced.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Power output	4.2 hp	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel tank volume	1.89 qt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel consumption	411 g/kWh	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Motor/engine manufacturer	Briggs & Stratton	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gross Torque	5.5 lb-ft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Transmission type	Belt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Consumer Warranty	2 Years	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ATOM DELUXE EDGER MODEL ATCPE4

WORKING DEPTH 3"

CYLINDER DISPLACEMENT 25cc

ENGINE MANUFACTURER HONDA 4 CYCLE

TRANSMISSION TYPE 3.54:1 HARDENED SPIRAL BEVEL GEARS