



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director Joseph H. Vicari
Deputy Director Gary Quinn
Commissioner Barbara Jo Crea
Commissioner Virginia E. Haines
Commissioner John P. Kelly

101 Hooper Avenue
Toms River, New Jersey
08754-2191
(732)929-2005
(732)505-1918

Board Meeting Agenda

Date: December 20, 2023 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding Contracts for the furnishing and delivery of GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT to Central Jersey Equipment, LLC; Hoffman International, Inc.; Ocean County Equipment, Inc. dba Ace Outdoor Power and Turf Equipment and Supply Co., Inc., the lowest qualified bidders. No bids were received on Item Nos. 11, 29, 33, 33a, 34 and 34a. No bid Item Nos. 11, 33, 33a, 34 and 34a will be rebid. No bid Item No. 29 will be rebid with revised specifications. (B2023-190)

Official Resolution#		2023001833					
Meeting Date		12/20/2023					
Introduced Date		12/20/2023					
Adopted Date		12/20/2023					
Agenda Item		j-2					
CAF #							
Purchase Req. #		B2023-190					
Result		Adopted					
COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Vicari	✓				✓		
Quinn	✓				✓		
Crea	✓			✓	✓		
Haines	✓				✓		
Kelly	✓		✓		✓		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board

CONTRACT NO. MUST BE ON ALL
PAPERS, DOCUMENTS, INVOICES, VOUCHERS
NO. B2023-190

RESOLUTION

December 20, 2023

WHEREAS, on October 24, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Name and Address of Bidder

Central Jersey Equipment, LLC
670 Rt. 40
Elmer, NJ 08318
(856) 358-2880

Hoffman International, Inc.
300 S. Randolphville Road
Piscataway, NJ 08854
(732) 752-3600

Ocean County Equipment, Inc. dba/Ace
Outdoor Power
395 Rt. 9
Bayville, NJ 08721
(732) 269-1155

Turf Equipment and Supply Co. Inc.
8015 Dorsey Run Rd.
Jessup, MD 20794
(610) 335-1634

Automated Lawn Services
242 Lorraine Ave.
Buena Vista, NJ 08310
(609) 472-9962

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, CENTRAL JERSEY EQUIPMENT, LLC; HOFFMAN INTERNATIONAL, INC.; OCEAN COUNTY EQUIPMENT, INC. DBA/ACE OUTDOOR POWER and TURF EQUIPMENT AND SUPPLY CO. INC. No bids were received for Items 11, 29, 33, 33a, 34 and 34a. Bid item Nos. 11, 33, 33a, 34 and 34a will be rebid. Item No. 29 will be rebid with revised specifications.

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, for the furnishing and delivery of Golf Course, Landscaping and Utility Equipment for the County of Ocean, for the contract period from date of award through December 19, 2024, a period of one (1) year, OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

A. CENTRAL JERSEY EQUIPMENT, LLC for twelve (12) items, to wit:

ITEM NOS. 21, 24, 27, 27a, 27b, 27c, 27d, 27e, 27f, 28, 31 and 39.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. HOFFMAN INTERNATIONAL, INC. for twenty (20) items, to wit:

ITEM NOS. 25, 25a, 25b, 25c, 25d, 25e, 25f, 25g, 25h, 25i, 26, 26a, 26b, 26c, 26d, 26e, 26f, 26g, 26h and 26i.

This vendor has extended this contract to County Cooperative Contract System Participants.

C. OCEAN COUNTY EQUIPMENT, INC. /DBA ACE OUTDOOR POWER

for thirty nine (39) items, to wit:

ITEM NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 30, 32, 32a, 32b, 32c, 32d, 35, 35a, 35b, 35c, 35d, 36, 36a, 36b, 36c, 36d, 37 and 38.

This vendor has extended this contract to County Cooperative Contract System Participants.

D. TURF EQUIPMENT AND SUPPLY CO. INC. for one (1) item, to wit:

ITEM NO. 11.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-190.

4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Buildings and Grounds Department, Corrections Department, Parks Department, Road Department, Security Department, Sheriff's Office, Solid Waste Management, Vehicle Services and the successful bidders.

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
17	Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal	20	EA	\$535.99	\$10,719.80		Stihl	HT105	
18	Chainsaw, Full Battery, Stihl MSA 300 C-O, As Specified or Equal	15	EA	\$783.98	\$11,759.70		Stihl	MSA300	
19	Chain Saw, Husqvarna 562XP As Specified, or Equal	5	EA	\$719.99	\$3,599.95		Stihl	MS362CM 20	
20	Arborist Gas Saw, Stihl MS201T As Specified, or Equal	25	EA	\$647.99	\$16,199.75		Stihl	MS201T	
21	Stihl MSA 220 C-B, Cordless Chainsaw (with required accessories), As Specified or Equal	15	EA	\$575.98	\$8,639.70		Stihl	MSA220	
SECTION IV - GENERATORS									
22	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal	7	EA	\$2,799.00	\$19,593.00		Honda	EU3000	

Introduced on: December 20, 2023
 Adopted on: December 20, 2023
 Official Resolution #: 2023061853

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
23	Generator, Honda EB5000XK3 As Specified, or Equal	7	EA	\$2,900.00	\$20,300.00		Honda	EB5000	
24	Generator, Honda Model ED10000AN, As Specified or Equal	3	EA	\$6,649.00	\$19,947.00		Honda	EB10000	
SECTION V - COMPRESSORS									
25	Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal		EA	No Bid	No Bid	X			
OPTIONS FOR ITEM 25									
25a	50' Single Hose Reel		EA	No Bid	No Bid	X			
25b	50' Dual Hose Reel		EA	No Bid	No Bid	X			
25c	50' Hose		EA	No Bid	No Bid	X			
25d	100' Single Hose Reel		EA	No Bid	No Bid	X			
25e	100' Dual Hose Reel		EA	No Bid	No Bid	X			
25f	100' Hose		EA	No Bid	No Bid	X			
25g	2" Adjustable Bulldog Hitch		EA	No Bid	No Bid	X			

Introduced on: December 20, 2023

Adopted on: December 20, 2023

Official Resolution#: 2023001833

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
SECTION VI – AUGERS									
✓ 27	Earth Auger, Stihl BT 131 with 5.9" (150 mm) Diameter Bit, As Specified, or Equal	10	EA	\$607.99	\$6,079.90		Stihl	BT131	
OPTIONS FOR ITEM 27									
✓ 27a	1.6 (40mm) Diameter Auger Bit (For Dirt)	10	EA	\$99.00	\$990.00		Stihl		
✓ 27b	2.4" Diameter Auger Bit (For Dirt)	10	EA	\$110.00	\$1,100.00		Stihl		
✓ 27c	3.5" Diameter Auger Bit (For Dirt)	10	EA	\$120.00	\$1,200.00		Stihl		
✓ 27d	4.7" Diameter Auger Bit (For Dirt)	10	EA	\$130.00	\$1,300.00		Stihl		
✓ 27e	5.9" Diameter Auger Bit (For Dirt)	10	EA	\$140.00	\$1,400.00		Stihl		
✓ 27f	7.9" Diameter Auger Bit (For Dirt)	10	EA	\$150.00	\$1,500.00		Stihl		
SECTION VII - MOWERS									

Introduced on: December 20, 2023

Adopted on: December 20, 2023

Official Resolution#: 2023001833

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
28	20" Battery-Powered, Self-Propelled Mower, Stihl RMA 510 V, As Specified or Equal	5	EA	\$450.00	\$2,250.00		Stihl	RMA 510 V	
29	21" Mower, Honda HRC216PDA, As Specified, or Equal		EA	No Bid	No Bid	X			Honda no longer makes
30	60" Zero Turn Rear Discharge Mower, Kubota Model D1211R60R As Specified, or Equal	5	EA	\$19,300.00	\$96,500.00		John Deere	z994R	
31	72" Zero-Turn Rear Discharge Mower, Stihl RZ972I, As Specified, or Equal	3	EA	\$14,000.00	\$42,000.00		John Deere	z950M	
SECTION VIII - UTILITY VEHICLES									
32	Utility Vehicle, Kubota RTV-X1100CW-LH As Specified, or Equal	5	EA	\$19,000.00	\$95,000.00		John Deere	HPX815E	
OPTIONS FOR ITEM 32									

Introduced on: December 20, 2023

Adopted on: December 20, 2023

Official Resolution#: 2023001833

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
39	Battery Powered Backpack Sprayer, Stihl SGA 85, As Specified, or Equal	5	EA	\$319.00	\$1,595.00		Stihl	SGA85	

Introduced on: December 20, 2023

Adopted on: December 20, 2023

Official Resolution#: 2023001833

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

SECTION III – BRUSH AND TREE EQUIPMENT (CONT'D)

ITEM #20, STIHL MS201T, ARBORIST GAS SAW, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Displacement:	2.14 cu. in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	2.41 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powerhead weight:	8.16 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	10.5 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain oil capacity:	7.4 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilmatic® chain:	63 PS3 (30" to 40")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide bar lengths:	Stihl Rollomatic®E or E light	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #21, STIHL MSA 220 C-B, CORDLESS CHAINSAW, AS SPECIFIED, OR EQUAL**

Weight	3.6 kg	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Length/Bar Length	35	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated voltage	36V	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level	89 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vibration level left/right	4.8/3.6 m/s ²	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Saw chain pitch	3/8" P	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery technology	Lithium-Ion AP System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery Life	Minimum 42 Minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Included Accessories:			
AL 300 Quick Charger, 220-240V		<input checked="" type="checkbox"/>	<input type="checkbox"/>
AP 300 S 36V Lithium Ion Battery		<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION IV – GENERATORS

ITEM #22, GENERATOR, HONDA EU3000 IS SUPERQUIET, 4 WHEELED MODEL, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	6.5 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Single cylinder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	OV air cooled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	196 cc.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120V, 3000 watt max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DC Output:	12V, 144 watt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	3.4 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time:	Approx. 6.9 hrs. of run time on full tank @ rated load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry WT:	130.7 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	25.9" x 17.6" x 22"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 yrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #23, GENERATOR, HONDA EB5000XK3, AS SPECIFIED, OR EQUAL

Engine:	Honda iGX390	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	389cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120/240V 5000W max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex (2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125/250V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	6.2 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time per Tankful:	7.0 hrs. @ rated load, 11.2 hrs @ ½ load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight:	210.8 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
With Standard Wheel Kit		<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #24 - HONDA GENERATOR, MODEL EB10000AN, AS SPECIFIED OR EQUAL

Engine: Honda GX630		<input type="checkbox"/>	<input type="checkbox"/>
Displacement: 688cc		<input type="checkbox"/>	<input type="checkbox"/>
AC Output: 120/240V 10000W max. (83.8/41.6A) 9000W rated (75/37.5A)		<input type="checkbox"/>	<input type="checkbox"/>
Receptacles: 20A 125V GFCI Duplex (2), 30A 125V Locking Plug, 30A 125/250V Locking Plug, 50A 125/250V Locking Plug		<input type="checkbox"/>	<input type="checkbox"/>
Starting System: Electric		<input type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity: 8.19 gal.		<input type="checkbox"/>	<input type="checkbox"/>
Run Time per Tankful: 5.4 hrs @ rated load, 7.9 hrs @ 1/2 load		<input type="checkbox"/>	<input type="checkbox"/>
Dimensions (L x W x H): 41.0" x 27.7" x 35.1" including hanging hook & with handlebars folded		<input type="checkbox"/>	<input type="checkbox"/>

Introduced on: December 20, 2023
 Adopted on: December 20, 2023
 Official Resolution#: 2023001833

SECTION VI – AUGERS

✓ ITEM #27, EARTH AUGER, STIHL BT 131 WITH 5.9" (150mm) DIAMETER BIT, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
High Torque one-person auger, 4 MIX engine with low fuel consumption, Low Noise and vibration level. Standard with QuickStop drill brake, long live air filter system and support cushion.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement cm	36.3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power output Kw/BHP	1.4/ 1.9	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight kg	10 KG	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tank volume	550.00	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Included Bit	5.9" (150mm) diameter (for dirt)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
QuickStop drill brake for work safety. QuickStop drill brake acts to stop backwards rotation. A jammed drilling bit can simply be unscrewed from the borehole		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPTIONS:</u>			
✓	<u>27A. 1.6 (40mm) diameter auger bit (for dirt)</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓	<u>27B. 2.4 (60mm) diameter auger bit (for dirt)</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓	<u>27C. 3.5 (90mm) diameter auger bit (for dirt)</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓	<u>27D. 4.7 (120 mm) diameter auger bit (for dirt)</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓	<u>27E. 5.9 (150mm) diameter auger bit (for dirt)</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓	<u>27F. 7.9 (200 mm) diameter auger bit (for dirt)</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION VII – MOWERS

ITEM #28 – 20" BATTERY-POWERED, SELF-PROPELLED LAW MOWER, STIHL RMA 510 V, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Power Source:	Battery	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Battery System:	AP Series	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Weight:	63.9 lbs.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Deck Material:	Steel	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Deck Width:	21"	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cutting Width:	20"	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cutting Height:	1"-3.9"	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Self Propelling:	Required	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cutting Positions:	7 spring assisted	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Mowing Blade Speed:	3,200 rpm	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Starter:	Power Switch	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Grass Catcher Capacity:	19.8 gal.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Area Mowed (w/ AP 300 S):	3,078 sq. ft.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ITEM #29 - 21" MOWER, HONDA HRC 216 PDA, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine	GSV160	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Material	Heavy Duty 16 ga Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Width	21"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Range	¾"-4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mowing Height Adjustments	8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Starter	Recoil	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Choke System	Manual	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle	1" Steel Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steel Deck Guards	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels	9" Nexite	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ball Bearing Wheels	All	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Functions	3 in 1 Capable: Mulch/Bag, Side Discharge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bag Capacity (bushels)	2.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade(s)	Twin blades (Microcut)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Control	Flywheel Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side/Rear Discharge	Rear Mount Optional	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight	99 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operating Weight	102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty	Two (2) years engine, One (1) year all other components	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION VII – MOWERS (CON'T)

ITEM #30 – 60” ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>REAR DISCHARGE MOWER</u>		
60” Kubota PRO Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5” Deep Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1-5” Cut Height, (1/4” adjustable increments)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3 Blades	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bolt-on Skid Bars	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPERATING FEATURES</u>		
Adj. Front Axle: Rigid/Oscillating	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dual Element Air Filter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deluxe Suspension Seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Hydraulic Deck Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Parking Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cup Holder	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ ITEM #31 -72” ZERO-TURN LAWN MOWER, STIHL RZ 972I, AS SPECIFIED OR EQUAL

Power Source:	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Briggs & Stratton	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Power:	40hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Size:	72 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	15 Gallons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	71" H x 77" W x 88" L	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	3 Years / 1,500 engine hours	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ground Speed:	12 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires:	26 x 12 Rear Tires; 12 x 6.5-6 Front Tires	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension Seat		<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION X - MISCELLANEOUS EQUIPMENT (CONT'D)

ITEM #37 - SOD CUTTER, 18 IN. BLUE BIRD, HONDA ENGINE 5.5 HP, AS SPECIFIED OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	Honda GX160 or Kohler CH255	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Power:	5.5 hp	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Drive Train:	Chain Drive	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Clutch Mechanism:	Centrifugal, throttle controlled	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Transmission Type	4-Speed with reverse	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gears, Forward/Reverse	4/1	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Product Size:	54 X 24 X 36	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ITEM #38 - WALK BEHIND EDGER, HUSQVARNA LE475, AS SPECIFIED, OR EQUAL

Capacity:			
Working depth	4 in	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Trimming Width	9 in	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cylinder displacement	9.03 cu.inch	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Power output	4.2 hp	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel tank volume	1.89 qt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel consumption	411 g/kWh	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Motor/engine manufacturer	Briggs & Stratton	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gross Torque	5.5 lb-ft	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Transmission type	Belt	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Consumer Warranty	2 Years	<input type="checkbox"/>	<input checked="" type="checkbox"/>

✓ **ITEM # 39 - BATTERY-POWERED SPRAYER STIHL SGA 85, AS SPECIFIED, OR EQUAL**

Weight:	15.5 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source:	Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Container Capacity:	4.5 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Working Pressure (not including liquid):	14.5 psi	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Voltage:	36 volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 Years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
22	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal,		EA	No Bid	No Bid	X			
23	Generator, Honda EB5000XK3 As Specified, or Equal		EA	No Bid	No Bid	X			
24	Generator, Honda Model ED10000AN, As Specified or Equal		EA	No Bid	No Bid	X			
SECTION V - COMPRESSORS									
25	Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal	6	EA	\$26,550.00	\$159,300.00		Doosan/Bobcat	P185/HP150WDO	
OPTIONS FOR ITEM 25									
25a	50' Single Hose Reel	6	EA	\$2,200.00	\$13,200.00		Reel Craft	SOFT REEL	Includes mounting
25b	50' Dual Hose Reel	6	EA	\$2,650.00	\$15,900.00		Reel Craft	SOFT REEL	Includes mounting
25c	50' Hose	6	EA	\$155.00	\$930.00		Ingersoll Rand	SOFT HOSE	
25d	100' Single Hose Reel	6	EA	\$2,700.00	\$16,200.00		Doosan/Bobcat	100FT HOSE REEL	

Introduced on: December 20, 2023

Adopted on: December 20, 2023

Official Resolution#: 2023001833

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
✓ 25e	100' Dual Hose Reel	6	EA	\$3,400.00	\$20,400.00		Doosan/Bobcat	Dual 100Ft Reels	MUST ADD extended draw bar option due to added weight
✓ 25f	100' Hose	6	EA	\$310.00	\$1,860.00		Ingersoll Rand	50FT Hose X2	
✓ 25g	2" Adjustable Bulldog Hitch	6	EA	\$200.00	\$1,200.00		Doosan/Bobcat	P185/HP150WDO	
✓ 25h	18" Extended Drawbar with Jockeywheel	6	EA	\$3,900.00	\$23,400.00		Doosan/Bobcat	P185/HP150WDO	Includes HD Frame, 6 lug tires
✓ 25i	Block Heater	6	EA	\$200.00	\$1,200.00		Doosan/Bobcat	P185/HP150WDO	
✓ 26	Screw Type Portable Mobile Air Compressor, Atlas Copco XATS 250 KD, As Specified or Equal	6	EA	\$33,000.00	\$198,000.00		Doosan/Bobcat	P250/MHP185WDO	
OPTIONS FOR ITEM 26									
✓ 26a	50' Single Hose Reel	6	EA	\$2,200.00	\$13,200.00		Reel Craft	50FT Reel	Includes mounting
✓ 26b	50' Dual Hose Reel	6	EA	\$2,650.00	\$15,900.00		Reel Craft	50FT Reel X2	Includes mounting
✓ 26c	50' Hose	6	EA	\$155.00	\$930.00		Ingersoll Rand	50ft Hose	
✓ 26d	100' Single Hose Reel	6	EA	\$2,700.00	\$16,200.00		Doosan/Bobcat	100FT Hose Reel	

Introduced on: December 20, 2023

Adopted on: December 20, 2023

Official Resolution#: 2023001833

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
✓ 26e	100' Dual Hose Reel	6	EA	\$3,400.00	\$20,400.00		Doosan/Bobcat	Dual 100FT Reels	MUST ADD extended drawbar option due to added weight
✓ 26f	100' Hose	6	EA	\$310.00	\$1,860.00		Ingersoll Rand	50FT Hose X2	
✓ 26g	2" Adjustable Bulldog Hitch	6	EA	\$200.00	\$1,200.00		Doosan/Bobcat	P185/HP150WDO	
✓ 26h	18" Extended Drawbar with Jockeywheel	6	EA	\$3,900.00	\$23,400.00		Doosan/Bobcat	P185/HP150WDO	Includes HD Frame, 6 lug tires
✓ 26i	Block Heater	6	EA	\$200.00	\$1,200.00		Doosan/Bobcat	P185/HP150WDO	
SECTION VI – AUGERS									
27	Earth Auger, Stihl BT 131 with 5.9" (150 mm) Diameter Bit, As Specified, or Equal		EA	No Bid	No Bid	X			
OPTIONS FOR ITEM 27									
27a	1.6 (40mm) Diameter Auger Bit (For Dirt)		EA	No Bid	No Bid	X			
27b	2.4" Diameter Auger Bit (For Dirt)		EA	No Bid	No Bid	X			
27c	3.5" Diameter Auger Bit (For Dirt)		EA	No Bid	No Bid	X			

Introduced on: December 20, 2023

Adopted on: December 20, 2023

Official Resolution#: 2023001833

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

SECTION V – COMPRESSORS

✓ ITEM #25 – PORTABLE COMPRESSOR, ATLAS COPCO XAS 188, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Working pressure at rated flow	100 psi	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Working pressure range	58-125 psi	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Discharge outlet quantity	2 X ¾"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil Capacity	2.05 Gallons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine	Caterpillar C2.2T	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Displacement	2.5 (L)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder	4	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tier	4 Final	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power	48.8 hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated Speed (Max)	2,450 RPM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated Speed (Min)	1,600 RPM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity	27 Gallons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Consumption at 100% FAD	2.3/Gallons per hour	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level at 75% load	76 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Dimensions	130" X 62" X 69"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	2,149 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OPTIONS

✓ <u>25A. 50' Single Hose Reel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25B. 50' Dual Hose Reel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25C. 50' Hose</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25D. 100' Single Hose Reel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25E. 100' Dual Hose Reel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25F. 100' Hose</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25G. 2" Adjustable Bulldog Hitch</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25H. 18" Extended Drawbar with Jockeywheel</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ <u>25I. Block Heater</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION V – COMPRESSORS (CONT'D)

ITEM #26– SCREW TYPE AIR COMPRESSOR, ATLAS COPCO XATS 250 KD PORTABLE COMPRESSOR, ATLAS COPCO XAS 188, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
The Atlas Copco XATS 250 is a single-stage, oil-injected, rotary screw type air compressor, powered by a liquid-cooled, Four-cylinder turbocharged Kubota diesel engine.			
Working pressure range:	75-150 psi	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil Capacity Refill	2.3 Gallons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine	Kubota V2403-CR-T-E4B	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cylinder	4	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tier	4 Final	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power	65 hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated Speed (Max)	2,700 RPM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated Speed (Min)	1,800 RPM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity	23 Gallons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. sound pressure level (Lw @ 2000/14/EC)	98 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Dimensions (including fixed tow bar)	148”L X 63”W X 62”H	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	2,560 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPTIONS</u>			
✓ 26A. <u>50’ Single Hose Reel</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26B. <u>50’ Dual Hose Reel</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26C. <u>50’ Hose</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26D. <u>100’ Single Hose Reel</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26E. <u>100’ Dual Hose Reel</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26F. <u>100’ Hose</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26G. <u>2” Adjustable Bulldog Hitch</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26H. <u>18” Extended Drawbar with Jockeywheel</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>
✓ 26I. <u>Block Heater</u>		<input checked="" type="checkbox"/>	<input type="checkbox"/>

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

11. Submission of Bid Package*

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

PRICE TABLES

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
SECTION I - TRIMMERS									
✓ 1	Line Trimmer, Red Max EX2260S-94, As Specified or Equal As Specified, or Equal	12	EA	\$406.00	\$4,872.00				As Spec.
✓ 2	Hedge Trimmer, Red Max CHTZ75R, As Specified, or Equal	15	EA	\$518.00	\$7,770.00				As Spec.
✓ 3	Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal	15	EA	\$307.90	\$4,618.50		Husqvarna	122HD60	

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
4	Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal	15	EA	\$495.18	\$7,427.70		Husqvarna	522HDR755	
5	Hedge trimmer, Stihl HS 82 R, 30" blade	15	EA	\$452.49	\$6,787.35				
6	Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal	50	EA	\$365.99	\$18,299.50				
7	Line Trimmer, battery-powered, Stihl FSA 135 R, As Specified, or Equal	15	EA	\$327.99	\$4,919.85				
SECTION II - BLOWERS									
8	Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal	5	EA	\$1,830.99	\$9,154.95				
9	Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal	20	EA	\$539.00	\$10,780.00				

Introduced on: December 20, 2023
 Adopted on: December 20, 2023
 Official Resolution # 2023091834

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
10	Hand Held Blower, Red Max HB281 As Specified, or Equal	15	EA	\$155.00	\$2,325.00				
11	Pro Force Debris Blower, Toro 44538 As Specified, or Equal		EA	No Bid	No Bid	X			
12	Battery Operated Handheld Blower, Stihl BGA 200, As Specified, or Equal	10	EA	\$383.99	\$3,839.90				
13	Battery Operated Backpack Blower, Stihl BGA 300, As Specified, or Equal	10	EA	\$559.99	\$5,599.90				
14	Battery Operated Handheld Blower, Stihl BGA 86, As Specified or Equal	10	EA	\$223.99	\$2,239.90				
SECTION III - BRUSH AND TREE EQUIPMENT									
15	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal	3	EA	\$3,995.99	\$11,987.97				

Introduced on: December 20, 2023
 Adopted on: December 20, 2023

Official Resolution # 202301834
 GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
✓ 16	Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal	25	EA	\$499.25	\$12,481.25		Stihl	HT105 replaced HT103	
✓ 17	Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal	20	EA	\$508.30	\$10,166.00				
✓ 18	Chainsaw, Full Battery, Stihl MSA 300 C-O, As Specified or Equal	15	EA	\$636.99	\$9,554.85				
✓ 19	Chain Saw, Husqvarna 562XP As Specified, or Equal	5	EA	\$529.99	\$2,649.95				
✓ 20	Arborist Gas Saw, Stihl MS201T As Specified, or Equal	25	EA	\$609.49	\$15,237.25				
21	Stihl MSA 220 C-B, Cordless Chainsaw (with required accessories), As Specified or Equal	15	EA	\$610.47	\$9,157.05				
SECTION IV - GENERATORS									

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
22	Generator, Honda EU3000, 4 Wheeled Model DB58, As Specified, or Equal	7	EA	\$2,114.00	\$14,798.00				
23	Generator, Honda EB5000XK3 As Specified, or Equal	7	EA	\$2,120.00	\$14,840.00				
24	Generator, Honda Model ED10000AN, As Specified or Equal		EA	No Bid	No Bid	X			
SECTION V - COMPRESSORS									
25	Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal		EA	No Bid	No Bid	X			
OPTIONS FOR ITEM 25									
25a	50' Single Hose Reel		EA	No Bid	No Bid	X			
25b	50' Dual Hose Reel		EA	No Bid	No Bid	X			
25c	50' Hose		EA	No Bid	No Bid	X			
25d	100' Single Hose Reel		EA	No Bid	No Bid	X			

Introduced on: December 20, 2023
 Adopted on: December 20, 2023

Official Resolution # 202301834
 GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
27f	7.9" Diameter Auger Bit (For Dirt)	10	EA	\$131.99	\$1,319.90				
SECTION VII - MOWERS									
28	20" Battery-Powered, Self-Propelled Mower, Stihl RMA 510 V, As Specified or Equal	5	EA	\$639.99	\$3,199.95				
29	21" Mower, Honda HRC216PDA, As Specified, or Equal		EA	No Bid	No Bid	X			
30	60" Zero Turn Rear Discharge Mower, Kubota Model D1211R60R As Specified, or Equal	5	EA	\$16,481.20	\$82,406.00				
31	72" Zero-Turn Rear Discharge Mower, Stihl RZ972I, As Specified, or Equal	3	EA	\$14,989.28	\$44,967.84				
SECTION VIII - UTILITY VEHICLES									

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
✓ 32	Utility Vehicle, Kubota RTV-X1100CW-LH As Specified, or Equal	5	EA	\$21,647.80	\$108,239.00				
OPTIONS FOR ITEM 32									
✓ 32a	25 x 10-12 ATV, 6 Ply, Front Set of Tires	5	SET	\$310.00	\$1,550.00		Kubota	K7591 19112	
✓ 32b	25 x 10-12 HDWS, 6 Ply, Front Set of Tires	5	SET	\$340.00	\$1,700.00		Kubota	K7591 19312	
✓ 32c	25 x 10-12 ATV, 6 Ply, Rear Set of Tires	5	SET	\$310.00	\$1,550.00				
✓ 32d	25 x 10-12 HDWS, 6 Ply, Rear Set of Tires	5	SET	\$340.00	\$1,700.00				
SECTION IX - TRAILERS									
33	Utility Trailer, Big Tex #10PI-20, As Specified, or Equal		EA	No Bid	No Bid	X			
OPTION FOR ITEM 33									
33a	4' Heavy Duty Integrated Ramp Gate w/Gas Shock Assist		EA	No Bid	No Bid	X			
SECTION X - MISCELLANEOUS EQUIPMENT									

Introduced on: ~~December 20, 2023~~
 Adopted on: ~~December 20, 2023~~

Official Resolution # ~~202301034~~ LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
ITEM 34 AND OPTIONS									
34	Vibratory Asphalt Plate, Wacker Neuson WP 1550AW, As Specified or Equal		EA	No Bid	No Bid	X			
34a	Wheel Kit for Vibratory Asphalt Plate		KIT	No Bid	No Bid	X			
ITEM 35 AND OPTIONS									
35	Stihl TS 420 Cutquik Cut-Off Machine, As Specified or Equal	6	EA	\$899.99	\$5,399.94				
35a	Stihl Cutquik Cart with Mounting Kit	6	EA	\$418.00	\$2,508.00				
35b	Water Tank for Stihl Cutquik Cart	6	EA	\$126.99	\$761.94				
35c	Wheel Kit for Stihl Cutquik	6	EA	\$29.99	\$179.94				
35d	Guide Wheel Kit for Stihl Cutquik cart	6	EA	\$40.49	\$242.94				
ITEM 36 AND OPTIONS									

Introduced on: December 20, 2023
 Adopted on: December 20, 2023
 Official Resolution # 2023061833

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
✓ 36	Stihl KombiSystem, Powerhead KM 131R, As Specified, or Equal	4	EA	\$357.49	\$1,429.96				
✓ 36a	Adjustable Power Scythe, Compatible with KM 131R, As Specified or Equal	4	EA	\$202.49	\$809.96				
✓ 36b	Pole Pruner Attachment, Compatible with KM 131R, As Specified, or Equal	4	EA	\$157.49	\$629.96				
✓ 36c	Shaft Extension, Compatible with KM 131R, As Specified or Equal	4	EA	\$67.49	\$269.96				
✓ 36d	Adjustable Hedge Trimmer, Compatible with KM 131R, As Specified, or Equal	4	EA	\$209.99	\$839.96				
ITEM 37									
✓ 37	Sod Cutter, Blue Blrd, Honda Engine 5.5 HP, 18 In., As Specified or Equal	2	EA	\$4,519.94	\$9,039.88		Ryan		

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer:	Model:	Comments:
ITEM 38									
38	Walk Behind Edger, Husqvarna LE475, As Specified, or Equal	2	EA	\$587.50	\$1,175.00				
ITEM 39									
39	Battery Powered Backpack Sprayer, Stihl SGA 85, As Specified, or Equal	5	EA	\$319.99	\$1,599.95		Atom	ATCPE4	

SECTION I - TRIMMERS

✓ ITEM #1, LINE TRIMMER, RED MAX EXZ260S-94, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Weight:	8.82 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Pro-GZ25N Strato charged	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	25.4 cm ³	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carburetor:	Diaphragm w/purge pump	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower:	1.27	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bore & Stroke:	34M x 28M	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition:	Solid State	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Clutch:	Centrifugal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	22.32 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Head:	4"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Muffler:	Quiet tone with guard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Drive Shaft:	Straight solid shaft w/ splined ends	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shall meet all EPA Pollution Standards for Phase II/Carb Tier II		<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ ITEM #2, HEDGE TRIMMER, RED MAX CHTZ75R, AS SPECIFIED, OR EQUAL

Blade Type:	Double	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Length:	30"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Size:	23.6 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Type:	Strato-Charged*	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horse Power:	.80	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight:	13.3 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	15.2 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ ITEM #3, HEDGE TRIMMER, 20" TANAKA, TCH22EAP2, AS SPECIFIED, OR EQUAL

Blade Length	20 in.	23.2	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Weight	9.5 lbs.	10.8	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Displacement	21.1 cm ³	1.3 cc	<input type="checkbox"/>	<input type="checkbox"/>
Max. Strokes	3,760/min.	4050/min	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	10.1 oz	10.14	<input type="checkbox"/>	<input type="checkbox"/>
Operation Time per Tank	32 mins.		<input type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Noise Level	87 dB	74	<input type="checkbox"/>	<input type="checkbox"/>
Rear Handle	5 Position, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years		<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION I - TRIMMERS (CONT'D)

✓ **ITEM #4. HEDGE TRIMMER, 30" TANAKA, TCH22ECP2, AS SPECIFIED, OR EQUAL**

			<u>COMPLIANCE</u>	
			<u>YES</u>	<u>NO</u>
Blade Length	30 in.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	11.4 lbs.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement	21.1 cm ³	21.7	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Max. Strokes	3,760/min.	3200	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel Capacity	10.1 oz	15.2	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Blades	Double-Sided		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Operation Time per Tank	32 mins.		<input type="checkbox"/>	<input type="checkbox"/>
Exhaust Direction	Forward/Angled		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission	Standard Phase 2		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Noise Level	89 dB	93 dB	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rear Handle	5 Position, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years		<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #5. HEDGE TRIMMER, STIHL HS 82R, 30" BLADE, AS SPECIFIED, OR EQUAL**

Displacement	22.7cc (1.4 in ³)		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	0.7 kw (094 bhp)		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel	Gas		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity	460 cc (15.6 oz)		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Length	30"		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Strokes/Minute	3100		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	5.7 kg with 30" Blade		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years		<input type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #6. BIKE HANDLE TRIMMER/BRUSH CUTTER, STIHL FS110, AS SPECIFIED, OR EQUAL**

Stihl 4-MIX® Engine, meets EPA emission requirements,			<input checked="" type="checkbox"/>	<input type="checkbox"/>
Auto Cut® cutting head, lightweight.			<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	1.9 cu. in.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	1.4 bhp		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	12.8 lbs. (without cutting attachment or deflector)		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	18 oz.		<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION I - TRIMMERS (CONT'D)

ITEM #7, LINE TRIMMER, BATTERY-POWERED TRIMMER, STIHL FSA 135 R, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Weight:	10.1 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (w/ AP 300 S):	14.1 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source:	Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery System:	AP Series	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Width	16.5 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run time (w/ AP 300 S) Up to:	45 min.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Voltage	36 Volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Handle	360-degree rotation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: December 20, 2023

~~Adopted on: December 20, 2023~~

Official Resolution#: 2023001833

✓ **ITEM #8. LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL**

COMPLIANCE
YES **NO**

Model No.:	F1302H – 13.0 HP Honda GX	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Wheel:	10" x 3" pneumatic	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Wheels:	13" x 5" pneumatic	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Base:	12 gauge steel, robotically welded	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Discharge Size:	5"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	152 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	33" L x 30" W x 35" H	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #9. BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL**

Engine:	Strato 75.6 cm ³	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	24.7 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower:	4.4	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	206 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Volume:	908 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	77.77 fl. oz	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emission Durability:	300 hrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #10. HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL**

Engine:	28 cc, 2 stroke	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	9.4 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horse Power:	1.1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	170 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	16.9 OZ	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Pipe:	425 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Flow in Housing:	470 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard Warranty	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #11. PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL

Engine:	27 hp twin cylinder air-cooled Kohler command pro with electronic governor	<input type="checkbox"/>	<input type="checkbox"/>
Fan:	Aerial flow	<input type="checkbox"/>	<input type="checkbox"/>
Height:	33 inches	<input type="checkbox"/>	<input type="checkbox"/>
Length:	79-115 inches from adjustable tow hitch to nozzle outlet	<input type="checkbox"/>	<input type="checkbox"/>
Nozzle Type:	impact resistant plastic with 13 inch outlet diameter	<input type="checkbox"/>	<input type="checkbox"/>
Tires:	10X10.8, 4 ply turf tire	<input type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input type="checkbox"/>	<input type="checkbox"/>
Weight:	475 lbs.	<input type="checkbox"/>	<input type="checkbox"/>
Width:	48 inches	<input type="checkbox"/>	<input type="checkbox"/>

NO
 BID

SECTION II – BLOWERS (CONT'D)

✓ **ITEM #12, BATTERY OPERATED HANDHELD BLOWER, STIHL BGA 200, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Note: Must be used with battery belt or AR-style backpack battery.			
Power Source:	Battery		
Blowing Force:	21 Newtons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	7.1 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound Pressure Rating:	59 db(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	188 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Volume at Nozzle:	553 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time (w/ AR 3000 L) Up to:	500 min.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Voltage:	36 volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #13, BATTERY OPERATED BACKPACK BLOWER, STIHL BGA 300, AS SPECIFIED, OR EQUAL**

Power Source:	Battery		
Blowing Force:	26 Newtons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	16.5 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (w/ AR 3000L)	37.9 lbs.		
Sound Pressure Rating:	59 db(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Speed:	192 MPH	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Volume at Nozzle:	571 CFM	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time (w/ AR 3000 L) Up to:	140 min.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM # 14 – BATTERY OPERATED HANDHELD BLOWER, STIHL BGA 86, AS SPECIFIED OR EQUAL**

Power Source	Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	6.2 Lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (W/ Ap 300)	10 Lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blowing Force	15 Newtons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound Pressure Rating	58 Db(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Air Velocity	154 Mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Volume At Nozzle	459 Cfm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time (W/ Ap 300) Up To	21 Min.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Voltage	36 Volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION III - BRUSH AND TREE EQUIPMENT

✓ ITEM #15. BRUSH CUTTER, BILLY GOAT OUTBACK BC2601HHC, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	Honda 388cc Electric Start	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transaxle:	Tuff Torq hydrostatic transmission featuring fully automatic enhanced traction control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Blade Clutch:	Blade brake/clutch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Slope:	20°	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cut Width:	26"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cut Height:	Saplings up to 2" in diameter, and brush 6 ft. tall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels Rear:	16" diameter with puncture sealant	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Unit Weight:	335 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	72" L (Overall) x 31" W x 48" H	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ ITEM #16. TELESCOPING POLE PRUNER, 80", STIHL HT103, AS SPECIFIED, OR EQUAL

Automatic chain oiling, side access chain tensioner.	<i>HT is replaced HT103</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	1.9 cu. in., 31.4cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Stihl 4-MIX®	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	1.05 Kw	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight with Cutting Attachment:	16.3 lbs. <i>17.3</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel Capacity:	18.0 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain Oil Capacity:	7.4 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilomatic® Chain:	3/8" PMM ³ , 12" bar and chain <i>1/4 Picco PM3</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Shaft Length:	80"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ ITEM #17. TELESCOPING POWER PRUNER, ECHO PPT-2620H, AS SPECIFIED, OR EQUAL

Engine Displacement:	25.4 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carburetor (w/ purge pump):	Rotary Valve-Diaphragm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	20.6 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil Capacity:	6.6 fl. oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Collapsed:	107 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Extended:	146 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Optional Extension to be included:	4 ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bar Length:	12 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight (w/o bar and chain):	17 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shoulder Strap Included		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side-access Chain Tensioner		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Adjustable auto oiler		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) guide bar studs		<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION III – BRUSH AND TREE EQUIPMENT (CONT'D)

ITEM #18, BATTERY CHAINSAW, STIHL MSA 300 C-O, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Weight (w/ AP 500 S):	14.1 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source:	Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powerhead Weight:	9.9 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery System:	AP Series	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Bar Length:	16"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain Oil Capacity:	10.5 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time (w/ AP 500 S) up to:	44 min.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Voltage:	36 volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 Years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilomatic® Chain:	.325 RS3 Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #19 CHAIN SAW, HUSQVARNA 562XP, AS SPECIFIED, OR EQUAL

Cylinder displacement	59.8 cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder bore	1.81 inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder stroke	1.42 inch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power output	4.7 hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maximum power speed	9600 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maximum recommended engine speed	14000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition system	SEM DM61	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ignition module air gap	0.01"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Idling speed	2800 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Spark plug	NGK CMR6H	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Electrode gap	0.02"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil tank volume	0.7 US pint	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oil pump capacity	6-15 ml/min	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain pitch	3/8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Recommended bar length, min-max	15"-28"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain speed at max power	69.9 ft/s	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bar mount	Large	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (HC average)	56 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO average)	241 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (NOx average)	4.8 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Exhaust emissions (CO ₂ average)	802 g/kWh	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Equivalent vibration level (ahv,eq) front/rear handle	2.7/3.2 m/s ²	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level at operators' ear	106 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound power level, guaranteed (LWA)	118 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight (excl. cutting equipment)	12.57 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION III - BRUSH AND TREE EQUIPMENT (CONT'D)

✓ **ITEM #20, STIHL MS201T, ARBORIST GAS SAW, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Displacement:	2.14 cu. in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power:	2.41 bhp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powerhead weight:	8.16 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	10.5 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Chain oil capacity:	7.4 oz.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Oilmatic® chain:	63 PS3 (30" to 40")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide bar lengths:	Stihl Rollomatic®E or E light	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #21, STIHL MSA 220 C-B, CORDLESS CHAINSAW, AS SPECIFIED, OR EQUAL

Weight	3.6 kg	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cutting Length/Bar Length	35	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated voltage	36V	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sound pressure level	89 dB(A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vibration level left/right	4.8/3.6 m/s ²	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Saw chain pitch	3/8" P	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery technology	Lithium-Ion AP System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery Life	Minimum 42 Minutes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Included Accessories:			
AL 300 Quick Charger, 220-240V		<input checked="" type="checkbox"/>	<input type="checkbox"/>
AP 300 S 36V Lithium Ion Battery		<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

SECTION IV – GENERATORS

✓ **ITEM #22. GENERATOR, HONDA EU3000 IS SUPERQUIET, 4 WHEELED MODEL, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	6.5 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Single cylinder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	OV air cooled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	196 cc.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120V, 3000 watt max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DC Output:	12V, 144 watt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel capacity:	3.4 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time:	Approx. 6.9 hrs. of run time on full tank	<input type="checkbox"/>	<input type="checkbox"/>
	@ rated load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry WT:	130.7 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	25.9" x 17.6" x 22"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 yrs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ **ITEM #23. GENERATOR, HONDA EB5000XK3, AS SPECIFIED, OR EQUAL**

Engine:	Honda iGX390	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	389cc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AC Output:	120/240V 5000W max.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Receptacles:	20A 125V Duplex (2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	30A 125/250V Locking Plug	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	6.2 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Time per Tankful:	7.0 hrs. @ rated load, 11.2 hrs @ 1/2 load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dry Weight:	210.8 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Commercial Warranty:	3 years	<input checked="" type="checkbox"/>	<input type="checkbox"/>
With Standard Wheel Kit		<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #24 - HONDA GENERATOR, MODEL EB10000AN, AS SPECIFIED OR EQUAL

Engine: Honda GX630	<input type="checkbox"/>	<input type="checkbox"/>
Displacement: 688cc	<input type="checkbox"/>	<input type="checkbox"/>
AC Output 120/240V 10000W max. (83.8/41.6A) 9000W rated (75/37.5A)	<input type="checkbox"/>	<input type="checkbox"/>
Receptacles: 20A 125V GFCI Duplex (2), 30A 125V Locking Plug, 30A 125/250V Locking Plug, 50A 125/250V Locking Plug	<input type="checkbox"/>	<input type="checkbox"/>
Starting System: Electric	<input type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity: 8.19 gal.	<input type="checkbox"/>	<input type="checkbox"/>
Run Time per Tankful: 5.4 hrs @ rated load, 7.9 hrs @ 1/2 load	<input type="checkbox"/>	<input type="checkbox"/>
Dimensions (L x W x H): 41.0" x 27.7" x 35.1" including hanging hook & with handlebars folded	<input type="checkbox"/>	<input type="checkbox"/>

SECTION VII – MOWERS (CONT'D)

✓ **ITEM #30 - 60" ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
<u>DIESEL ENGINE</u>			
Engine Model	3 Cylinder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower (Gross):	24.8 Gross HP @ 3000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Total Displacement	68.5 cu. in. Displacement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12v 475 Amp Hour Battery:	14 Amps Charging Output	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DIMENSIONS:</u>			
Wheel Base:	56.7"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length:	89"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Width (with mower):	73.8"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Width (w/o mower):	59.6"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Height (with ROPS upright)	78.7"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Height (with ROPS folded)	54"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>TIRES AND WHEELS</u>			
Front	15 x 6.0 – 6 Flat-free	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear	26 x 12.0 – 16	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>WEIGHT (W/MOWER)</u>	1750 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>FLUID CAPACITY</u>			
Dual Fuel Tanks (total cap)	12.9 gal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Coolant:	3.96 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Crankcase with filter	4.1 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission Case:	12.8 qts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>TRANSMISSION</u>			
Hydrostatic Drive	(2) HST w/Gear Reduction	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brake Type:	Wet Multi Disks	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Forward Speed:	0-10.6 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Reverse Speed:	0-5.3 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>STEERING/MOTION CONTROL</u>			
Two (2) Hand Levers, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulically Damped, Adjustable		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY EQUIPMENT</u>			
Electric Key Shut Off		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Control Lever Safety Switch		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parking Brake Safety Switch		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Foldable ROPS		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>POWER TAKE OFF</u>			
Hydraulic Independent PTO		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shaft Drive Mower Deck		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wet Disk Clutch		<input type="checkbox"/>	<input type="checkbox"/>

SECTION VII – MOWERS (CON'T)

✓ **ITEM #30 – 60" ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R, AS SPECIFIED, OR EQUAL (CONT'D)**

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>REAR DISCHARGE MOWER</u>		
60" Kubota PRO Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5.5" Deep Deck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1-5" Cut Height, (1/4" adjustable increments)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3 Blades	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bolt-on Skid Bars	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPERATING FEATURES</u>		
Adj. Front Axle: Rigid/Oscillating	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dual Element Air Filter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deluxe Suspension Seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Hydraulic Deck Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hands-free Parking Brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cup Holder	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #31 -72" ZERO-TURN LAWN MOWER, STIHL RZ 972L, AS SPECIFIED OR EQUAL

Power Source:	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine:	Briggs & Stratton	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Power:	40hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Size:	72 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Capacity:	15 Gallons	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dimensions:	71" H x 77" W x 88" L	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	3 Years / 1,500 engine hours	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ground Speed:	12 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires:	26 x 12 Rear Tires; 12 x 6.5-6 Front Tires	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension Seat		<input type="checkbox"/>	<input type="checkbox"/>

SECTION VIII - UTILITY VEHICLES

✓ **ITEM #32. UTILITY VEHICLE, KUBOTA RTV-X1100CWLH, AS SPECIFIED, OR EQUAL**

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Type:	3 cylinder, water-cooled 4-cycle diesel OHV	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement:	68.5 cu. in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horsepower (HP):	24.8 @3000 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity:	7.9 gals.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission:	Variable hydro transmission (VHT - X)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Traveling Speed:	25 mph	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels, Drive System:	4, rear 2WD or 4WD selection	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Differential Lock:	Standard foot operated with mechanical holder	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gear Selection:	Hi-Med-Lo range forward, neutral, reverse	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brakes:	Front/Rear Wet-disc brake	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parking Brake:	Rear wheel, hand lever	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering:	Hydrostatic power	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension:	Front: Independent Dual A arms with adjustable spring pre load	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Rear: Independent with coil over shock	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length:	122.5 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width:	65.4 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall:	82.3 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Tread Centers:	48.8 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear Tread Centers:	48.8 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheelbase:	80.5 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ground Clearance:	Front/rear axle 10.5/10.4 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Turning Diameter:	26.2 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max Rolling Weight:	Towing capacity - 1300 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Payload capacity - 1629 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight:	2370 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Bed Width x Length x Depth:	57.7 x 40.5 x 11.2 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Volume:	15.2 cu. ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bed Height:	Unloaded - 34.9 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo Bed Load:	1102 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires, Front:	TURF 25 x 10-12, 4-ply, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires, Rear:	TURF 25 x 10-12, 4-ply, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Guard:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hydraulic Bed Lift:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Speedometer:	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bed Liner	Standard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Color:	Orange	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION VIII – UTILITY VEHICLES (CONT'D)

✓ ITEM #32, UTILITY VEHICLE, KUBOTA RTV-X1100CWLH, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE

YES NO

OPTIONS:

- ✓ 32A. 25 x 11-12 ATV, 6 Ply – Front Set of Tires
- ✓ 32B. 25 x 10-12 HDWS, 6 Ply – Front Set of Tires
- ✓ 32C. 25 x 11-12 ATV, 6 Ply – Rear Set of Tires
- ✓ 32D. 25 x 10-12 HDWS, 6 Ply – Rear Set of Tires

<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>

SECTION X – MISCELLANEOUS EQUIPMENT (CONT'D)

ITEM #35, STIHL TS 420 CUTQUICK CUT-OFF MACHINE, AS SPECIFIED OR EQUAL

COMPLIANCE

YES **NO**

Displacement	66.7 cc (4.07 in ³)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	3.2 kW (4.4 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight	9.6 kg (21.2 lbs.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity	710 cc (24 oz.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Speed	9,000 rpm (elec. Gov.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Spindle Speed	5,350 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Arbor Size	20 mm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Wheel Size	350 mm (14")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Max. Cutting Depth	125 mm (4.9")	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OPTIONS:

<input checked="" type="checkbox"/> 35A. Stihl CutQuik Cart with Mounting Kit	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> 35B. Water Tank for Cart	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> 35C. Stihl TS Wheel Kit	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> 35D. Guide Wheel Kit for Cart	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #36 – STIHL KOMBI SYSTEM POWERHEAD KM-131R, AS SPECIFIED, OR EQUAL

Weight	4.4Kg (9.7lbs)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Displacement	36.3cc (2.2cu. in.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Power	1.4 kw (1.9 bhp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source	Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OPTIONS:

<input checked="" type="checkbox"/> 36A. Adjustable Power Scythe 145°, 10" Blade	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> 36B. Pole Pruner Guide Bar Length shall be 12"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> 36C. Shaft Extension Lengthens shaft by at least 37"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> 36D. Adjustable Hedge Trimmer Blade length shall be 20"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length shall be 58.3"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
145° working range	<input checked="" type="checkbox"/>	<input type="checkbox"/>

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT
SECTION X - MISCELLANEOUS EQUIPMENT (CONT'D)

ITEM #37 - SOD CUTTER, 18 IN. BLUE BIRD, HONDA ENGINE 5.5 HP, AS SPECIFIED OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
Engine:	Honda GX160 or Kohler CH255	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power:	5.5 hp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Drive Train:	Chain Drive	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Clutch Mechanism:	Centrifugal, throttle controlled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission Type	4-Speed with reverse	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gears, Forward/Reverse	4/1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Product Size:	54 X 24 X 36 <i>53 X 25 X 39.5</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

ITEM #38 - WALK BEHIND EDGER, HUSQVARNA LE475, AS SPECIFIED, OR EQUAL

Capacity:			
Working depth	4 in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trimming Width	9 in	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder displacement	9.03 cu.inch	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Power output	4.2 hp <i>25 cc</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel tank volume	1.89 qt <i>1 qt</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Fuel consumption	411 g/kWh	<input type="checkbox"/>	<input type="checkbox"/>
Motor/engine manufacturer	Briggs & Stratton <i>Honda</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gross Torque	5.5 lb-ft	<input type="checkbox"/>	<input type="checkbox"/>
Transmission type	Belt <i>Direct</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Consumer Warranty	2 Years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM # 39 - BATTERY-POWERED SPRAYER STIHL SGA 85, AS SPECIFIED, OR EQUAL

Weight:	15.5 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Source:	Battery	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Container Capacity:	4.5 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Working Pressure (not including liquid):	14.5 psi	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Voltage:	36 volt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Warranty:	2 Years	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PROPOSAL DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Manufacturer	Model	Comments
10	Hand Held Blower, Red Max HB281 As Specified, or Equal		EA	No Bid	No Bid	X			
11	Pro Force Debris Blower, Toro 44538 As Specified, or Equal	10	EA	\$11,484.26	\$114,842.60		Toro	44552	Model 44538 is obsolete, therefore bidding current model #
12	Battery Operated Handheld Blower, Stihl BGA 200, As Specified, or Equal		EA	No Bid	No Bid	X			
13	Battery Operated Backpack Blower, Stihl BGA 300, As Specified, or Equal		EA	No Bid	No Bid	X			
14	Battery Operated Handheld Blower, Stihl BGA 86, As Specified or Equal		EA	No Bid	No Bid	X			
SECTION III - BRUSH AND TREE EQUIPMENT									
15	Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal		EA	No Bid	No Bid	X			

**OCEAN COUNTY
GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT**

We are only bidding on Item # 11, Toro Pro Force Debris Blower

COMPLIANCE / EXCEPTIONS TO SPECIFICATIONS

- 1) Model: We are bidding Toro Pro Force Blower Model # 44552 (*Model 44538 has been obsolete for more than 20 years*)
- 2) Engine: The current model Toro Pro Force has a 24.6 hp Kohler Command Pro 725 cc, gas, 2-cylinder, air cooled, electronically- governed.
- 3) Fan: The current model Toro Pro Force has an Axial Flower Fan, not the Aerial Flow.