



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director John P. Kelly
Deputy Director Virginia E. Haines
Commissioner Barbara Jo Crea
Commissioner Gary Quinn
Commissioner Joseph H. Vicari

101 Hooper Avenue
Toms River, New Jersey
08754-2191
Tel: (732)929-2005
Fax: (732)505-1918

Board Meeting Agenda

Date: December 21, 2022 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding Contracts for the furnishing and delivery of ROLLOFF CONTAINERS to Monmouth Solutions, Inc. and Wastequip Manufacturing Company, LLC, the lowest qualified bidders. (B2022-155)

Official Resolution#	2022001787						
Meeting Date	12/21/2022						
Introduced Date	12/21/2022						
Adopted Date	12/21/2022						
Agenda Item	n-3						
CAF #							
Purchase Req. #	B2022-155						
Result	Adopted						
COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Kelly		✓					
Haines	✓				✓		
Crea	✓			✓	✓		
Quinn	✓		✓		✓		
Vicari	✓				✓		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board

CONTRACT NO. MUST BE ON ALL
PAPERS, DOCUMENTS, INVOICES, VOUCHERS
NO. B2022-155

RESOLUTION

December 21, 2022

WHEREAS, on October 25, 2022, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of ROLLOFF CONTAINERS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Name and Address of Bidder

Monmouth Solutions, Inc.
10 Kimball Ln.
Lynnfield, MA 01940
(978) 427-4755

Wastequip Manufacturing Company,
LLC
841 Meacham Road
Statesville, NC 28677
(800) 424-0422 Ext. 09641

Custom Container Solution, LLC
201 N. Industrial Park Rd.
Milton, PA 17847
(570) 524-7835

Phoenix Contracting
9915 Smarty Jones Dr.
Ruskin, FL 33573
(330) 749-5383

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance namely that of MONMOUTH SOLUTIONS, INC. and WASTEQUIP MANUFACTURING CO., LLC be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract for the furnishing and delivery of Rolloff Containers for the County of Ocean, for the contract period from date of award through December 20, 2023, a period of one (1) year, or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15. The County reserves the right to extend the contract for one (1) additional year by mutual agreement between the County and the contractor with no increase in base price, as follows:

A. MONMOUTH SOLUTIONS, INC. for one (1) item, to wit:

ITEM NO. 10.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. WASTEQUIP MANUFACTURING CO., LLC for thirteen (13) items, to wit:

ITEMS NO. 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13 and 14.

2. Payments for the equipment and materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2022-155.

4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Road Supervisor, Solid Waste Management, and the successful bidders.

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
7	25 Yard Open Recycling Rolloff Container - Tub Style As Specified or Equal	5	EA	\$7,999.00	\$39,995.00		meets exact specs			
8	30 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$8,199.00	\$81,990.00		meets exact specs			
9	30 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	5	EA	\$8,199.00	\$40,995.00		meets exact specs			
10	40 Yard Closed Top Rolloff Container - Ribbed Style, As Specified, or Equal	5	EA	\$10,699.00	\$53,495.00		meets exact specs			
11	40 Yard Closed Top Rolloff Container, No Windows - Ribbed Style, As Specified, or Equal	5	EA	\$12,000.00	\$60,000.00		meets exact specs			

ROLLOFF CONTAINERS

ITEM # 10 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES **NO**

Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 84"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 99"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 97"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 275"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,700 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor 2 Piece	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rails	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels W/ 1-1/4" Diameter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 4" Long Bullnose Rollers W/ 1-1/2" Greasable Pin		
1" Cable Hook Plate with 1 1/4" Solid Cable Hook	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

12 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Front Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" Formed Stiffener 4-way Bend	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR DOOR

Swing Door 40 Yard OT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Barn Style Rear Door	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 3" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS

ITEM # 10 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

DOOR LOCK

Southern Style Latch-Hook and Pin System
 Cam Action type door lock, 1-1/4" Cams on 1-1/4" Dia solid bar to 3/8"
 Locking Plates.
 Swing Handle is Securely Welded to a cam assembly rod for easy
 Opening and closing operations.
 Handle is secured by 1/2" x 2" bar stock with safety chain.
 Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning
 Keeper and a Vertical Lift Handle (flat bar) to assure safety

ROOF

4" Pitch with 12 Gauge Sheets and 3" Channel Support

WINDOW

Three (3) 3'x3' opening on each side

PAINT

Container to be scraped and ground and free of sharp edges.

All surfaces to be thoroughly cleaned and primed with one (1) coat of
 Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low
 V.O.C enamel or equivalent. Color to be specified on purchase order.
 (SPECIALTY COLORS MUST BE AVAILABLE UPON
 REQUEST)

10. Acknowledgement of Submission of Forms from Current Bid Package*

Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.

Confirmed

11. Submission of Bid Package*

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

PRICE TABLES

ROLLOFF CONTAINERS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
1	9 Yard Closed Recycling Rolloff Container - Ribbed Style As Specified, or Equal	5	EA	\$5,975.00	\$29,875.00					

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
2	9 Yard Closed Recycling Rolloff Container - Tub Style As Specified, or Equal	5	EA	\$5,735.00	\$28,675.00					
3	12 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	5	EA	\$6,695.00	\$33,475.00					
4	20 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$5,571.60	\$55,716.00					
5	20 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	5	EA	\$5,346.43	\$26,732.15					
6	25 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	5	EA	\$8,048.00	\$40,240.00					

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
7	25 Yard Open Recycling Rolloff Container - Tub Style As Specified or Equal	5	EA	\$5,675.43	\$28,377.15					
8	30 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$6,048.60	\$60,486.00					
9	30 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	5	EA	\$6,006.75	\$30,033.75					
10	40 Yard Closed Top Rolloff Container - Ribbed Style, As Specified, or Equal	5	EA	\$11,098.43	\$55,492.15					
11	40 Yard Closed Top Rolloff Container, No Windows - Ribbed Style, As Specified, or Equal	5	EA	\$10,599.50	\$52,997.50					

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
12	40 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$7,129.33	\$71,293.30					
13	40 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	5	EA	\$6,977.75	\$34,888.75					
14	40 Yard Octagon Rolloff Compactor Container As Specified or Equal	5	EA	\$9,092.50	\$45,462.50					

ROLLOFF CONTAINERS

ITEM #1 - 9 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES NO

Size: 9 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall: 40"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 155"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) - 8" Diameter x 10" LG Heavy Duty Wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4" OD x 6" LG Front Roller with 1 1/2 Pin and Grease Fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input type="checkbox"/>	<input checked="" type="checkbox"/>

FRONT AND SIDES

12' Deck with 30" Inside Height (40 1/2" height to roof)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" x 3" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2 x 2 Formed Angle	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side: 11 Gauge 3" x 5" Formed 4-way Bend Stiffener	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 6 1/2" x 3/16" Formed Stiffener 4-way Bend	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 4" x 3" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 4" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and 1 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door Must Rest On Floor of Container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

ROLLOFF CONTAINERS

ITEM #1 - 9 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE

YES NO

TOP/ROOF

11 Gauge Steel with a maximum of two (2) openings per side for a total of four (4) openings per container

Single Wall Plastic Sliding Door (30" x 30") equipped with a (lockable) sliding bolt latch

9" Pitched Roof

PAINT

Container to be scraped and ground and free of sharp edges

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

ROLLOFF CONTAINERS

ITEM #2 - 9 YARD CLOSED ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES NO

Size: 9 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall: 40"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 155"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers - REAR ONLY	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

TOP/ROOF

11 Gauge Steel with a maximum of two (2) openings per side for a total of four (4) openings per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Single Wall Plastic Sliding Door (30" x 30") equipped with a (lockable) sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9" Pitched Roof	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS

ITEM #2 - 9 YARD CLOSED ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL
(CONT'D)

COMPLIANCE

YES

NO

PAINT

Container to be scraped and ground and free of sharp edges

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order.

(SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

ROLLOFF CONTAINERS

ITEM #3 - 12 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE
YES NO

STANDARD DECK

3/16" PL floor	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL gussets on every other cross member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" diameter x 10" LG Heavy Duty Wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4" OD x 6" LG with one (1) 1/2" pin front roller and grease fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1" plate 6" x 15	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/4" plate with lifetime guarantee	<input type="checkbox"/>	<input checked="" type="checkbox"/>

FRONT AND SIDES

11 Gauge steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" formed 4-way bend side stiffener on 24" centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns shall have notches at bottom to prevent moisture retention	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed corner post wraps around for extra strength and stability	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POSTS

Latch Side: 3" x 4" x 11 Gauge Tube	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" formed stiffener 4-way bend	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 3" x 4" x 11 Gauge Tube frame and 3/8" safety chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" x 9" x 9" and 1/2" x 3" x 9" plates with 2" OD mechanical tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bushings with grease fittings and one (1) 3/16" cold rolled pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door Must Rest On Floor of Container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-automatic cam locking system with three (3) cams, self-aligning keeper and vertical lift handle (flat bar) to assure safety	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	-------------------------------------

TOP

11 Gauge Steel with three (3) openings on each side for a total of six (6) per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Double wall plastic sliding door (30" x 30") equipped with a lockable sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS

ITEM #4 - 20 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES NO

FLOOR

7 Gauge sheet, two (2) pieces, 22' long	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" structural channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube – all prime material no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt welded on outside of tubes not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers - 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook – 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SIDES

12 Gauge Sheet, 43" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes of 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are full welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material, no splits or joints (formed top tube not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR

Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material, one (1) piece, with no splits or joints.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges 8" long with grease fitting – three (3) hinges on 43" sides and above with 1 1/16" C.R. Shafts.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded to ensure maximum protection of the operator.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: December 21, 2022
 Adopted on: December 21, 2022
 Official Resolution#: 2022001787

ROLLOFF CONTAINERS

ITEM #4 - 20 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

BULKHEAD

- Two (2) vertical and one (1) horizontal structural tube
- Tubes: 12 Gauge Steel; 3" deep x 5" wide
- 12 Gauge Sheet with corner wraps for bulkhead and dog box of 10 Gauge Plate
- Four (4) "J" hooks for tarping

PAINT

Container to be scraped and ground and free of sharp edges

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

COMPLIANCE
YES NO

<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS

ITEM #5 - 20 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 20 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 44"	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Height Outside: 56"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 4,760 lbs:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1-1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS
ITEM #6 - 25 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES **NO**

Size: 25 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 55"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 78 ½"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: (A) 22' 9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,000 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4" OD x 6" LG Front Roller with 1 ½ Pin and Grease Fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1¼" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1½" Plate Solid Bullnose	<input type="checkbox"/>	<input checked="" type="checkbox"/>

FRONT AND SIDES

11 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge One-Piece Formed Dog House	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side: 3" x 4" x 11 Gauge Tube	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" Formed Stiffener 4-way Bend	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and ¾" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges ½" x 9" x 9" and ½" x 3" x 9" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and a Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

ROLLOFF CONTAINERS

✓ ITEM #6 - 25 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

ROOF

11 Gauge Steel with Maximum of three (3) openings per side for a total of six (6) openings per container

COMPLIANCE
YES NO

PAINT

Container to be scraped and ground and free of sharp edges.

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

ROLLOFF CONTAINERS

ITEM #7 - 25 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED,

OR EQUAL

COMPLIANCE

	<u>YES</u>	<u>NO</u>
Size: 25 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 55"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 78 1/2"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,000 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors: three (3) lockable sliding doors on each side	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Structural Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 1/4" Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 6" x 2" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers Front and Rear	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts: 12 Gauge formed plate 3" x 5", 4-way bend, eleven (11) posts per side	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Stiffeners: 7 Gauge Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain w/ Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roof: 12 Gauge Hip Roof with Lockable sliding lids (three (3) per side)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order.

(SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

Introduced on: December 21, 2022
 Adopted on: December 21, 2022
 Official Resolution#: 2022001787

ROLLOFF CONTAINERS

ITEM #8 - 30 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR

EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>FLOOR</u>		
7 Gauge sheet, two (2) pieces, 22' long	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3" structural channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube – all prime material; no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt-welded on outside of tubes not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers: 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook: 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SIDES</u>		
12 Gauge Sheet, 62" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes: 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are full welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material; no splits or joints (formed top tube not acceptable).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DOOR</u>		
Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material; one (1) piece with no splits or joints.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges: 8" long with grease fitting – three (3) hinges on 62" sides and above with 1 1/16" C.R. Shafts.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded for maximum protection of the operator.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ ROLLOFF CONTAINERS

ITEM #8 - 30 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (Cont'd)

COMPLIANCE
YES NO

BULKHEAD

Two (2) vertical and one (1) horizontal structural tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tubes: 12 Gauge Steel, 3" deep x 5" wide	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12 Gauge Sheet with corner wraps for bulkhead and dog box of		
10 Gauge Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

ROLLOFF CONTAINERS

ITEM #9 - 30 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES **NO**

Size: 30 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 66"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 78"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,620 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkylid primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

ROLLOFF CONTAINERS

ITEM # 11 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES NO

Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 84"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 99"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 97"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 275"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,700 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor 2 Piece	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rails	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels W/ 1-1/4" Diameter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 4" Long Bullnose Rollers W/ 1-1/2" Greasable Pin		
1" Cable Hook Plate with 1 1'4" Solid Cable Hook	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

12 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Front Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side: 3" x 4" x 11 Gauge Tube	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" Formed Stiffener 4-way Bend	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REAR DOOR

Swing Door 40 Yard OT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Barn Style Rear Door	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 3" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS

ITEM # 11 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>DOOR LOCK</u>		
Southern Style Latch-Hook and Pin System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cam Action type door lock, 1-1/4" Cams on 1-1/4" Dia solid bar to 3/8" Locking Plates.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Swing Handle is Securely Welded to a cam assembly rod for easy Opening and closing operations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle is secured by 1/2" x 2" bar stock with safety chain.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and a Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>ROOF</u>		
4" Pitch with 12 Gauge Sheets and 3" Channel Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS

ITEM #12 - 40 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>FLOOR</u>		
7 Gauge sheet, two (2) pieces, 22' long	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3" structural channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube, all prime material; no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt-welded on outside of tubes not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers: 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook: 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SIDES</u>		
12 Gauge Sheet, 82" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes: 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are fully welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material; no splits or joints (formed top tube not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DOOR</u>		
Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material; one (1) piece, no splits or joints.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges: 8" long with grease fitting – three (3) hinges on 82" sides and above with 1 1/16" C.R. Shafts.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded for maximum protection of the operator.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: December 21, 2022
 Adopted on: December 21, 2022
 Official Resolution#: 2022001787

ROLLOFF CONTAINERS

ITEM #12 - 40 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (Cont'd)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>BULKHEAD</u>		
Two (2) vertical and one (1) horizontal structural tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tubes: 12 Gauge Steel, 3" deep x 5" wide	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12 Gauge Sheet with corner wraps for bulkhead and dog box of		
10 Gauge Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ROLLOFF CONTAINERS

ITEM #13 - 40 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 86"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 98"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 6,270 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

ROLLOFF CONTAINERS

ITEM #14 - 40 YARD OCTAGON ROLLOFF COMPACTOR CONTAINER, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES **NO**

Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height (A): 90"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
OA Height Outside (B): 104"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Outside Width (C): 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Length: 264"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length: 273"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 7,130 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) 8" Diameter x 10" LG Rear & Two (2) 8" Diameter x 5" LG Front Heavy Duty Wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4" OD x 6" LG Front Roller with 1 1/2 Pin and Grease Fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate 6" x 15" (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input type="checkbox"/>	<input checked="" type="checkbox"/>

FRONT AND SIDES

7 Gauge Sheet	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Two (2) Fire Ports	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8" Taper Front to Rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) 6" Vertical Bulkhead Stiffeners	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side 4" x 3" x 3/16" Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side 4" x 3" x 3/16" Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 4" x 3" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" x 7" x 9" and 1/2" x 3" x 9" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 1 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Compactor Door Opening Hooks	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams and Self-Aligning Keeper and Vertical Lift Handle (flat bar) is securely welded to a cam system for easy operation. Handle is secured by a 3/4" solid pin, 180 degree turn keyway locking system.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

✓ ROLLOFF CONTAINERS

ITEM #14 - 40 YARD OCTAGON ROLLOFF COMPACTOR CONTAINER, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES NO

PAINT

Container to be scraped and ground and free of sharp edges.

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)