



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director John P. Kelly
Deputy Director Frank Sadeghi
Commissioner Robert S. Arace
Commissioner Jennifer Bacchione
Commissioner Virginia E. Haines

101 Hooper Avenue
Toms River, New Jersey
08754-2191
(732)929-2005
(732)505-1918

Board Meeting Agenda

Date: August 20, 2025 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding Contracts for the furnishing and delivery of MOTOR VEHICLES: PICKUPS to United Ford, LLC and Pacifico Ford, Inc., the lowest qualified bidders. (B2025-120)

Official Resolution#	2025001215
Meeting Date	08/20/2025
Introduced Date	08/20/2025
Adopted Date	08/20/2025
Agenda Item	I-5
CAF #	
Purchase Req. #	B2025-120
Result	Adopted

COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Kelly	✓				✓		
Sadeghi	✓			✓	✓		
Arace	✓				✓		
Bacchione	✓				✓		
Haines	✓		✓		✓		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board

RESOLUTION

August 20, 2025

WHEREAS, on July 22, 2025, pursuant to legal advertisements therefor, sealed bids were received for the MOTOR VEHICLE: PICKUPS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder
Pacifico Ford, Inc.
6701 Essington Avenue
Philadelphia, PA 19153
(267) 295-3590

Name and Address of Bidder
United Ford LLC
211 County Avenue
Secaucus, NJ 07094
(201) 617-0700

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bids, according to specifications, namely that of, PACIFICO FORD, INC , and UNITED FORD LLC be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the Motor Vehicle. Pickups, for the County of Ocean, for the contract period shall be one (1) year from date of award, or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract, pursuant to N.J S.A. 40A:11-15.

A. PACIFICO FORD, INC for ten (10) items, to wit:

ITEM NOS. 3, 3A, 3B, 3C, 3D, 3E, 3F, 3G, 3H and 3I.

For a Total Lump Sum Award (Item Nos. 3 - 3H) of \$776,126 90.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier No. CK-02-OC.

B. UNITED FORD LLC for twenty-six (26) items, to wit:

ITEM NOS. 1, 1A, 1B, 1C, 1D, 1E, 1F, 1G, 1H, 1I, 1J, 1K, 1L, 2, 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2I, 2J, 2K and 2L.

For a Total Lump Sum Award (Item Nos. 1 - 1K) of \$932,465.00.

For a Total Lump Sum Award (Item Nos. 2 - 2K) of \$953,105.00.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier No. CK-02-OC.

2. Payments for the materials and services to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. Funds for the materials or services described herein shall be made available through operating and expense (O&E) accounts, trust accounts, grant accounts, or capital accounts maintained by, but not limited to, the following departments: Vehicle Services.

4. Payments for the materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated. accounts maintained by, but not limited to, the following departments: Transportation Department.

5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2025-120.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, Vehicle Services and the successful bidder.

[PACIFICO FORD INC] RESPONSE DOCUMENT REPORT
 Bid No. TBD
 MOTOR VEHICLES: PICKUPS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
2J	Two-Way Radio Power and Wiring Requirements for New Vehicles	10	EA	\$390.00	\$3,900.00					
2K	Installation of County Supplied Two Way Radio and Accessories	10	EA	\$715.00	\$7,150.00					
TOTAL					\$956,624.74					

2L - FORD FACTORY OPTIONS PERCENTAGE DISCOUNT

Line Item	Description	Unit of Measure	Percentage	No Bid
2L	Ford Factory Options Percentage Discount	%	1%	

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
3	Current Model Year, Or Newer, Ford F250 4x4 Crew Cab Xlt Pick Up Truck, As Specified, Or Equal	10	EA	\$57,770.00	\$577,700.00		2026 / FORD F250	240 DAYS		
OPTIONS										

Introduced on: ~~August 20, 2025~~
 Adopted on: ~~August 20, 2025~~
 Official Resolution # ~~0025001215~~

[PACIFICO FORD INC] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: PICKUPS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
✓ 3A	Ford Protect ExtraCare Extended Service Plan	10	EA	\$4,900.00	\$49,000.00					
✓ 3B	Furnish and Install: Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54"	10	EA	\$4,198.28	\$41,982.80					
✓ 3C	One (1) Four (4) Head Strobe Light Kit	10	EA	\$305.00	\$3,050.00					
✓ 3D	Furnish and Install Vent Shield On All Doors	10	EA	\$172.50	\$1,725.00					
✓ 3E	Furnish and Install One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snow Plow	10	EA	\$8,111.91	\$81,119.10					
✓ 3F	Diagnostic Tools / Test Equipment	3	SET	\$3,500.00	\$10,500.00					

[PACIFICO FORD INC] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: PICKUPS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
✓ 3G	Two-Way Radio Power and Wiring Requirements for New Vehicles	10	EA	\$390.00	\$3,900.00					
✓ 3H	Installation of County Supplied Two Way Radio and Accessories	10	EA	\$715.00	\$7,150.00					
TOTAL					\$776,126.90					

3I - FORD FACTORY OPTIONS PERCENTAGE DISCOUNT

Line Item	Description	Unit of Measure	Percentage	No Bid
✓ 3I	Ford Factory Options Percentage Discount	%	1%	

Introduced on: August 20, 2025

Adopted by PACIFICO FORD INC, 2025

Official Resolution #: 2025001215

6/26/2025

2026MY SUPER DUTY F-250 (PICKUP SRW)

PROPRIETARY

PRICE LIST
(PRICE LEVEL CODE 620)

MODEL		SERIES CODE	BASE VEHICLE PRICE		SUGGESTED RETAIL
ALL MODELS	REGULAR CAB	4x2	F2A	142 in. Wheelbase - XL	\$ 45,675
		4x4	F2B	142 in. Wheelbase - XL	48,465
			F2B	142 in. Wheelbase - XLT	51,670
	SUPERCAB	4x2	F2A	142 in. Wheelbase - XLT	48,875
		4x4	X2B	148 in. Wheelbase - XLT	54,545
			X2A	148 in. Wheelbase - XL	48,235
		4x4	X2B	148 in. Wheelbase - XL	51,025
			X2A	164 in. Wheelbase - XL	48,435
		4x4	X2B	164 in. Wheelbase - XL	51,235
			X2B	164 in. Wheelbase - XLT	54,745
CREW CAB	4x2	W2A	160 in. Wheelbase - XL	49,890	
		W2A	176 in. Wheelbase - XL	50,090	
	4x4	W2B	160 in. Wheelbase - XL	52,690	
		W2B	160 in. Wheelbase - XLT	56,500	
	4x2	W2A	160 in. Wheelbase - XLT	53,700	
	4x4	W2B	160 in. Wheelbase - Lariat	65,540	
		W2A	160 in. Wheelbase - Lariat	62,735	
	4x4	W2B	160 in. Wheelbase - King Ranch	77,775	
		W2B	176 in. Wheelbase - XL	52,900	
		W2B	176 in. Wheelbase - XLT	56,705	
	4x2	W2A	176 in. Wheelbase - XLT	53,905	
	4x4	W2B	176 in. Wheelbase - Lariat	65,740	
	4x2	W2A	176 in. Wheelbase - Lariat	62,940	
4x4	W2B	176 in. Wheelbase - King Ranch	77,975		
	W2B	160 in. Wheelbase - Platinum	78,665		
W2B	176 in. Wheelbase - Platinum	78,865			
ALL MODELS			Destination and Delivery	2,195	

	DRIVE	OPTION CODE	POWERTRAINS	SUGGESTED RETAIL
ENGINE	4x2/4x4	99T	6.7L Powerstroke Diesel V-8	\$ 10,995
		99M	6.7L HO Powerstroke Diesel V-8	13,495
		99N	7.3L Engine Option on F250 Pick-up	1,500
AXLE	4x2/4x4	X3H	Axle, Electronic-Locking (Ratio 3.31)	430
			Axle, Electronic-Locking (Ratio 3.31) W/ 17Z	N/C
		X3J	Axle, Electronic-Locking (Ratio 3.55) W/ 17Y	N/C
			Axle, Electronic Locking (Ratio 3.55) W/ 17Y	430
			Axle, Electronic Locking (Ratio 3.55) W/ 17Z	N/C
		X3E	Axle, Electronic-Locking (Ratio 3.55) W/ 4x2 Super Cab	N/C
			Axle, Electronic-Locking (Ratio 3.73)	430
	4x2	Axle, Electronic Locking (Ratio 3.73) W/ 17Z	N/C	
	4x2/4x4	X4M	Axle, Electronic-Locking (Ratio 4.30)	430
			Axle, Electronic Locking (Ratio 4.30) W/ 17Z	N/C
Axle, Electronic-Locking (Ratio 4.30) W/ 17Y			N/C	

MODEL		OPTION CODE	TIRES	SUGGESTED RETAIL
REGULAR/SUPER/CREW CAB	4x2/4x4	TBM	LT245/75Rx17E BSW AT (XL)	\$ 165
		TCH	LT275/65Rx18E BSW AS	N/C
		TDX	LT275/70Rx18E BSW AT	265
		TCW	LT275/65Rx20E OWL AT	N/C

MODEL	TRIM SERIES	TRIM TYPE	SEATS	SUGGESTED RETAIL
	XL	L	Vinyl High Back Bucket	\$ 355
REGULAR CAB	XL	1	Cloth 40/20/40 Split Bench - Regular (XL Only)	100
		4	Cloth High Back Bucket (Regular Cab)	515
SUPER CAB/CREW CAB	XL	4	Cloth High Back Bucket (Super Cab)	515
		4	Cloth High Back Bucket (Crew Cab)	615

	OPTION CODE	OTHER OPTIONS	SUGGESTED RETAIL
AVAILABLE ON ALL MODELS UNLESS	642	Wheels, 20in Dark Carbonized Grey High-Gloss Painted Aluminum (STX, XL)	\$ 1,420

Introduced on: August 20, 2025
 Adopted on: 06/25/25 10:30 PM August 20, 2025
 Official Resolution#: 2025001215

6/26/2025		2026MY SUPER DUTY F-250 (PICKUP SRW)		PROPRIETARY	
PRICE LIST					
(PRICE LEVEL CODE 620)					
	OPTION CODE	OTHER OPTIONS (continued)		SUGGESTED RETAIL	
OTHERWISE NOTED AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED	643	Wheels, 20 Inch Premium Cast Aluminum (KR)		Std	
	TD8	LT245/75R17E BSW A/S PLUS		N/C	
	17L	Lariat Black Appearance Package		\$ 4,295	
		XLT Black Appearance Package		4,295	
	18B	Platform Running Boards (w/ Regular Cab)		320	
		Platform Running Boards (w/ Super/Crew Cab)		445	
	18C	6 inch Angular Bright Anodized Step Bar (XLT/Lariat, CC)		695	
	471	Camper Package		160	
	166	Carpet Delete		N/C	
	16T	Floor Mats, All-Weather (Excludes Carpet Floor Mats)		130	
	592	Clearance Lights, Roof		95	
	41H	Heater, Engine Block		190	
	54F	Mirrors, PowerScope® Power Glass T-Tow (XLT)		280	
	17C	Chrome Package		1,240	
	17X	4X4 Off-Road Package		550	
	66S	Uplifter Switches (6)		230	
	473	Snow Plow Package		250	
	67H	Suspension Package, Heavy Service		125	
	52B	TowCommand™ Integrated Trailer Brake Controller		300	
	62R	Transmission Power Take-Off Provision		280	
	435	Window, Power Sliding Rear		405	
	43B	Defrost w/ Fixed & Privacy Glass (Included w/ 435 only)		N/C	
	85G	Tailgate Step		375	
		Tailgate Step w/ 96U		N/C	
	41A	Rapid-Heat Supplemental Cab Heater		350	
	85S	Tough Bed® Spray-in bedliner		825	
		Tough Bed® Spray-in bedliner (Lariat w/ 17L)		N/C	
	85L	Drop-in Bedliner		380	
	61M	Wheel Well Liner		180	
	96W	Lariat Premium Package		2,250	
	96U	Lariat Ultimate Package		2,825	
	535	Trailer Tow Package - High Capacity		1,130	
		Trailer Tow Package - High Capacity (std w/99M)		N/C	
	76S	Remote Start System		250	
		Remote Start System (w/Lariat Ultimate/Value)		N/C	
	85M	Bed Mat		150	
	81S	Splash Guards/Mud Flaps (Front & Rear)		130	
	62S	Splash Guards/Mud Flaps (Rear)		N/C	
	15J	Gooseneck Hitch Kit		250	
	15L	5th Wheel Hitch Kit (20K)		1,345	
53W	5th Wheel/Gooseneck Hitch Prep Package		650		
76C	Exterior Back-up Chime		230		
96V	XL Chrome Package		325		
81L	Front Wheel Well Liners		180		
81N	Front & Rear Wheel Well Liners		325		
90M	Max Recline Seat		580		
17Z	XL Off Road Package		995		
52S	Interior Work Surface		140		
43K	2kW Pro Power		985		
63B	SecuriCode™ Keyless Entry Keypad		455		
94D	Ford Connectivity Package (One Time Purchase - 7 year)		745		
52E	SiriusXM with 360L (3-year plan)		300		
874	360 Camera Package		1,150		
96D	XL Driver Assist Package		730		
17P	XLT Premium Package		4,500		
68U	F-250 >10K GVWR PACKAGE		100		
	F-250 >10K GVWR PACKAGE (std w/99M)		N/C		
98F	CNG/Propane Gaseous Engine Prep Package (6.8L only)		315		
43C	120V/400W Outlet		175		
66L	Box Rail Lighting, LED Lighting system		60		
63V	Moonroof, Power		1,485		
18E	Power Running Boards (LAR)		995		
	Power Running Boards (KR - PL)		N/C		
43B	Defrost w/ Fixed & Privacy Glass		60		
67E	Extra-Extra Heavy Duty Alternator		85		
	Extra-Extra Heavy Duty Alternator w/ 43C & 66S & 473 or 47B		85		
67D	190 Amp Alternator on Gas engines and 250 Amp Alternator on Diesel engines		N/C		
86M	Dual Batteries (68 Amp.) (w/ 99M or 99T)		N/C		
	Dual Batteries (68 Amp.)		210		
86K	Programmable Engine Idle Shutdown Timer		250		
16P	Vinyl Floor Covering - KR/PL		115		

6/26/2025

2026MY SUPER DUTY F-250 (PICKUP SRW)

PROPRIETARY

PRICE LIST
(PRICE LEVEL CODE 620)

	OPTION CODE	OTHER OPTIONS (continued)	SUGGESTED RETAIL
AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED	17S	STX Package	\$3,115
	47B	SNOWPLOW/CAMPER PACKAGE	305
	67B	Dual Extra Heavy-Duty Alternator	115
		Dual Extra Heavy-Duty Alternator w/ 43C & 66S & 47B	115
		Dual Extra Heavy-Duty Alternator w/ 41A & 473	N/C
		Dual Extra Heavy-Duty Alternator w/ 7.3L Engine (King Ranch & Platinum)	N/C
	924	Privacy Glass	100
	64U	Wheels, 20 Inch Polished Aluminum	N/C
	91D	On-Board Scales & Smart Hitch	650
	21X	Vehicle Safe by Console Vault	350
	19J	Aluminum Cross Bed Tool Box - Matte Black	1,055
	19K	Aluminum Cross Bed Tool Box - Bright	1,055
	19H	Pickup Box Bed Side Storage	1,695
	66D	Pickup Box Delete (XL/XLT w/ 8 ft. Box only)	(625)
	512	Spare Tire and Wheel w/ 66D	295
	51X	Spare Tire Delete (XL and XLT Only)	(85)
	17Y	Tremor Package	4,450
	21D	Tonneau Pickup Box Cover - Soft Folding	600
	21E	Tonneau Pickup Box Cover - Hard Folding	1,280
	21J	Tonneau Pickup Box Cover - Retractable	2,250
	17W	Platinum Plus Package	6,500
	U10	Tremor Discount (17Y w/ 535)	(570)
	U13	Tremor Discount (17Y w/ 17L)	(570)
	U11	Tremor Discount (17Y w/ 17C)	(570)
	U14	Tremor Discount (17Y w/ 96W)	(570)
	U18	Lariat Premium Discount (96W w/ 17L)	(550)
	PRR	Paint, Ruby Red Metallic Tinted Clearcoat	495
	PT9	Marsh Gray	495
PAZ	Paint, Star White Metallic Tri-Coat	995	
PR7	Paint, Glacier Grey Metallic Tri-Coat	995	
153	Front License Plate Bracket	N/C	
87B	Retractable Bed Step (Corner)	390	
87S	Retractable Bed Step (Side)	780	
95K	Paint, School Bus Yellow w/ Agate Black Hood (Fleet Only)	165	

	OPTION CODE	FLEET OPTIONS	SUGGESTED RETAIL
AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED	47C	Fleet Commercial Graphics (Up to 6 Sq Ft)	\$ 340
	47D	Fleet Commercial Graphics (Up to 12 Sq Ft)	415
	47E	Fleet Commercial Graphics (Up to 20 Sq Ft)	490
	91G	360-Degree Dual Beacon LED Warning Strobes - Amber/White	660
	91S	360-Degree Dual Beacon LED Warning Strobes - Amber	660
	18A	Vehicle Integration System 2.0	400
	63R	Suspension Package, Heavy Service w/ 66D	125
	PGR	Paint, Green (Fleet Only)	660
	PW6	Paint, Green Gem (Fleet Only)	660
	PJS	Paint, Iconic Silver Metallic (Fleet Only)	660
	PMB	Paint, Orange (Fleet Only)	660
	PBY	Paint, School Bus Yellow (Fleet Only)	660
	PE4	Paint, Vermillion Red (Fleet Only)	660
	PAT	Paint, Yellow (Fleet Only)	660

6/26/2025

2026MY SUPER DUTY F-250 (PICKUP SRW)

PROPRIETARY

PRICE LIST
(PRICE LEVEL CODE 620)

	OPTION CODE	DEALER INSTALLED OPTIONS	SUGGESTED RETAIL
AVAILABLE ON ALL MODELS UNLESS OTHERWISE NOTED	AATAK	Trailer Camera - Customer Placed	\$ 515
	AATAJ	Individual Trailer TPMS - Customer Placed	610
	CL2AB	12,000 lb. Ford Performance Parts Winch by Wam	4,375
	D5EAD	Wheel Locks	95
	A1WAV	Pivot Storage Box LH by Undercover	330
	A1WAW	Pivot Storage Box RH by Undercover	330
	AILDS	Side Window Deflector Kit (Smoke Super Cab / Smoke Crew Cab)	160
	A73AB	Tailgate Lock by McGard	50
	A9MAQ	Bed Hooks by Bullring	70
	AHMAB	Roadside Assistance Kit - With Ford Logo	80
	CHBAN	Hard Rolling Tonneau - 6.75 inch	1,280
	CHBAM	Sport Soft Roll-up Tonneau - 6.75 inch	590
	AHQAB	First Aid Kit - With Ford Logo	60
	AHMAC	Commercial Roadside Assistance Kit by DC Safety	240
	FI4AD	SecuriCode Wireless Keyless Entry Keypad, Driver Side	230
	AATAF	Aux Camera and Trailer TPMS Combo Kit #1	1,010
	AATAN	Trailer TPMS and 5th Wheel/Gooseneck BLIS - Customer Placed	1,370
	AATAP	Aux Camera, Trailer TPMS and 5th Wheel/Gooseneck BLIS - Customer Placed	1,750
	AFFAB	Battery Jump Start System GB70 w/case	310
	TBCEV	Tailgate Lettering - Matte Black	220
	TBCEW	Tailgate Lettering - Carbon Fiber	220
	BBVAF	Windshield Sunscreen	130
	AH1AB	Super Duty Tool Kit - by AllTrade	520
B1HAB	Lighted Front Emblems	480	
IDGAB	Kicker Subwoofer	1,010	
D3PAC	Spare Tire Lock	85	
B1LAB	Black Tubular Running Board	655	
B1LAC	Chrome Tubular Running Board	845	

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year or newer, Ford F250 4X4 Super Cab XLT Pick Up Truck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3L 2V Gas DEVCT PFI NA V8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, off-road (4X4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Axle		
- Mono-beam front axle w/coil spring suspension		
- Rear- Non-Limited Slip	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Manual locking front hub	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery – Dual AGM 68 AH (86M)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shock absorbers – Heavy Duty Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires –		
- LT275/65R18		
- Spare Tire, Wheel & Frame mounted carrier	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels – 18” Sparkle Silver Painted Cast Aluminum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Headlamps/Taillamps/lamps</u>		
- Quad Beam Halogen Jewel Effect		
- Halogen fog lamps		
- AutoLamp (Auto On/Off Headlamps)		
- Automatic High Beam		
- Center High-mounted stop lamp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Mirrors</u>		
- Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal		
- Rearview mirror – 11.5” Day/Night	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Windows and Glass</u>		
- 1st row – power w/one touch up/down		
- 2 nd row – power		
- Rear (backlight) – fixed		
- Privacy Glass (rear backlight on all cabs; 2 nd row (rear-seat) windows)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Conditioning – Manual, Single Zone	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Sync 4</u>		
- 8” LCD Capacitive Touchscreen with swipe capability		
- Wireless phone connection		
- Apple CarPlay and Android Auto Capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Instrument Cluster – 4.2” Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear View Camera – Display in center-stack screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

<u>DESCRIPTION (Cont'd)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>Seats (Front)</u>		
- Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Two-way adjustable driver/passenger headrests	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Front center-seat-integrated restraints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Seat (Rear)</u>		
- Cloth, 60/40 Fold-up bench seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Steering Wheel</u>		
- Urethane – Black w/redundant audio and SYNC controls	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Cruise Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Tilt and telescoping steering wheel/Column (Manual)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Safety/ Security</u>		
- AdvanceTrac with RSC	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Autolock, Auto unlock rainlamp wiper active headlamps	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Driver and passenger frontal and side airbag/curtain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Remote keyless-entry	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Trailer sway control and hill start assist	<input checked="" type="checkbox"/>	<input type="checkbox"/>
410 Amp Alternator (67B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Snow Plow Prep package (473)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carpet Delete – Factory Fleet Option (166)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Tow package – 7 wire harness w/relays and 7/4 pin connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Brake Controller (52B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Platform Running Boards (18B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior work surface (52S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Upfitter switched (6) located in overhead console (66S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheel Well Liner, Front/Rear (61N)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splash Guards/Mud Flaps Front (61S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splash Guards/Mud Flaps Rear (62S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6-ton combination hitch:		
- 2 inch ball and pintle	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Locking hitch pin with key	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Hitch is to fit tightly into the receiver	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.5" Hitch Receiver	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior color: Medium Dark Slate or Baja	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Introduced on: August 20, 2025		
Painted on: August 20, 2025		
Official Resolution#: 2025001215		
Color to be specified from Standard color chart on Purchase order when ordering	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

Undercoating

Entire Chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating.

Warranty:

Bumper to Bumper: 3 years/36,000 miles

Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations

OPTIONS:

1A. Ford Protect ExtraCare Extended Service Plan

covering 113 components. 8 years/125,000 miles with \$0.00 deductible.

1B. Furnish and Install: Whelen: IX8AAA - Liberty II, Solo IX Low Current Series Light Bar- 54"

Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch

1C. Light Color Option

Red and blue modules in lieu of amber for Sheriff Department or OEM, keeping the amber rear arrow stick

1D. Furnish and Install: One (1) Four (4) Head Strobe Light Kit

with two (2) front and two (2) rear to be installed with the front and rear being on separate switches.

1E. Furnish and Install: Vent Shields On All Doors

1F. Furnish and Install: One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snowplow

with hand held controller and snow shield complete with electric, hydraulics and LED light kit installed on vehicle.

1G. Leer Cab-High Cap Model 100RCC for 6-3/4' Box

Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck.

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS: (Cont'd)

1H. Leer Cab-High Cap Model 100RCC for 8' Box

Leer fiberglass construction, interior headliner, Commercial cap structural reinforcement, interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck.

1I. Diagnostic Tools / Test Equipment

Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment.

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

4. All software installations and activations will be completed by the successful bidder at no cost to the County.

5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.

6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.

7. Training shall be provided on all items in this section at a County location.

1J. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.

2. #12 AWG BLACK wire connected to chassis ground.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

Introduced on: August 20, 2025
Adopted on: August 20, 2025
Official Resolution#: 2025001215

PACIFIC FORD INC
COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS
TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES NO

OPTIONS (Cont'd)

1K. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

1L. Ford Factory Options Percentage Discount

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model year or newer, Ford F250 4X4 Crew Cab XLT Pick Up Truck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3L 2V Gas DEVCT PFI NA V8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, off-road (4X4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Axle		
- Mono-beam front axle w/coil spring suspension		
- Rear- Non-Limited Slip	<input checked="" type="checkbox"/>	
Manual locking front hub	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery – Dual AGM 68 AH (86M)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shock absorbers – Heavy Duty Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires –		
- LT275/65R18		
- Spare Tire, Wheel & Frame mounted carrier	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels – 18” Sparkle Silver Painted Cast Aluminum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Headlamps/Taillamps/lamps Quad Beam Halogen Jewel Effect		
- Halogen fog lamps		
- AutoLamp (Auto On/Off Headlamps)		
- Automatic High Beam		
- Center High-mounted stop lamp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Mirrors</u>		
- Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- Rearview mirror – 11.5” Day/Night	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Windows and Glass</u>		
- 1st row – power w/one touch up/down		
- 2 nd row – power		
- Rear (backlight) – fixed		
- Privacy Glass (rear backlight on all cabs; 2 nd row (rear-seat) windows)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Conditioning – Manual, Single Zone	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Sync 4</u>		
- 8” LCD Capacitive Touchscreen with swipe capability		
- Wireless phone connection		
- Apple CarPlay and Android Auto Capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Instrument Cluster – 4.2” Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear View Camera – Display in center-stack screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

<u>DESCRIPTION (Cont'd)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>Seats (Front)</u>		
- Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
- 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar		
- Two-way adjustable driver/passenger headrests		
- Front center-seat-integrated restraints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Seat (Rear)</u>		
- Cloth, 60/40 Fold-up bench seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Steering Wheel</u>		
- Urethane – Black w/redundant audio and SYNC controls		
- Cruise Control		
- Tilt and telescoping steering wheel/Column (Manual)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Safety/ Security</u>		
- AdvanceTrac with RSC		
- Autolock, Auto unlock rainlamp wiper active headlamps		
- Driver and passenger frontal and side airbag/curtain		
- Remote keyless-entry		
- Trailer sway control and hill start assist	<input checked="" type="checkbox"/>	<input type="checkbox"/>
410 Amp Alternator (67B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Snow Plow Prep package (473)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carpet Delete – Factory Fleet Option (166)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Tow package – 7 wire harness w/relays and 7/4 pin connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Brake Controller (52B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Platform Running Boards (18B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior work surface (52S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Upfitter switched (6) located in overhead console (66S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheel Well Liner, Front/Rear (61N)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splash Guards/Mud Flaps Front (61S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6-ton combination hitch:		
2 inch ball and pintle		
Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.		
Locking hitch pin with key		
Hitch is to fit tightly into the receiver		
In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.5" Hitch receiver	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior color: Medium Dark Slate or Baja	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Paint:</u>		
Color to be specified from Standard color chart on Purchase order when ordering	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

Undercoating

Entire Chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating.

Warranty:

Bumper to Bumper: 3 years/36,000 miles

Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations

OPTIONS:

2A. Ford Protect ExtraCare Extended Service Plan

covering 113 components. 8 years/125,000 miles with \$0.00 deductible.

2B. Furnish and Install Whelen: IX8AAAA - Liberty II, Solo IX Low

Current Series Light Bar- 54"

Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch

2C. Light Color Option

Red and blue modules in lieu of amber for Sheriff Department or OEM, keeping the amber rear arrow stick

2D. Furnish and Install One (1) Four (4) head strobe light kit

with two (2) front and two (2) rear to be installed with the front and rear being on separate switches.

2E. Furnish and Install Vent Shield On All Doors

2F. Furnish and Install One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snowplow

with hand held controller and snow shield complete with electric, hydraulics and LED light kit installed on vehicle.

2G. Leer Cab-High Cap Model 100RCC for 6-3/4' Box

Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck.

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES NO

OPTIONS (Cont'd)

2H. Leer Cab-High Cap Model 100RCC for 8' Box

Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck.

2I. Diagnostic Tools / Test Equipment

Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment.

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

4. All software installations and activations will be completed by the successful bidder at no cost to the County.

5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.

6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.

7. Training shall be provided on all items in this section at a County location.

2J. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.

2. #12 AWG BLACK wire connected to chassis ground.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

2K. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.

2. #12 AWG BLACK wire connected to chassis ground.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

2L. Ford Factory options percentage discount

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year, or newer, Ford F250 4X4 Standard Cab XLT Pick Up Truck	X	<input type="checkbox"/>
7.3L 2V Gas DEVCT PFI NA V8	X	<input type="checkbox"/>
TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, off road (4X4)	X	<input type="checkbox"/>
Axle		
- Mono-beam front axle w/coil spring suspension	X	<input type="checkbox"/>
- Rear- Non-Limited Slip	X	<input type="checkbox"/>
Manual locking front hub	X	<input type="checkbox"/>
Battery - Dual AGM 68AH (86M)	X	<input type="checkbox"/>
Shock absorbers - Heavy Duty Gas	X	<input type="checkbox"/>
Tires -		
- LT275/65R18	X	<input type="checkbox"/>
- Spare Tire, Wheel & Frame mounted carrier	X	<input type="checkbox"/>
Wheels - 18" Sparkle Silver Painted Cast Aluminum	X	<input type="checkbox"/>
Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four-wheel Disc Anti-lock Brake system - Roll Stability Control (RSC)/Traction Control/Trailer Sway Control	X	<input type="checkbox"/>
<u>Headlamps/Taillamps/Lamps</u>		
- Quad Beam Halogen Jewel Effect		
- Halogen fog lamps		
- AutoLamp (Auto On/Off Headlamps)		
- Automatic High Beam		
- Center High-mounted stop lamp	X	<input type="checkbox"/>
<u>Mirrors</u>		
- Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal	X	<input type="checkbox"/>
- Rearview mirror - 11.5" Day/Night		
<u>Windows and Glass</u>		
- 1st row - power w/one touch up/down	X	<input type="checkbox"/>
- Rear (backlight) - fixed	X	<input type="checkbox"/>
Air Conditioning - Manual, Single Zone		
<u>Sync 4</u>		
- 8" LCD Capacitive Touchscreen with swipe capability		
- Wireless phone connection		
- Apple CarPlay and Android Auto Capability	X	<input type="checkbox"/>
Instrument Cluster - 4.2" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel	X	<input type="checkbox"/>
Rear View Camera - Display in center-stack screen	X	<input type="checkbox"/>
<u>Seats (Front)</u>		
- Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage		
- 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar)		
- Two-way adjustable driver/passenger headrests	X	<input type="checkbox"/>
- Front center seat integrated restraints		

Introduced on: August 20, 2025
 Adopted on: August 20, 2025
 Official Resolution: 2025-08-21

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

<u>DESCRIPTION (Cont'd)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>Steering Wheel</u>		
- Urethane – Black w/redundant audio and SYNC controls		
- Cruise Control		
- Tilt and telescoping steering wheel/Column (Manual)	X	<input type="checkbox"/>
<u>Safety/ Security</u>		
- AdvanceTrac with RSC		
- Autolock, Auto unlock rainlamp wiper active headlamps		
- Driver and passenger frontal and side airbag/curtain		
- Remote keyless-entry		
- Trailer sway control and hill start assist	X	<input type="checkbox"/>
410 Amp Alternator (67B)	X	<input type="checkbox"/>
Snow Plow Prep package (473)	X	<input type="checkbox"/>
Carpet Delete – Factory Fleet Option (166)	X	<input type="checkbox"/>
Trailer Tow package – 7 wire harness w/relays and 7/4 pin connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Brake Controller (52B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Platform Running Boards (18B)	X	<input type="checkbox"/>
Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S)	X	<input type="checkbox"/>
Interior work surface (52S)	X	<input type="checkbox"/>
Upfitter switched (6) located in overhead console (66S)	X	<input type="checkbox"/>
Wheel Well Liner, Front/Rear (61N)	X	<input type="checkbox"/>
Splash Guards/Mud Flaps Front (61S)	X	<input type="checkbox"/>
6-ton combination hitch:		
- 2 inch ball and pintle		
- Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.		
- Locking hitch pin with key		
- Hitch is to fit tightly into the receiver		
- In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.5" Hitch Receiver	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior color: Medium Dark Slate or Baja	X	<input type="checkbox"/>
<u>Paint:</u>		
Color to be specified from Standard color chart on Purchase order when ordering	X	<input type="checkbox"/>
<u>Undercoating:</u>		
Entire Chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating.	X	<input type="checkbox"/>

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

Warranty:

Bumper to Bumper: 3 years/36,000 miles

Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations

OPTIONS

3A. Ford Protect ExtraCare Extended Service Plan

covering 113 components, 8 years/125,000 miles with \$0.00 deductible.

3B. Furnish and Install Whelen: IX8AAA - Liberty II, Solo IX Low

Current Series Light Bar- 54"

Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch

3C. One (1) Four (4) Head Strobe Light Kit

with two (2) front and two (2) rear to be installed with the front and rear being on separate switches.

3D. Furnish and Install Vent Shield On All Doors

3E. Furnish and Install One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snow Plow

with hand held controller and snow shield complete with electric, hydraulics and LED light kit installed on the vehicle.

3F. Diagnostic Tools / Test Equipment

Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment.

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

3F. Diagnostic Tools / Test Equipment (Cont'd)

- 4. All software installations and activations will be completed by the successful bidder at no cost to the County.
- 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 7. Training shall be provided on all items in this section at a County location.

3G. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

3H. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

3I. Ford Factory Option percentage discount

[UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: PICKUPS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
✓ 1	Current Model Year, Or Newer, Ford F250 4x4 Super Cab Xlt Pick Up Truck, As Specified, Or Equal	10	EA	\$58,530.00	\$585,300.00		2026 FORD	TBD	AS PER BID	
OPTIONS										
✓ 1A	Ford Protect ExtraCare Extended Service Plan	10	EA	\$5,695.00	\$56,950.00		EXTRACARE			OTHER WARRANTIES AVAILABLE
✓ 1B	Furnish and Install: Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54"	10	EA	\$5,560.00	\$55,600.00					
✓ 1C	Light Color Option	10	EA	\$1,392.00	\$13,920.00					
✓ 1D	Furnish and Install: One (1) Four (4) Head Strobe Light Kit	10	EA	\$1,095.00	\$10,950.00		*SURFACE MOUNT FRONT & REAR			
✓ 1E	Furnish and Install: Vent Shields On All Doors	10	EA	\$222.00	\$2,220.00					

Introduced on: August 20, 2025

Adopted on: [UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Official Resolution #: 202501215

[UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: PICKUPS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
✓ 1F	Furnish and Install: One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snowplow	10	EA	\$7,095.00	\$70,950.00					
✓ 1G	Leer Cab-High Cap Model 100RCC for 6-3/4' Box	10	EA	\$5,131.00	\$51,310.00		*LEER 100SCC			
✓ 1H	Leer Cab-High Cap Model 100RCC for 8' Box	10	EA	\$5,176.00	\$51,760.00		*LEER 100SCC			
✓ 1I	Diagnostic Tools / Test Equipment	3	SET	\$6,995.00	\$20,985.00					
✓ 1J	Two-Way Radio Power and Wiring Requirements for New Vehicles	10	EA	\$301.00	\$3,010.00					
✓ 1K	Installation of County Supplied Two Way Radio and Accessories	10	EA	\$951.00	\$9,510.00					
TOTAL					\$932,465.00					

Introduced on: August 20, 2025

Adopted on: [UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001215

[UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: PICKUPS

1L - FORD FACTORY OPTIONS PERCENTAGE DISCOUNT

Line Item	Description	Unit of Measure	Percentage	No Bid
✓ 1L	Ford Factory Options Percentage Discount	%	5.1%	

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
✓ 2	Current Model Year, Or Newer, Ford F250 4x4 Crew Cab Xlt Pick Up Truck, As Specified, Or Equal	10	EA	\$60,594.00	\$605,940.00		2026 FORD	TBD	AS PER BID	
OPTIONS										
✓ 2A	Ford Protect ExtraCare Extended Service Plan	10	EA	\$5,695.00	\$56,950.00		EXTRACARE			OTHER WARRANTIES AVAILABLE
✓ 2B	Furnish and Install: Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54"	10	EA	\$5,560.00	\$55,600.00					
✓ 2C	Light Color Option	10	EA	\$1,392.00	\$13,920.00					

Introduced on: August 20, 2025

Adopted by: [UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Official Resolution #: 2025001215

[UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: PICKUPS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
✓ 2D	Furnish and Install: One (1) Four (4) Head Strobe Light Kit	10	EA	\$1,095.00	\$10,950.00		* SURFACE MOUNT FRONT & REAR			
✓ 2E	Furnish and Install: Vent Shields On All Doors	10	EA	\$222.00	\$2,220.00					
✓ 2F	Furnish and Install: One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snowplow	10	EA	\$7,095.00	\$70,950.00					
✓ 2G	Leer Cab-High Cap Model 100RCC for 6-3/4' Box	10	EA	\$5,131.00	\$51,310.00		*LEER 100SCC			
✓ 2H	Leer Cab-High Cap Model 100RCC for 8' Box	10	EA	\$5,176.00	\$51,760.00		*LEER 100SCC			
✓ 2I	Diagnostic Tools / Test Equipment	3	SET	\$6,995.00	\$20,985.00					

Introduced on: ~~August 20, 2025~~

Adopted by: ~~UNITED FORD LLC RESOLUTION # 202501215~~

Official Resolution # 202501215

[UNITED FORD LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: PICKUPS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
✓ 2J	Two-Way Radio Power and Wiring Requirements for New Vehicles	10	EA	\$301.00	\$3,010.00					
✓ 2K	Installation of County Supplied Two Way Radio and Accessories	10	EA	\$951.00	\$9,510.00					
TOTAL					\$953,105.00					

2L - FORD FACTORY OPTIONS PERCENTAGE DISCOUNT

Line Item	Description	Unit of Measure	Percentage	No Bid
✓ 2L	Ford Factory Options Percentage Discount	%	5.1%	

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Year/Make/Model:	Delivery, A.R.O.:	Warranty:	Comments:
3	Current Model Year, Or Newer, Ford F250 4x4 Crew Cab Xlt Pick Up Truck, As Specified, Or Equal	10	EA	\$55,527.00	\$555,270.00		2026 FORD	TBD	AS PER BID	
OPTIONS										

Introduced on: ~~August 20, 2025~~
 Adopted on: ~~August 26, 2025~~
 Official Resolution # ~~2025001215~~

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year or newer, Ford F250 4X4 Super Cab XLT Pick Up Truck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3L 2V Gas DEVCT PFI NA V8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, off-road (4X4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Axle		
- Mono-beam front axle w/coil spring suspension		
- Rear- Non-Limited Slip	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Manual locking front hub	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery – Dual AGM 68 AH (86M)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shock absorbers – Heavy Duty Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires –		
- LT275/65R18		
- Spare Tire, Wheel & Frame mounted carrier	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels – 18” Sparkle Silver Painted Cast Aluminum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Headlamps/Taillamps/lamps</u>		
- Quad Beam Halogen Jewel Effect		
- Halogen fog lamps		
- AutoLamp (Auto On/Off Headlamps)		
- Automatic High Beam		
- Center High-mounted stop lamp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Mirrors</u>		
- Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal		
- Rearview mirror – 11.5” Day/Night	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Windows and Glass</u>		
- 1st row – power w/one touch up/down		
- 2 nd row – power		
- Rear (backlight) – fixed		
- Privacy Glass (rear backlight on all cabs; 2 nd row (rear-seat) windows)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Conditioning – Manual, Single Zone	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Sync 4</u>		
- 8” LCD Capacitive Touchscreen with swipe capability		
- Wireless phone connection		
- Apple CarPlay and Android Auto Capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Instrument Cluster – 4.2” Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear View Camera – Display in center-stack screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

DESCRIPTION (Cont'd)	COMPLIANCE	
	<u>YES</u>	<u>NO</u>
<u>Seats (Front)</u>		
- Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage		
- 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar)		
- Two-way adjustable driver/passenger headrests		
- Front center-seat-integrated restraints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Seat (Rear)</u>		
- Cloth, 60/40 Fold-up bench seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Steering Wheel</u>		
- Urethane – Black w/redundant audio and SYNC controls		
- Cruise Control		
- Tilt and telescoping steering wheel/Column (Manual)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Safety/ Security</u>		
- AdvanceTrac with RSC		
- Autolock, Auto unlock rainlamp wiper active headlamps		
- Driver and passenger frontal and side airbag/curtain		
- Remote keyless-entry		
- Trailer sway control and hill start assist	<input checked="" type="checkbox"/>	<input type="checkbox"/>
410 Amp Alternator (67B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Snow Plow Prep package (473)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carpet Delete – Factory Fleet Option (166)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Tow package – 7 wire harness w/relays and 7/4 pin connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Brake Controller (52B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Platform Running Boards (18B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior work surface (52S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Upfitter switched (6) located in overhead console (66S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheel Well Liner, Front/Rear (61N)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splash Guards/Mud Flaps Front (61S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splash Guards/Mud Flaps Rear (62S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6-ton combination hitch:		
- 2 inch ball and pintle		
- Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.		
- Locking hitch pin with key		
- Hitch is to fit tightly into the receiver		
- In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.5" Hitch Receiver	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior color: Medium Dark Slate or Baja	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Paint: Adopted on: August 20, 2025 Color to be specified from Standard color chart on Purchase order when ordering Official Resolution#: 2025001215	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS: (Cont'd) * 100RCC DISCONTINUED - 100SCC QUOTED *

1H. Leer Cab-High Cap Model 100RCC for 8' Box

Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck.

1I. Diagnostic Tools / Test Equipment

Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment.

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

4. All software installations and activations will be completed by the successful bidder at no cost to the County.

5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.

6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.

7. Training shall be provided on all items in this section at a County location.

1J. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.

2. #12 AWG BLACK wire connected to chassis ground.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

1K. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

1L. Ford Factory Options Percentage Discount

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model year or newer, Ford F250 4X4 Crew Cab XLT Pick Up Truck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3L 2V Gas DEVCT PFI NA V8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, off-road (4X4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Axle		
- Mono-beam front axle w/coil spring suspension		
- Rear- Non-Limited Slip	<input checked="" type="checkbox"/>	
Manual locking front hub	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery – Dual AGM 68 AH (86M)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shock absorbers – Heavy Duty Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires –		
- LT275/65R18		
- Spare Tire, Wheel & Frame mounted carrier	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels – 18” Sparkle Silver Painted Cast Aluminum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Headlamps/Taillamps/lamps</u> Quad Beam Halogen Jewel Effect		
- Halogen fog lamps		
- AutoLamp (Auto On/Off Headlamps)		
- Automatic High Beam		
- Center High-mounted stop lamp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Mirrors</u>		
- Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal		
- Rearview mirror – 11.5” Day/Night	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Windows and Glass</u>		
- 1st row – power w/one touch up/down		
- 2 nd row – power		
- Rear (backlight) – fixed		
- Privacy Glass (rear backlight on all cabs; 2 nd row (rear-seat) windows)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Conditioning – Manual, Single Zone	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Sync 4</u>		
- 8” LCD Capacitive Touchscreen with swipe capability		
- Wireless phone connection		
- Apple CarPlay and Android Auto Capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Instrument Cluster – 4.2” Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear View Camera – Display in center-stack screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

<u>DESCRIPTION (Cont'd)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>Seats (Front)</u>		
- Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage		
- 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar		
- Two-way adjustable driver/passenger headrests		
- Front center-seat-integrated restraints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Seat (Rear)</u>		
- Cloth, 60/40 Fold-up bench seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Steering Wheel</u>		
- Urethane – Black w/redundant audio and SYNC controls		
- Cruise Control		
- Tilt and telescoping steering wheel/Column (Manual)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Safety/ Security</u>		
- AdvanceTrac with RSC		
- Autolock, Auto unlock rainlamp wiper active headlamps		
- Driver and passenger frontal and side airbag/curtain		
- Remote keyless-entry		
- Trailer sway control and hill start assist	<input checked="" type="checkbox"/>	<input type="checkbox"/>
410 Amp Alternator (67B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Snow Plow Prep package (473)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Carpet Delete – Factory Fleet Option (166)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Tow package – 7 wire harness w/relays and 7/4 pin connector	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Brake Controller (52B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Platform Running Boards (18B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior work surface (52S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Upfitter switched (6) located in overhead console (66S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheel Well Liner, Front/Rear (61N)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Splash Guards/Mud Flaps Front (61S)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6-ton combination hitch:		
2 inch ball and pintle		
Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.		
Locking hitch pin with key		
Hitch is to fit tightly into the receiver		
In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)		
	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.5” Hitch receiver	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior color: Medium Dark Slate or Baja	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Paint:</u>		
Color to be specified from Standard color chart on Purchase order when ordering	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

Undercoating

Entire Chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating.

Warranty:

Bumper to Bumper: 3 years/36,000 miles

Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations

OPTIONS:

2A. Ford Protect ExtraCare Extended Service Plan

covering 113 components. 8 years/125,000 miles with \$0.00 deductible.

2B. Furnish and Install Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54"

Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch

2C. Light Color Option

Red and blue modules in lieu of amber for Sheriff Department or OEM, keeping the amber rear arrow stick

2D. Furnish and Install One (1) Four (4) head strobe light kit

with two (2) front and two (2) rear to be installed with the front and rear being on separate switches. * SURFACE MOUNT - FRONT & REAR *

2E. Furnish and Install Vent Shield On All Doors

2F. Furnish and Install One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snowplow

with hand held controller and snow shield complete with electric, hydraulics and LED light kit installed on vehicle.

2G. Leer Cab-High Cap Model 100RCC for 6-3/4' Box

Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck.

* 100RCC DISCONTINUED - 100SCC QUOTED *

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

<u>COMPLIANCE</u>	
<u>YES</u>	<u>NO</u>

OPTIONS (Cont'd)

2H. Leer Cab-High Cap Model 100RCC for 8' Box * 100 RCC DISCONTINUED - 100SCC QUOTED *

Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>

2I. Diagnostic Tools / Test Equipment

Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment.

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

4. All software installations and activations will be completed by the successful bidder at no cost to the County.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

7. Training shall be provided on all items in this section at a County location.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

2J. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5

Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

2K. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

2L. Ford Factory options percentage discount

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year, or newer, Ford F250 4X4 Standard Cab XLT Pick Up Truck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.3L 2V Gas DEVCT PFI NA V8	<input checked="" type="checkbox"/>	<input type="checkbox"/>
TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul, off road (4X4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Axle		
- Mono-beam front axle w/coil spring suspension		
- Rear- Non-Limited Slip	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Manual locking front hub	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery – Dual AGM 68AH (86M)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shock absorbers – Heavy Duty Gas	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires –		
- LT275/65R18		
- Spare Tire, Wheel & Frame mounted carrier	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels – 18” Sparkle Silver Painted Cast Aluminum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Headlamps/Taillamps/lamps</u>		
- Quad Beam Halogen Jewel Effect		
- Halogen fog lamps		
- AutoLamp (Auto On/Off Headlamps)		
- Automatic High Beam		
- Center High-mounted stop lamp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Mirrors</u>		
- Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal		
- Rearview mirror – 11.5” Day/Night	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Windows and Glass</u>		
- 1st row – power w/one touch up/down		
- Rear (backlight) – fixed	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Conditioning – Manual, Single Zone	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Sync 4</u>		
- 8” LCD Capacitive Touchscreen with swipe capability		
- Wireless phone connection		
- Apple CarPlay and Android Auto Capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Instrument Cluster – 4.2” Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear View Camera – Display in center-stack screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Seats (Front)</u>		
- Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage		
- 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar)		
- Two-way adjustable driver/passenger headrests		
Front center seat integrated restraints	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: August 20, 2025
 Adopted on: August 20, 2025
 Official Resolution #: 20250911

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

<u>DESCRIPTION (Cont'd)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>Steering Wheel</u>		
- Urethane – Black w/redundant audio and SYNC controls		
- Cruise Control		
- Tilt and telescoping steering wheel/Column (Manual)	☒	☐
<u>Safety/ Security</u>		
- AdvanceTrac with RSC		
- Autolock, Auto unlock rainlamp wiper active headlamps		
- Driver and passenger frontal and side airbag/curtain		
- Remote keyless-entry		
- Trailer sway control and hill start assist	☒	☐
410 Amp Alternator (67B)	☒	☐
Snow Plow Prep package (473)	☒	☐
Carpet Delete – Factory Fleet Option (166)	☒	☐
Trailer Tow package – 7 wire harness w/relays and 7/4 pin connector	☒	☐
Trailer Brake Controller (52B)	☒	☐
Platform Running Boards (18B)	☒	☐
Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S)	☒	☐
Interior work surface (52S)	☒	☐
Upfitter switched (6) located in overhead console (66S)	☒	☐
Wheel Well Liner, Front/Rear (61N)	☒	☐
Splash Guards/Mud Flaps Front (61S)	☒	☐
6-ton combination hitch:		
- 2 inch ball and pintle		
- Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.		
- Locking hitch pin with key		
- Hitch is to fit tightly into the receiver		
- In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)	☒	☐
2.5" Hitch Receiver	☒	☐
Interior color: Medium Dark Slate or Baja	☒	☐
<u>Paint:</u>		
Color to be specified from Standard color chart on Purchase order when ordering	☒	☐
<u>Undercoating:</u>		
Entire Chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating.	☒	☐

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

Warranty:

Bumper to Bumper: 3 years/36,000 miles

Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations

OPTIONS

3A. Ford Protect ExtraCare Extended Service Plan
covering 113 components. 8 years/125,000 miles with \$0.00 deductible.

3B. Furnish and Install Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54"
Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch

3C. One (1) Four (4) Head Strobe Light Kit
with two (2) front and two (2) rear to be installed with the front and rear being on separate switches. * SURFACE MOUNT - FRONT & REAR

3D. Furnish and Install Vent Shield On All Doors

3E. Furnish and Install One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snow Plow
with hand held controller and snow shield complete with electric, hydraulics and LED light kit installed on the vehicle.

3F. Diagnostic Tools / Test Equipment

Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment.

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

<u>COMPLIANCE</u>	
<u>YES</u>	<u>NO</u>

OPTIONS (Cont'd)

3F. Diagnostic Tools / Test Equipment (Cont'd)

- | | | |
|--|---|---|
| 4. All software installations and activations will be completed by the successful bidder at no cost to the County. | ☒ | ☐ |
| 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. | ☒ | ☐ |
| 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. | ☒ | ☐ |
| 7. Training shall be provided on all items in this section at a County location. | ☒ | ☐ |

3G. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

☒	☐
---	---

3H. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

☒	☐
---	---

3I. Ford Factory Option percentage discount

☒	☐
---	---