

John P. Kelly, Director Virginia E. Haines, Deputy Director Barbara Jo Crea, Commissioner Gary Quinn, Commissioner Joseph H. Vicari, Commissioner

Tristin J. Collins, Director, Management & Budget Jennifer L. Bowens, Purchasing Agent

County of Ocean Administration Building 101 Hooper Avenue Toms River, NJ 08754

BID MOTOR VEHICLE: TRACTOR

2022

ADVERTISEMENT DATE: November 23, 2022 OPENING: December 13, 2022, 11:00 am

Bid Category: 04- Automotive Products, Vehicles and Services

NOTICE TO BIDDERS

NOTICE IS HEREBY GIVEN that sealed bids for the furnishing and delivery of **MOTOR VEHICLE: TRACTOR** for the County of Ocean, will be received by the Purchasing Agent of the County of Ocean on **Tuesday**, **December 13**, **2022** at **11:00** am, prevailing time.

Bids will be received electronically via the <u>County's OpenGov Electronic Bid Portal</u> (https://procurement.opengov.com/portal/oceancounty/)

Specifications and form of proposal are on the <u>Procurement Portal (Link Above)</u> or available for viewing in the Department of Purchase, Room #224, Administration Building, 101 Hooper Avenue, Toms River, New Jersey. Direct all inquiries to Jennifer L. Bowens, Purchasing Agent.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et seq. and P.L. 1975 C. 127 (N.J.A.C. 17:27-1 et seq.) regarding equal employment opportunities and with the requirements of P.L. 1977 C.33 regarding corporate and/or partnership ownership.

The right to reject any and all bids is reserved in accordance with applicable law.

By order of the Board of Commissioners of the County of Ocean.

Signed:

JOHN P. KELLY, Director

JENNIFER L. BOWENS, Purchasing Agent

CONTACT INFORMATION AND PROJECT TIMELINE

Summary

The purpose of this bid package is to provide the County of Ocean with a Contractor who will supply the materials or services described and specified herein.

Contact Information

For further information regarding these specifications, contact

Brian McCarthy

Director

Email: ocpurchasing@co.ocean.nj.us

Phone: (732) 349-4579

Department: Vehicle Services

Timeline

Advertising Date	November 23, 2022
Bid Opening Date	December 13, 2022, 11:00am Administration Building, 101 Hooper Ave., Room 119, Toms River, NJ, 08753

IMPORTANT INSTRUCTIONS FOR ELECTRONIC SUBMITTAL

Instructions for Electronic Bid Submission

The County is accepting electronic bid submissions with ProcureNow by following these instructions:

Sign up for a FREE account at https://secure.procurenow.com/signup.

Once you have completed account registration, browse back to this page: <u>County's OpenGov</u> Electronic Bid Portal (https://procurement.opengov.com/portal/oceancounty/)

Click on the bid of interest, then click "Draft Response".

Follow the instructions to submit the electronic bid.

It is important to note that this process should be completed well in advance of the bid deadline / bid opening. DO NOT WAIT UNTIL THE LAST MINUTE. The County's electronic submission system will not allow electronic bids to be submitted once the deadline has passed, even if you've already started the process. The deadline is based on the countdown timer found on the ProcureNow bid submission page.

INSTRUCTIONS TO BIDDERS

Bid Opening

All bids will be opened publicly in the Administration Building, Room 119, 101 Hooper Avenue, Toms River, New Jersey, commencing at 11:00 am, prevailing time on Tuesday, December 13, 2022.

Electronic Bid Submissions

Bids must be submitted electronically through Ocean County's Procurement Portal by the date and time stipulated in the Notice to Bidders.

Deadline Instructions

The County will not be responsible for late bids, and no bids will be accepted if received after the time stipulated in the notice to bidders.

Completion of all Documents

Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package and must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.

Right to Reject

The County reserves the right to reject all bids in accordance with N.J.S.A. 40A:11-13.2, to waive any informalities in the bid and to accept the lowest responsible bid in accordance with applicable law.

Bidder Default

In case of default by the bidder or contractor, the County of Ocean may procure the articles or services from other sources and hold the bidder or contractor responsible for any excess cost occasioned thereby.

Indemnity

The bidder, if awarded a contract, agrees to protect, defend and save harmless the County against any damage for payment for the use of any patented material process, article or device that may enter into the manufacture, construction or form a part of the work covered by either order or contract, and he further agrees to indemnify and save harmless the County from suits or actions of every nature and description brought against it, for, or on account of injuries or damages received or sustained by any party or parties by, or from any of the negligent acts of the contractor, his servants or agents.

Specifications

It is to be understood by the bidder that this bid is submitted on the basis of specifications prepared by the County and the fact that any bidder is not familiar with these specifications or conditions will not be accepted as an excuse.

Bid Security

NO BID SECURITY

Performance Bond

NO PERFORMANCE BOND

Pricing Proposal

Bidders must use the pricing proposal provided in the bid specifications. Failure to use the pricing proposal in the bid specifications shall be cause for rejection of the bid.

Pricing

Insert prices for furnishing all of the material and/or labor described or required. Prices shall be net, including any charges for packing, crating, containers, etc. and all transportation charges fully prepaid by the contractor F.O.B. destination and placement at locations specified by the County. No additional charges will be allowed for any transportation costs resulting from partial shipments made at the vendor's convenience when a single shipment is ordered.

Payment

Payments will be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. The County will not pay interest or late fees regardless of language provided.

Discrepancy in Pricing

In the event that there is a discrepancy between the unit prices and the extended totals, the unit prices shall prevail. In the event there is an error of the summation of the extended totals, the computation by the OWNER of the extended totals shall govern.

Award Timeframe

Award will be made by Ocean County Board of Commissioners within sixty (60) days after receipt of bids.

Equal or Tie Bids

The County of Ocean reserves the right to award at their discretion to any one of the tie bidders where it is most advantageous for the County to do so, pursuant to N.J.S.A. 40A:11-6.1.

Tax Exempt

The County of Ocean is exempt from any State sales tax or Federal excise tax.

Equivalent Product

For purpose of evaluation where an equivalent product is being furnished, bidder must indicate any variation to our specifications no matter how slight. If no variations are indicated, it will be construed that the bid fully complies with our specifications.

Quantities

Quantities shown are approximate and the County reserves the right to decrease or omit quantities. The County will not consider minimums placed on order quantities. The County also reserves the right to increase quantities to twenty (20) percent of the maximum quantities listed at the unit price bid, in accordance with N.J.A.C. 5:30-11.3.

Delivery of Goods and Services

Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

American Goods and Products

All contractors must comply with the provisions of New Jersey Statute Title 40A:11-18, when applicable.

Market Conditions

Due to the fact that goods provided by this solicitation and the current economic conditions are in a volatile state, the County will allow the Contractor to request a price adjustment outside the normal contract renewal process only if it can be demonstrated and documented that on a national basis the goods solicited and utilized have experienced a significant cost increase since the date of contract award.

Such events shall be industry wide and cause all related product prices to be effected. All price adjustment requests must be in writing and submitted to the Ocean County Purchasing Department for approval. If approved, the Contractor will provide the County with revised pricing. The Contractor may not request an additional increase for a period of three (3) months from the prior request.

Note: A request for price increase does not guarantee approval.

Specific Market Conditions for Motor Vehicles

If the current model year changes mid contract, the vendor can submit a price adjustment request to the County for the next model year. Requests for price adjustments must include justification and documentation such as a notice of an increase in the manufacturer's price and/or an increase in the industry. Requests, including specifications and a revised price sheet, must be submitted to the Ocean County Purchasing Agent for review and approval. If approved, the revised

specifications and price sheet will be posted on line for all future purchases for the new model year vehicle.

Additionally, if the awarded model vehicle is no longer available to order, the County reserves the right to purchase the same make and model vehicle (any year) from the awarded vendor from the lot, if available. Specifications and a price quote for these vehicles must be submitted to the Ocean County Purchasing Agent for review and approval before an order can be placed.

Assignment

This agreement shall not be assigned without the written consent of the County of Ocean.

NJ One Call

By presenting a bid, contractor declares that he is aware of and, if required, will comply with the requirements of the "Underground Facility Protection Act (Public Law 1994, Chapter 118)" prior to commencing any intended excavation. The telephone number to call is 1-800-272-1000.

Public Works Contractor Registration Act, N.J.S.A. 34:11-56.48 et seq

The bidder must comply with the provisions of "The Public Works Contractor Registration Act", if applicable.

- All named contractors must be registered with the Department of Labor and Workforce Development pursuant to the Public Works Contractor Registration Act at the time the proposal is received, or the proposal will be determined to be non-responsive.
- Any non-listed contractor must be registered with the Department of Labor and Workforce Development prior to physically starting work. It is the responsibility of the General Contractor to insure that all non-listed sub-contractors comply.
- Contractors are encouraged to submit their and all named sub-contractors' Public Works Contractor Registration Certificates with the bid.

Prevailing Wage & Labor Laws

The New Jersey Prevailing Wage Act (P.L. 1963, Chapter 150) and provisions of the State Labor Laws must be complied with by the successful bidder, if applicable. The current Prevailing Wage Rates can be found online at https://lwdwebpt.dol.state.nj.us/archivewages/210152831-ocean-7-28-20.pdf

New Jersey Business Registration Requirements

Pursuant to N.J.S.A. 52:32-44, Ocean County ("Contracting Agency") is prohibited from entering into a contract with an entity unless the bidder/proposer/contractor, and each subcontractor that is required by law to be named in a bid/proposal/contract has a valid Business Registration Certificate on file with the Division of Revenue and Enterprise Services within the Department of the Treasury.

Prior to contract award or authorization, the contractor shall provide the Contracting Agency with its proof of business registration and that of any named subcontractor(s).

Subcontractors named in a bid or other proposal shall provide proof of business registration to the bidder, who in turn, shall provide it to the Contracting Agency prior to the time a contract, purchase order, or other contracting document is awarded or authorized.

During the course of contract performance:

- (1) the contractor shall not enter into a contract with a subcontractor unless the subcontractor first provides the contractor with a valid proof of business registration.
- (2) the contractor shall maintain and submit to the Contracting Agency a list of subcontractors and their addresses that may be updated from time to time.
- (3) the contractor and any subcontractor providing goods or performing services under the contract, and each of their affiliates, shall collect and remit to the Director of the Division of Taxation in the Department of the Treasury, the use tax due pursuant to the Sales and Use Tax Act, (N.J.S.A. 54:32B-1 et seq.) on all sales of tangible personal property delivered into the State. Any questions in this regard can be directed to the Division of Taxation at (609)292-6400. Form NJ-REG can be filed online at http://www.state.nj.us/treasury/revenue/busregcert.shtml.

Before final payment is made under the contract, the contractor shall submit to the Contracting Agency a complete and accurate list of all subcontractors used and their addresses.

Pursuant to N.J.S.A. 54:49-4.1, a business organization that fails to provide a copy of a business registration as required, or that provides false business registration information, shall be liable for a penalty of \$25 for each day of violation, not to exceed \$50,000, for each proof of business registration not properly provided under a contract with a contracting agency.

Pay to Play Requirements

Starting in January 2007, all business entities are advised of their responsibility to file an annual disclosure statement of political contributions with the New Jersey Election Law Enforcement Commission (ELEC) pursuant to N.J.S.A. 19:44A-20.27 if they receive contracts in excess of \$50,000 from public entities in a calendar year. Business entities are responsible for determining if filing is necessary. Additional information on this requirement is available from ELEC at 888-313-3532 or at www.elec.state.nj.us.

Statement of Ownership

The provisions of N.J.S.A. 52:25-24.2 applies to all forms of corporations and partnerships, including, but not limited to, limited partnerships, limited liability corporations, limited liability partnerships, and Subchapter S corporations.

Certification of Non-Involvement in Prohibited Activities in Iran

Certification of Non-Involvement in Prohibited Activities in Iran. Pursuant to N.J.S.A. 52:32-58, the proposer must certify that neither the proposer, nor one of its parents, subsidiaries, and/or affiliates (as defined in N.J.S.A. 52:32-56(e)(3)), is listed on the Department of the Treasury's List of Persons or Entities Engaging in Prohibited Investment Activities in Iran and that neither is involved in any of the investment activities set forth in N.J.S.A. 52:32-56(f). If the proposer is unable to so certify, the proposer shall provide a detailed and precise description of such

activities. Prior to contract award or authorization, the contractor shall provide the Contracting Agency with a completed Certification on Non-Involvement in Prohibited Activities in Iran.

Insurance Requirements

The contractor shall maintain primary insurance to protect against all claims under Workmen's Compensation, Comprehensive General Liability and Automobile. Except for Workmen's Compensation, all coverage shall apply as primary coverage with respect to any other insurance or self-insurance program afforded to the County. There shall be no endorsement or modification of this coverage to make it excess over other available insurance/coverage; alternatively, if the CGL and umbrella, excess of reinsurance states that it is pro rata, it shall be endorsed to be primary with respect to the County. Primary Coverage shall be subject to approval for adequacy of protection as per the following limits:

Worker's Compensation

- 1. Limits according to Worker's compensation Laws of the State of New Jersey.
- 2. Contractor's Liability not less than \$100,000.

Comprehensive General Liability

- 1. Bodily Injury \$500,000 per person; \$1,000,000 per occurrence.
- 2. Property Damage \$1,000,000 per occurrence.

Comprehensive General Liability Details

Comprehensive Automobile Liability shall include the following:

Business auto liability insurance or its equivalent with a minimum limit of \$1,000,000 per accident and including coverage for all of the following:

- A. Liability arising out of the ownership, maintenance or use of any auto;
- B. Auto non-ownership and hired car coverage.
- C. Contractor's Worker's Compensation, Comprehensive General Liability and
- D. Comprehensive Automobile Liability arising out of subcontractor's operations shall be identical as that listed above.

Proof of Insurance

Copies of each insurance certificate shall be furnished to the County when requested.

County Cooperative Contract Purchasing System

The County has established a "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" pursuant to N.J.S.A. 40a:11-1 et seq...

The IDENTIFIER for this system is:

CK-02-OC

This system allows local government contracting entities located within the geographical

boundaries of the County to purchase goods and services awarded as a result of this bid proposal if it is extended by the low bidder.

Goods and services must be made available without substitution or deviation from specifications, size, features, quality, price or availability as herein set forth. It is understood that orders, if any, will be placed directly by contracting units, subject to the overall terms of the contract to be awarded by the County of Ocean.

The estimated quantities listed in this specification reflect only the needs of the agencies under the direct control of the Ocean County Board of Commissioners. If the vendor chooses to extend the resulting contract to all other contracting units, the quantities could be higher.

Please check ($\sqrt{\ }$) the YES or NO box in the Vendor Questionnaire to indicate whether or not you will extend contract prices to all contracting units.

AWARD METHOD

Contract will be awarded on a lump sum basis.

MANDATORY EQUAL EMPLOYMENT OPPORTUNITY

N.J.S.A. 10:5-31 et seq. (P.L. 1975, C. 127)

N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.

The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union of the contractor's commitments under this chapter and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to meet targeted county employment goals established in accordance with N.J.A.C. 17:27-5.2.

The contractor or subcontractor agrees to inform in writing its appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, and labor unions, that it does not discriminate on the basis of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices.

The contractor or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions.

In conforming with the targeted employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:

- Letter of Federal Affirmative Action Plan Approval
- Certificate of Employee Information Report
- Employee Information Report Form AA302 (electronically provided by the Division and distributed to the public agency through the Division's website at www.state.nj.us/treasury/contract_compliance)

The contractor and its subcontractors shall furnish such reports or other documents to the Division of Purchase & Property, CCAU, EEO Monitoring Program as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Purchase & Property, CCAU, EEO Monitoring Program for conducting a compliance investigation pursuant to **Subchapter 10 of the Administrative Code at N.J.A.C. 17:27**.

AMERICANS WITH DISABILITIES ACT

Equal Opportunity For Individuals With Disabilities

The CONTRACTOR and the COUNTY do hereby agree that the provisions of title II of the Americans with Disabilities Act of 1990 (the "Act") (42 U.S.C. 12101 et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs and activities provided or made available by public entities, and the rules and regulations promulgated pursuant thereunto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the COUNTY pursuant to this contract, the CONTRACTOR agrees that the performance shall be in strict compliance with the Act. In the event that the CONTRACTOR, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the CONTRACTOR shall defend the COUNTY in any action or administrative proceeding commenced pursuant to this Act. The CONTRACTOR shall indemnify, protect and save harmless the COUNTY, its agents, servants and employees from and against any and all suits, claims, losses, demands, or damages of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The CONTRACTOR shall, at its own expense, appear, defend and pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the COUNTY'S grievance procedure, the CONTRACTOR agrees to abide by any decision of the COUNTY which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the COUNTY or if the COUNTY incurs any expense to cure a violation of the ADA which has been brought pursuant to its grievance procedure, the CONTRACTOR shall satisfy and discharge the same at its own expense.

The COUNTY shall, as soon as practicable after a claim has been made against it, give written notice thereof to the CONTRACTOR along with full and complete particulars of the claim. If any action or administrative proceeding is brought against the COUNTY or any of its agents, servants and employees, the COUNTY shall expeditiously forward or have forwarded to the CONTRACTOR every demand, complaint, notice, summons, pleading, or other process received by the COUNTY or its representatives.

It is expressly agreed and understood that any approval by the COUNTY of the services provided by the CONTRACTOR pursuant to this contract will not relieve the CONTRACTOR of the obligation to comply with the Act and to defend, indemnify, protect and save harmless the COUNTY pursuant to this paragraph.

It is further agreed and understood that the COUNTY assumes no obligation to indemnify or save harmless the CONTRACTOR, its agents, servants, employees and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the CONTRACTOR expressly understands and agrees that the provision of this indemnification clause shall in no way limit the CONTRACTOR'S obligations assumed in this Agreement, nor shall they be construed to relieve the CONTRACTOR from any liability, nor preclude the COUNTY from taking any other actions available to it under any other provisions of this Agreement or otherwise at law.

MOTOR VEHICLE SPECIFIC SCOPE OF WORK

CONTRACT TERMS

Contract shall be one (1) year from date of award or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

SPECIFICATIONS

Detailed specifications for this bid are located in the Vendor Questionnaire under the question labeled "Compliance Pages for MOTOR VEHICLE: TRACTOR".

INTENT

The purpose of this bid package is to provide the County of Ocean with a contractor(s) who will supply current model year, or newer Motor Vehicles as specified herein.

NO ASSIGNMENT

This agreement shall not be assigned without the written consent of the County of Ocean which consent shall not be unreasonably withheld. Assignee shall promptly prepare and complete such documents as the County shall require.

AVAILABILITY AND DELIVERY

The bidder should indicate the number of days required for the delivery After Receipt of Order (A.R.O.). If not submitted with the bid proposal, the County reserves the right to request this information prior to the award of contract.

OWNERSHIP DISCLOSURE

All contractors shall comply with all laws governing the disclosure of all stockholders or partners, as included in N.J.S.A. 52:25-24.2.

BID REVIEW

Bids may be reviewed at the bid opening and results will be made available online through the County's procurement portal once the bid meeting has concluded. Additionally, bid results are available in the Ocean County Purchasing Department on the day following the bid openings for any interested party that may wish to review them.

MODIFICATIONS & WITHDRAWALS

Bids may be withdrawn based from the bidder prior to the time fixed for opening. No right for withdrawal exists after the bid has been opened. Written request shall be signed by the bidder or proper corporate officers.

EVALUATION

The quality of the equipment supplied, their conformity with the specifications, their suitability to requirements, delivery terms, guaranty clauses, price of the materials shall all be taken into consideration. Where equivalent equipment is offered, the County will determine if the proposed item is equal or better than that specified. The awards will be made on the basis of a comparison of prices of each vehicle listed with standard equipment plus the cost of optional equipment.

TRANSITIONAL PERIOD

In the event services are terminated by contract expiration or by voluntary termination by either the Contractor or the County of Ocean, the Contractor shall continue all terms and conditions of said contract for a period not to exceed one (1) month at the County's request.

AVAILABILITY OF FUNDS

The County's obligation hereunder is contingent upon the availability of appropriated funds from which payment for contract purposes can be made. No legal liability on the part of the County for payment of any money shall arise unless, and until funds are made available each year to the Ocean County Purchasing Agent.

MANUALS

Unless otherwise indicated, a minimum of three (3) complete sets of manuals, for each model year, MUST be provided with the first vehicle/equipment delivery as follows (CD/DVD/USB format preferred, if available):

- 1) Operator's Manual
- 2) Parts Book
- 3) Shop Service Manuals including wiring diagrams and trouble shooting guide
- 4) Hydraulic System Manual including parts book and service repair manual (if applicable)

TRAINING AND TECHNICAL SUPPORT

If requested, training shall be provided by the successful bidder for operators and mechanics at a County location with instructional materials as needed.

COOLING SYSTEM PROTECTION

All vehicles furnished must be protected to -20°F (-30°C) with permanent type anti-freeze and summer coolant.

AIR CONDITIONING

All air conditioning shall be factory installed, support system (cooling, electrical, etc.) shall be upgraded in accordance with factory recommendations.

FUEL & FLUIDS

All vehicles will be delivered with a minimum of one-half (½) tank of fuel. All other fluids will be filled in accordance with the manufacturer's recommended levels.

STANDARD EQUIPMENT

These specifications include all standard equipment provided for each vehicle unless specifically upgraded or deleted. In the event options are required, the contractor shall provide upgrading of all support systems affected, in accordance with factory recommendations.

DESIGN

Materials shall be of good commercial quality for the intended service and shall be produced by use of current manufacturing processes and treated to resist rust, corrosion and wear.

The design of the mechanical member shall be such that the stress imposed through normal shock loads of maximum engine torque, shall not cause rupture or permanent deformation or undue wear on any member.

REPAIRS

All repairs are to be performed at the location the vehicle is stationed or at a service center within the County. All requests for repairs must be responded to within 24 hours.

DEMONSTRATION

Bidder shall be prepared to give, prior to bid award, a complete demonstration of the equipment proposed at a County facility or a mutually agreed to location and time within the State of New Jersey. The equipment so demonstrated shall be complete as offered by the bidder.

SERVICE

Contractor shall be able to service all equipment proposed. The contractor shall maintain a service facility staffed with qualified service personnel and a working inventory of parts.

WARRANTY

All warranty paperwork will be supplied with each unit at the time of delivery and shall be in typed form. The warranty commences with the final inspection and acceptance of the unit by the County. The authorized Dealer's Warranty shall be for a minimum of one (1) year period from date of final inspection and acceptance by the County for parts and labor on chassis, engine, transmission and all optional equipment. The vendor shall furnish for each vehicle delivered, all of the manufacturer's standard warranty against defects in material, workmanship and design in said vehicles. This agreement shall cover all warranty work, minor warranty and service work at the successful bidder's location. When requested by the Director of Vehicle Services, this agreement shall also cover all warranty work, minor warranty and service work at a County facility. The successful bidder will be responsible for vehicle transportation for all warranty repairs and recall work for the complete vehicle and installed equipment during the standard or extended warranty period, when applicable. The vehicle must be picked up within five (5) working days of notification that work is required, and returned to the County within seven (7) working days. Bidder shall have full service facility stocked with parts capable of performing all warranty and non-warranty repairs, to ensure efficient and economic maintenance of the vehicles and to reduce down time. In the case of any unnecessary delays in repairing vehicles with

warranty work because of parts availability or service scheduling, the Director of Vehicle Services shall be notified and, if requested, a replacement vehicle shall be provided.

DESCRIPTIVE LITERATURE AND TECHNICAL SPECIFICATIONS

Bidders are encouraged to submit descriptive literature and technical specifications with their bid. If not submitted with the bid, the County reserves the right to request this information, prior to contract award.

USE OF OTHER NAMES AND REFERENCES

Unless otherwise stated, the use of manufacturers' names and product numbers are for descriptive purposes, and establishing general quality levels only. They are not intended to be restrictive. Bidders are required to state exactly what they intend to furnish, otherwise it is fully understood that they shall furnish all items as stated.

MODEL INFORMATION REQUIRED

The manufacturer, make and exact models proposed as substitutes shall also be submitted on bidder's letterhead with any proposal contended to be "equivalent". The vehicles, equipment and accessories shall be new. The bidder shall specify the specific model being bid in each class or type of vehicle.

ROLL-OVER MODEL YEAR

The County will consider any request for a contract roll-over to the next model year after the passing of the vehicle manufacturer's cut-off date, at the same contract pricing, specifications, terms and conditions or better. If a roll-over is agreed upon between the awarded bidder and Vehicle Services Director and approved by the Purchasing Agent, the contract affected by the roll-over will be amended to the newest model year information.

CUT-OFF DATES FOR MODEL YEAR SPECIFIED

The bidder shall notify the County of Ocean Purchasing Department, c/o Jennifer Bowens, Purchasing Agent, P.O. Box 2191, Toms River, NJ 08754 in writing or by fax (732-288-7636) no less than thirty days prior to the factory cut-off date for any vehicle under contract. Successful bidder MUST provide written proof from manufacturer of factory cut-off dates and MUST confirm receipt of same by the County of Ocean Purchasing Department.

COMPLIANCE TO MINIMUM BID REQUIREMENTS EQUIVALENT PROPOSALS

It is the intent of these specifications to describe and govern the purchase of new and unused motor vehicles equipment with any and all accessories as noted herein. The units shall conform to the highest quality of manufacturing and design standards. Any item or items not specifically mentioned herein, but which would be required to produce a complete working unit, shall be supplied by the vendor. All bidders must answer compliance questions in full. A general exception cannot be taken for any paragraph or item. If a bidder is basing his proposal on equipment other than what is specified in these bid documents and wishes the equipment he proposes to be considered as an "approved equal", he shall submit on a separate sheet, in the exact format of the technical specifications contained herein, an item by item description of that

which he proposes to substitute including any and all variations from or exceptions to the conditions and specifications of this bid. Failure to comply may result in rejection of bid.

KEYS

A minimum of six (6) sets of keys are required with each vehicle and piece of equipment ordered. This is a minimum requirement: if additional sets are required, it will be indicated in the detailed specification section.

BID PROPOSAL PRICE INCLUSIONS

The price quoted shall include all options specified and all transportation charges fully prepaid to Ocean County Department of Vehicle Services, Chestnut Street, Toms River, New Jersey.

FLEET NUMBER

For Ford Vendors: The County of Ocean Fleet number is QB504.

PRE-BUILD

A detailed vehicle production plan must be provided and approved prior to the start of any upfitting. The production plan detail must include exact mounting locations and configurations for all components.

TITLES

Each vehicle must be delivered with a New Jersey motor vehicle new vehicle inspection sticker in place as prescribed by law. Each vehicle must also be delivered with a New Jersey Motor Vehicle Commission title, registration, and plates. (Temporary plates are not acceptable)

Deliver with title issued as follows: 610 234 000 08754 0 Ocean, County of PO Box 2191, Admin. Bldg. Toms River, NJ 08754

DELIVER WITH TITLE NOT CERTIFICATION OF ORIGIN

Notwithstanding the delivery of the title, the County reserves the right to inspect the vehicles and reject them if non-conforming to the specifications.

DELIVERY REQUIREMENTS

Please be advised that when delivering vehicles and/or equipment to the County of Ocean the following procedure must be strictly adhered to:

- 1. Three (3) days prior to delivery, the successful contractor is required to contact Vehicle Services at (732) 349-4579 and speak with one of the service writers for an approved delivery date.
- 2. Two (2) days prior to the vehicle delivery the successful bidder will provide via Electronic

Delivery (E-mail) a completed and accurate Vehicle Data Sheet and Parts Listing Sheet in a Word Document format for each vehicle being delivered.

- 3. The successful bidder will have a representative available, and if requested, present during the check-in process.
- 4. ALL manuals and related materials, as requested in the specifications, MUST be presented to appropriate County personnel at time of delivery of said vehicles /equipment.
- 5. ALL parts, if requested in the specifications (i.e. belts, filters, hoses, etc.), MUST be presented at time of delivery.
- 6. The successful contractor shall provide, upon delivery, a list of all supplies (filters, hoses, belts, etc.) needed for the periodic maintenance for the first year. This list shall be complete with part numbers.
- 7. The successful contractor shall provide, upon delivery, an "As Built" list of all installed equipment and part numbers to cover the vehicle chassis and body.
- 8. The successful contractor will also be responsible to fill out any and all paperwork needed by the County prior to vehicle delivery. This will assure proper data entry of each vehicle to aide in any future warranty issues.
- 9. A letter of assurance, on the awarded bidder's company letter head, shall accompany each delivered vehicle, certifying that the vehicle meets or exceeds all specifications as ordered on the Purchase Order.
- 10. The vehicles furnished shall comply with all safety laws, rules and regulations of the State of New Jersey and with standards for automotive vehicles. A DOT (Department of Transportation) Safety Kit shall be delivered with each vehicle purchased and include a First Aid Kit, Fire Extinguisher, and Safety Triangles.
- 11. The vehicles, equipment and accessories shall be new and ready for immediate use upon delivery, all service and make-ready having been done prior to delivery. Any vehicle not in such condition will be rejected. All vehicles are to be delivered to the Ocean County Department of Vehicle Services, Chestnut Street, Toms River, New Jersey.
- 12. No advertising shall appear on any vehicle delivered under the terms of the contract. Further, the contractor will not affix the dealer name to the vehicle. Vehicles delivered to final destinations with dealer's advertising will be rejected.
- 13. No Vehicle will be accepted at the final delivery point without all supporting documentation and paperwork completed and delivered with the units, which include the vehicle title, warranty, odometer/engine hour statement (if applicable), specified manuals, any line set tickets, invoice and keys sets. No unit will be considered accepted until it has undergone final inspection.
- 14. All delivered vehicles must be clean both inside and outside. Manufacturer's standard items, such as hubcaps, floor mats, jack and lug wrench or the like, shall be provided, installed, by the contractor prior to delivery.

DELIVERY INSPECTIONS

Prior to presentation for inspection, it shall be the contractor's responsibility to pre-inspect each vehicle. The vehicle must conform to the manufacturer's "new vehicle prep" procedures, if any. The contractor will be required to submit a copy of any "new vehicle prep" procedures upon delivery of the vehicle. Each vehicle presented for inspection shall be accompanied by an inspection package including, but not limited to the following: purchase order, line set sheet (when available) and dealer's pre-inspection prep checklist. The checklist will list the responsible prep mechanic and acknowledge that the vehicle conforms to delivery specifications and that all added equipment and accessories have been properly installed.

Reasons for rejection of units include, but are not limited to:

- 1. Grinding noise in the wheels (wheel bearings).
- 2. Improperly aligned wheels.
- 3. Damaged rims.
- 4. Any spare tire-rim not mounted on vehicle.
- 5. Leakage of oil.
- 6. Transmission leaking fluid at transmission cooler lines or transmission seals.
- 7. Leakage at rear end.
- 8. Leaking at radiator.
- 9. Fuel Leaks.
- 10. Restrictions in fuel system.
- 11. Leakage in any part of the exhaust system.
- 12. Excessively noisy brakes or excessive brake pedal travel.
- 13. Oil pan damage.
- 14. Inoperative windshield wipers.
- 15. Windshield washer not functioning properly.
- 16. Windshield washer bottle leaking.
- 17. Transmission malfunctions.
- 18. Lack of grease fittings in ball joints, U-joints, etc. if factory standard.
- 19. Horn blowing while driving or inoperative.
- 20. Gauges or dials missing/malfunctioning.
- 21. Vehicle pulls to one side.
- 22. Seatbelts not operating properly.
- 23. Keys not working properly.
- 24. Door locks inoperative.
- 25. Oil dipstick missing or rust on dipstick.

- 26. Appropriate new vehicle inspection sticker not furnished on windshield.
- 27. Lights running, turn, backup, brake, side indicators, and indicator lights not working properly.
- 28. Lenses missing on interior/exterior light or water in lenses.
- 29. Any manufacturing deficiencies which permit water leakage into passenger compartment.
- 30. Windows not operating properly.
- 31. Vehicle not properly prepped in accordance with the manufacturer's pre-delivery specifications.
- 32. Vehicle not configured with all equipment and items specified in the contract/purchase order.
- 33. Body dents, scratches and other defects.
- 34. Body paint defects.
- 35. Water leak through roof.
- 36. Any defects in equipment installation.
- 37. Electrical system problem.
- 38. Any defects in after-market components, such as truck body, snow plow, aerial platform, generator, winch, crane and lift-gate.
- 39. Improperly run wiring and hoses along the chassis.

Inspected units which do not comply with these or other requirements will be rejected. If a vehicle has been rejected, the contractor will be notified and the notification will indicate the reason for rejection. All rejected units will be corrected and the corrected unit(s) will be presented for re-inspection within seven (7) working days. The ordering Department may cancel the purchase order if the contractor fails to correct any problem, without incurring any cost or fee.

VENDOR QUESTIONNAIRE

County Cooperative Contract Purchasing System*

Vendor will extend contract prices to "County Cooperative Contract Purchasing System"
Participants as described in <u>Instruction to Bidders</u> .
□ Yes
□ No
*Response required

BID DOCUMENTS TO BE EXECUTED*

Documents include:

- Signature Page
- Non Collusion Certification
- Affirmative Action Questionnaire
- Statement of Ownership (N.J.S.A. 52:25-24.2) (Mandatory Document)
- Disclosure of Investment Activities in Iran

FAILURE TO SUBMIT ANY OF THESE DOCUMENTS MAY BE CAUSE FOR REJECTION OF YOUR PROPOSAL.

All documents should be from this proposal package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising.

NOTE: For detailed instructions on how to complete the forms via DocuSign, please access the "Instructions for Completing Forms in DocuSign" document available in the Attachments.

Please note: The County's preferred method of submission is DocuSign.

Click here to go to the form

*Response required

Copy of Bidder's Certificate of Employee Information Report

Within seven (7) days after receipt of the notification of intent to award the contract or receipt of the contract, whichever is sooner, a Contractor should present one of the following to the County of Ocean:

- (a) An existing federally approved or sanctioned affirmative action program.
- (b) A New Jersey Certificate of Employee Information Report Approval.
- (c) If the Contractor cannot present "a" or "b", the Contractor is required to submit a completed Employee Information Report (Form AA302). This form will be made available to the Contractor by the County of Ocean.

OUESTIONS BELOW MUST BE ANSWERED BY ALL CONTRACTORS ON THE AFFIRMATIVE ACTION DOCUMENT:

1. Do you have a Federally approved or sanctioned Affirmative Action Program?

If yes, please upload a photocopy of such approval.

2. Do you have a State of New Jersey "Certificate of Employee Information Report" approval?

If yes, please upload a photocopy of such certificate.

Please note, the only acceptable file forms are as follows:

Documents (doc, docx, rtf, txt, xls, xlsx, pdf) Images (jpg, png, bmp, tif)

Copy of Bidder's New Jersey Business Registration Certificate

Please use this area to upload your company's BRC.

Use this link to verify your company's BRC:

https://www1.state.nj.us/TYTR BRC/jsp/BRCLoginJsp.jsp

Please note that a BRC is not required at the time of bid submission but shall be required prior to the award of a contract.

Please note, the only acceptable file forms are as follows:

Documents (doc, docx, rtf, txt, xls, xlsx, pdf) Images (jpg, png, bmp, tif)

Mandatory Equal Employment Opportunity Statement*

Americans with Disabilities Act Provisions*	
*Response required	
□ No	
□ Yes	
Does the BIDDER comply with the #Mandatory Equal Employment Opportunity Stat	ement?

Does the BIDDER comply with the	#Americans	With Disabilities	Act Provisions?
□ Yes			
□ No			

Descriptive Literature and Warranty Details*

Please supply all descriptive literature and warranty details for all items being bid as well as a list of all diagnostic tools and testing equipment, if applicable.

Please note, the only acceptable file forms are as follows:

^{*}Response required

Documents (doc, docx, rtf, txt, xls, xlsx, pdf) Images (jpg, png, bmp, tif)

*Response required

Mechanic and Operator Training for All Heavy Duty Motor Vehicles*

MECHANIC AND OPERATOR TRAINING

Training shall be provided by the successful bidder for operators and Mechanics at a County location with instructional materials as needed.

Mechanic training will be provided on site for shop mechanics and supervisors. Class size will not exceed twenty (20) total people. Separate training sessions may be required to accommodate the County's two (2) shifts. Training will be conducted to include the following minimum material:

- Brake system component identification / diagnosis and service procedures
- Electrical system features / diagnosis / maintenance
- Air conditioning system diagnostic and service procedures
- Engine repair and maintenance to include specifications / components / sensor locations
- Emissions equipment to include exhaust after treatment / regeneration / warning system
- Internet based Service and Parts Manual usage

Operator training will be provided for a minimum of four (4) hours immediately following vehicle check in and acceptance. The training will cover familiarization of the truck chassis, installed equipment, and truck hydraulic system operation.

By confirming this question, bidder understands they shall comply with the Mechanic's Training set forth above.

Compliance Pages for MOTOR VEHICLE: TRACTOR

Please download the attached Compliance Pages. Complete each compliance line by placing a check mark in the box for yes or no. Once finished, upload the completed document here. If you are taking any exceptions to any of the compliance lines, please list and explain each exception in detail on company letterhead. Please upload the exceptions letter with the completed compliance pages.

• COMPLIANCE PAGES FOR MV TRA...

ADDITIONAL VENDOR DOCUMENTATION

Please submit any additional information you wish to be considered as part of your bid package.

Please note, the only acceptable file forms are as follows:

^{*}Response required

Documents (doc, docx, rtf, txt, xls, xlsx, pdf)
Images (jpg, png, bmp, tif)

Acknowledgement of Submission of Forms from Current Bid Package*
Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.
☐ Please confirm *Response required
Submission of Bid Package*
By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.
Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.
☐ Please confirm *Response required

PRICING PROPOSAL

ITEM #1 - MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	Comments:
1	ITEM #1 - MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL	6	EA			
OPTIONS						
1A	Road Department Options Package (Shall Consist of all of the specified items), As Specified, or Equal	6	EA			
1B	Solid Waste Options Package (Shall consist of all of the specified items), As Specified, or Equal	6	EA			
1C	Diagnostic Tools / Test Equipment, As Specified	3	SET			
1D	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified	6	EA			
1E	Installation of County Supplied Two Way Radio and Accessories, As Specified	6	EA			
1F	Technical Support, As Specified	180	HR			
TOTAL		<u> </u>	1	1	1	1

<u>ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL</u>

Manufacturer/Model: Click or tap here to enter text.

Engine: Click or tap here to enter text.

Transmission: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

<u>ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL</u>

	COMPLIANCE		
MODEL	<u>YES</u>	<u>NO</u>	
Set Forward Axle			
Lh Primary Steering Location			
<u>GENERAL</u>			
Maximum 8% Expected Grade			
3 Axle Tractor			
Front Axle 16,000 Lbs.			
Rear Axle 46,000 Lbs.			
Registered GVWR 80,000 Lbs.			
ENGINE			
Cummins X15 Performance Series			
14.9 L 912 Cid Minimum 525 HP @ 1900 rpm			
Gov 1900 Rpm, And 1850 LbFt. Torque @ 1000 rpm			
Must Be In Line 6 Cylinder of Wet Sleeve Design, Utilizing Hardened Cylinder Liners for Durability, And Electronics for Simple Service And Diagnosis When Needed			
Minimum Displacement Shall Be 14.9 Liters			
Engine Must Comply With Latest Federal Mandate for Diesel Emissions			
Should An Alternate Power Plant Be Offered, The Bidder Shall Provide All Necessary Technical Data To Show Proof Of Equality, Including Maintenance Schedules			
ENGINE EQUIPMENT	_		
Engine Shall Have Latest 50 State Clean Idle Diesel Emission Certification	Ц	Ц	
Oil Check and Fill: Engine Mounted			
Air Intake: Side of Hood Air Intake with Engine Mounted High Capacity Air Cleaner and Passive Precleaner Integrated Into Hood			
Alternator: 200 Amp 28si with Remote Battery Volt Sense			

ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	
ENGINE EQUIPMENT (Cont'd)	<u>YES</u>	<u>NO</u>
Batteries: Four (4) 12-Volt 740rc Maintenance-Free 4000 CCA		
Stack Battery Box with Aluminum Cover: Frame Mounted Right Side Aft Of Cab		
Positive Load Disconnect Control Switch Mounted Outboard Of Driver Seat		
Remote Jump Start Studs Mounted On Frame Next To Starter		
Silicone Heater/Radiator Hoses Where Possible		
Compressor: Cummins 18.7 CFM with Internal Safety Valve		
Engine Protection: Electronic Engine-Integral Warning System with Shut Down Function		
Engine Brake: Cummins Intebrake Compression Brake With On Off Dash Switch and Low, Med, and High Retardation Switch		
Exhaust: Single Right-Hand Under Cab ATD with Bright Finish Upper 11' Dual Curved Vertical Stacks and Elbows Cab Mounted LH & RH		
Exhaust Shields: Stainless Steel		
Fan Drive: Electronically Controlled Variable Speed Viscous Automatic Fan Control with Dash Switch and Indicator Light		
13 Gallon Diesel Exhaust Fluid Tank		
Non-Polished Aluminum Cover for DEF Tank		
Oil Filter: Full-Flow		
Radiator: 1400 Square Inch Server Service Assembly Bolted To Engine		
Radiator Drain Valve		
Radiator Protection Package		
2 Piece Fan Shroud and Rear Rock Guard		
Ethylene Glycol Pre-Charged SCA Heavy Duty Coolant-34F		

<u>ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL</u> (CONT'D)

	COMPL	
ENGINE EQUIPMENT (Cont'd)	<u>YES</u>	<u>NO</u>
Coolant Houses: Silicone Heater, Radiator, Where Possible		
Hose Clamps: Constant Tension for Coolant Hoses and Air Intake System		
Engine Heather: Phillips 1500w/115v		
Chrome Heater Receptacle: Mounted Under Driver's Door		
Cast Iron Front and Rear Engine Supports		
Starter: Delco 12v 39mt + HD OCP		
TRANSMISSION AND EQUIPMENT		
Allison RDS 4700 Automatic Transmission with PTO Provision		
Programming For Max Speed of 70 Mph		
S1 Performance Primary Shift Schedule		
1900 Rpm Primary Mode Shift Speed		
Disable-Load Based Shift Schedule		
Transmission Prognostics-Enabled		
PTO Mounting LH Side Of Main Transmission		
Water to Oil Transmission Cooler		
Magnetic Plugs, Engine Drain, Transmission Drain, Axle(S) Fill and Drain		
Push Button Shift Control		
Synthetic Transmission Fluid		
Transmission Oil Check And Fill With Electronic Oil Level Check		
FRONT AXLE AND SUSPENSION		
Detroit Da-F 16.0-5 16,000 Lb. 71.5 KPI/3.74 Drop Front Axle	Ц	Ш
Meritor 16.5x6 Q+ Cast Spider Cam Front Brakes		
Brakes, Double Anchor, Fabricated Shoe		

<u>ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL</u> (CONT'D)

	COMPL	
FRONT AXLE AND SUSPENSION (Cont'd)	<u>YES</u>	<u>NO</u>
Non-Asbestos Front Brake Lining Severe Service		
Conmet Cast Iron Front Brake Drums		
Front Brake Dust Shields		
Front Oil Seals		
Vented Front Hub Caps with window, Center and Side Plugs		
Synthetic 75W-90 Front Axles Lube		
Haldex Automatic Front Slack Adjusters with Stainless Steel Clevis Pins		
Bendix Single High Capacity 14.6-18k Steering Gear		
Power Steering Oil/Air Cooler		
16,000# Taper Leaf Front Suspension		
4 Quart Power Steering Reservoir		
Threaded Springs Pins and Bushings		
Front Shock Absorbers		
REAR AXLE AND SUSPENSION		
Meritor Rt-46-164p Tandem Rear at 46,000 Lbs.		
Iron Rear Axle Carrier Housing		
SPL250HD XL Dana Spicer Main Driveline with Half Round Yokes		
SPL170 XL Dana Spicer Interaxle Driveline with Half Round Yokes		
Driver Control Differential Lockout Both Rear Axles, Indicator Light For Traction Device		
Synthetic 75W-90W All Axles		
Meritor 16.5 X 8.62"Cast Spider Cam Double Anchor Fabricated Shoes		
Non-Asbestos Rear Brake Lining		

ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL (CONT'D)

REAR AXLE AND SUSPENSION (Cont'd)	<u>COMPL</u> <u>YES</u>	IANCE NO
Conmet Cast Iron Rear Brake Drums		
Rear Brake Dust Shields		
Haldex Automatic Rear Slack Adjusters W/Stainless Steel Clevis Pins		
Rear Oil Seals		
Bendix Eversure Longstroke 2-Drive Axle Spring Heavy Duty 30/36		
Parking Brake Chambers		
Forward Of Axle Mounted Parking Chambers		
Standard Spindle Nuts For All Axles		
46000# Tuftrac Suspension Rubber Isolated Pivit Points Parabolic Taper Leaf Springs Rubber Elastomer Bushings Maintenance Free		
56" Axle Spacing		
Fore/Aft and Transverse Control Rods		
Rear Shock Absorbers – Two Axles		
BRAKE SYSTEM EQUIPMENT Wabco 4S/4M ABSs With Traction Control And Off-Road Switch		
Reinforced Nylon, Fabric Braid And Wire Braid Chassis Air Lines		
Bendix Brake Valves Where Possible		
Relay Valve With 5.5 Psi Crack Pressure		
Bendix Ad-9 Air Dryer- Frame Mounted		
Aluminum Air Brake Reservoirs		
Cab Blow Out Kit With Nozzle Inside LH Cab Entry Door		
Dv-2 Auto Drain Valve With Heat To Wet Tank, Pull Cables On All Other Air Reservoirs		

<u>ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL (CONT'D)</u>

		COMPLIANCE	
BRAKE SYSTEM EQUIPMENT (Cont'd)	<u>YES</u>	<u>NO</u>	
Hand Control Valve For Trailer Brakes			
FRAME AND WHEELBASE 220" Wheelbase with 130" C/T			
.51 X 343 X 10-3/4 Steel Frame 120 KSI 26.81 Sm 3,216,626 RBM Single Channel			
Splayed Frame Rails Front of Chassis, No Inner or Outer Frame Reinforcements			
Phosphate Coated Frame Bolts			
Tapered Rear End of Frame For Plate Mount			
Heavy Duty Ductile Iron Engine Crossmember			
Heavy Duty Back Oftransmission Crossmember			
Heavy Duty Steel Midship #1 Crossmember			
Tractor Steel C-Channel Crossmember With 3.5" King Pin Clearance			
Standard Weight Rear Mounted Suspension Crossmember			
CHASSIS EQUIPMENT			
Connector Powered Through Ignition Mounted End Of Frame			
5/16" Bright Steel Bumper With Center Tow Pin			
Fender Mounted Front Mud Flaps			
LH Back Of Cab Access			
Fine Threaded Hex Chassis Fasteners Phosphate Coated			
Air Piping and Electrical Independently Clipped To Frame			
7-Way Round Trailer Plug			
Holland Fw35 ILS Air Slide 5 th Wheel W/Left Hand Release			

Tractor Access Package Including Step Provided For Back Of Cab Access And Deck Plate Between Frame Rails. Step And Hand Rail On Driver's Side.

<u>ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL</u> (CONT'D)

		COMPLIANCE	
CHASSIS EQUIPMENT (Cont'd) A Hydraulic Hose Hanger Shall Be Installed In A Way That Allows The Hydraulic Hoses To Be Safely Coiled While Not In Use. There Shall Be Dummy Hydraulic End Couplers Installed Where The End Fittings Of The Hydraulic Hoses Can Plug Into After Coiling; This Will Prevent Damage To	YES	<u>NO</u>	
The Fittings And Hoses As Well As Protect From Contamination.			
FUEL TANKS AND EQUIPMENT Single LH 150 Gallon Fuel Tank With Steps W/60 Gallon RH Hydraulic Oil			
LH Fuel Tank Mounted Forward			
25" Diameter Fuel Tank(S)			
Aluminum Fuel Tank Bracket(S)			
Plain Aluminum Fuel Tank With Polished Stainless Bands			
Alliance Fuel/Water Separator With Heated Bowl And Indicator Light			
Inboard Fuel System			
High Temperature Reinforced Nylon Fuel Hose			
No Fuel Cooler			
In Tank Fuel Lever Sender			
FRONT TIRES, HUBS, AND WHEELS Michelin XZE 12R X 22.5 16 Ply			
Conmet Iron Front Hubs			
Accuride 28828 Inset 2 Hand 22.5 X 8.25 10-Hub Pilot Disc Front Wheels			
REAR DRIVE TIRES, HUBS, AND WHEELS Michelin Xds2 11r 22.5 16 Ply Rear Drive Axle Tires			
Conmet Iron Rear Hubs			
Accuride 28828 2 Hand 22.5 X 8.25 10 Hub Pilot Steel			
Steel Disc Rear Wheels			
Nylon Wheel Guards Front And Rear All Interfaces			

	COMPL YES	IANCE NO
REAR DRIVE TIRES, HUBS, AND WHEELS (Cont'd)		
Wheel-Check High Visibility Green Loose Wheel Nut Indicator On All Wheels		
CAB EXTERIOR		
121" BBC Conventional Steel Reinforced Aluminum Cab		
Galvanized E Coated Sealed Steel Door Construction		
Forged Steel Door Hinges With Steel Reinforced "A" Pillar		
Non-Removable Bug Screen Mounted Behind Grille		
Front Cab Mounts Outboard Of Frame For Stability Or When Taking Off And Applying Torque From Engine		
Bolt On Molded Fender Extensions		
LH/RH Exterior Grab Handles With Rubber Insert And RH Interior Grab Handle Mounted To Reinforced 'A' Post		
Stainless Steel Radiator Mounted Grille		
Stainless Steel Radiator Shell/Hood Bezel With Tilt Hood Handle		
Molded Resin Hood With Isolated Hood Suspension Mounting System		
Hood Opening Strut Assist With safety Lock		
Two (2) Hadley Sd-978 26" Air Horns		
Single Electric Horn		
Horn Shields		
All Locks Keyed With the Same 6 Keys		
Dual Stage Headlights 45 Degree Pattern with Heated Lens System		
Aerodynamic Led Marker Lights In Stainless Steel Visor		
Individual LED Stop/Tail/Turn/Backup Lights Flush Mounted End Of Frame		
Led Rear Facing Turn Signal Lamps In Convex Mirror Lens In Addition To		

	COMPLIANCE	
CAB EXTERIOR (Cont'd)	<u>YES</u>	<u>NO</u>
Standard Front Turn Signal Lamps		
Dual c-Bar Mirror System Bright Finish C-Bar, Heated Mirrors, Dual Remote, Turn Signal indicators, Stainless Steel Back Cover With		
Integral		
Door Mounted Mirrors, Switches on Door Panels		
102" Equipment Width		
LH/RH Integral Convex Mirrors, Bright Finish Stainless Steel Exterior Sun Visor		
LH/RH Heated Hood Mounted Side View Mirrors, Black Finish		
(3) Piece Solar Tinted Impact Resistant Polycarbonate Rear Window Configuration (1) 31x20" (2) 9x20"		
Tinted Door Glass LH & RH Tinted		
Electric Door Window Regulators		
One (1) Piece Tinted Windshield		
Two (2) Gallon Windshield Washer Reservoir With Fluid Level Indicator		
CAB INTERIOR Construct Province Interior	П	
Gray Vinyl Premium Interior		
Black Mats With Added Floor Heat Noise Insulation		
12 Volt Power Supply In Dash		
Forward Roof Mounted Console		
Storage Pockets Integrated Into Door Panel, Left And Right Doors		
Coat Hook(S) Cab Backwall		
Wraparound Wing Dash With Six (6) Digital Gauges In Driver Command Center And Up To Thirteen (13) Gauges On The Dash		
5 Lb Fire Extinguisher, Mounted		

	COMPL YES	IANCE NO
CAB INTERIOR (Cont'd) Heater, Defroster, And Air Conditioner		
Brushless Blower Motor With Ten (10) Blower Speeds		
Standard Heater Plumbing With Ball Shutoff Valves At Supply Lines		
Heavy Duty Air Conditioner Compressor		
Radiator Mounted A/C Condenser		
Binary Control, R-134a		
Premium Cab Insulation with Additional Noise/Thermal Treatment		
Multiplexed Electrical System		
Premium Led Cab Lighting		
Color Coded And Laser Etched Wiring		
Door Activated Led Lights		
Cab Door Latches With Electric Door Locks		
Triangular Reflectors Without Flares		
Elite Heated High Back Air Suspension Driver And Passenger Seats With 3 Chamber Air Lumbar Support, Integrated Cushion Extension, Forward And Rear Cushion Tilt With Adjustable Shock Absorber Inboard And	_	_
Outboard Driver And Passenger Arm Rests		
Grey Mordura Cloth Driver And Passenger Seat Cover		
3 Point Driver And Passenger Seat Belts With Seat Belt Retractor		
Adjustable Tilt Steering Column		
18" Steering Wheel With Multi-Function Integrated Controls With Chrome Switch Bezels		
Driver/Passenger Interior Sun Visors		

	COMPL YES	IANCE NO
INSTRUMENT PANELS AND CONTROLS	110	110
Wrap Around Dash That Allows Up To 13 Gauges And Driver Command Center With Up To 6 Digital Gauges		
Teak Accent Surround With Round Gauges		
Low Air Pressure Light And Buzzer		
Primary And Secondary Air Pressure Gauges		
Self adjusting backup alarm		
Electronic Stability Control		
Electronic Cruise Control		
Warning Light Bar Display Mounted In Teak Finish		
Instrument Cluster Gauges With Bright Bezels		
Heavy Duty Onboard Diagnostic Interface Connector, 9 Pin, SAE J1587/1708/1936, Located Below Dash		
Electric Fuel Gauge		
Electrical Engine Coolant Temperature Gauge		
Transmission Oil Temperature Gauge		
Engine And Trip Hour Meters Integral Within Driver Display		
Engine Oil Pressure Gauge		
AM/FM WB Stereo Radio with Bluetooth iPod Interface		
USB and Auxiliary Inputs, J1939		
Two (2) Radio Speakers (Cab Only)		
Headliner Multi-Band Antenna AM/FM/WB, Wi-Fi, Bluetooth/GNSS/GPS		
Electronic Outside Temperature Sensor, Engine Trip And PTO Hour Meter Display in Driver Command Center		

INSTRUMENT PANELS AND CONTROLS (Cont'd)	COMPLIAN YES	CE NO
PTO Switch Dash Mounted With Indicator Light		
24" Wiper Blades		
Electric Windshield Wiper Motor With Delay		
Rotary Headlamp Switch, Marker Lights/Headlights Switch With Pull Out For Optional Road Lamps		
Switch Indicator Light and 10' Of Wire On Chassis LH Back Of Cab for Customer Furnished Utility Lights		
Two-Valve Parking Brake System		
Self-Cancelling Turn Signal Switch With Dimmer Head Light Flash Wash/ Wipe/ Intermittent		
ACCESSORIES TO BE INCLUDED One (1) Complete Set of Filters For Cab/Chassis, Drive Train And Upfit		
5 Gallons of Recommended-Use Hydraulic Fluid		
One (1) spare front wheel and tire and one (1) spare rear wheel and tire		
PAINT Paint shall be designated on the Purchase Order and shall be one of the available options listed under Options.		
UNDERCOATING Entire Truck Chassis, Underside Of Cab And Underside Of Added Body, Oil Pan (Dump, Utility, Platform) To Be Coated With Tectyl 2423 Haps Free Black Which Is Low Voc, High Solids, Emulsion Corrosion Preventative Coating, or Equal		
PROTECT CLASS-8 CAB RACKS 68" X 80" Deluxe Cab Rack With: • Window • Two Chain Hangers		
• Two Chain Trays		
 One Tool Box 6061 Al Bars In Window 		
Weld Residue Is Removed And Welds Polished		

	COMPLY YES	IANCE NO
PROTECT CLASS-8 CAB RACKS (Cont'd) Two (2) 14-Position Locking Chain Hangers		
Locking Center-Mount Toolbox		
Extruded I-Beam Uprights And Legs Form The Support Structure		
Structural Panels Are 5052 Marine Grade Aluminum And Are Resistant To Corrosion especially Salt-Water Atmosphere		
Robust, Durable Continuous Welds Join The Structural Rib Aluminum Panel To Protech Hept-Tubes		
Stop/Tail/Turn, Oval LED		
PROTECH STORAGE BOX Aluminum Step Box with .105 Diamond Plate Aluminum Lid Mounted On		
Curbside Location		
Grip Strut Steps		
Neoprene Bulb Style Seals		
Stainless Steel Locking T-Latches		
Internal Mounting Brackets		
Dimensions: 25"H X 28"D X 36"W		
Polished Aluminum (20-2460s)		
Polished Aluminum Lid		
Wide Mouth Opening (20-2460w)		
Continuous Seam Mig Welds On Stress Panels, Such As The Box Floor		
Full-Length Stainless Steel Piano Hinges On Doors And Lids		
INSTALLED EQUIPMENT BEHIND HEADACHE RACK 40" Chrome Plating Pogo Stick With D-Ring		
Airlines For Low Boy To Be Attached To Pogo Stick		
7 Way Trailer Plug Also Attached To Pogo Stick		

INSTALLED EQUIPMENT BEHIND HEADACHE RACK (Cont'd)	COMPL YES	IANCE NO
All Lines Must Be Long Enough To Reach Low Boy Trailer		
Bulkhead Bracket To Accommodate Airlines And 7 Way Trailer Plug For		
Safe Storage When Trailer Is Not In Use		
WHELEN TLI1F, or equal 12 VDC Split Amber/White Surface Mount Lighthead With 33 Scan-Lock		
Flash Patterns: • Two In The Grill • Two On The Side • Two In The Rear		
 Lights To Operate Off Cab Switches 		
FRONT FENDERS Quarter Front Fenders shall Be Made From Stainless Steel		
Brackets shall Be Made Out Of Stainless Steel		
REAR MUD FLAPS Rear Mud Flap With Removable Bracket B83		
HYDRAULIC SPECIFICATIONS FOR LOWBOY SPECIALTY EQUIPMENT See Options	NT TRAILER	
WARRANTY FOR A 2022 WESTERN STAR 49X SF OR APPROVED EQUA Western Star Severe Service	<u>AL</u>	
Basic Vehicle - 1 Year, 50,000 Miles		
Battery - 1 Year, 50,000 Miles		
Brightwork – 6 Months, Unlimited		
Cab Corrosion/Perforation – 5 Years, Unlimited		
Cab Structure – 1 Year, 100,000 Miles		
Corrosion – 6 Months, Unlimited		
Crossmembers – 3 Years, 300,000 Miles		
Diesel Emission 2010 – 5 Years, 100,000 Miles		

WARRANTY FOR A 2022 WESTERN STAR 49X SF OR APPROVED EQUAL	COMPL YES (Cont'd)	IANCE NO
GHG/17 (Medium Heavy Duty To Heavy Duty Trucks/Tractors) – 5 Years, 100,000 Miles		
GHG14/17 Tire (File Direct) – 2 Years, 24,000 Miles		
Frame Rails – 3 Years, 300,000		
Front/Steer Axle: Detroit – 1 Year, Unlimited		
Front/Steer Axle 1 Year, 100,000 Miles		
Paint – 1 Year, 50,000 Miles		
Paint, Chassis – 6 Months, Unlimited		
Rear Axle: 1 Year, 100,000 Miles		
Towing For Warranty Repair – 5 Years Unlimited Mileage		
Cummins 5 Year 100,000 Mile Engine and ATS Warranty		
 Cummins Protection Plan I: Internal Components, Major Engine Systems And Major Components Registered Parts And Labor Covers All These Components Including Mounting Hardware And Gaskets: Cylinder Head Assembly, Cylinder Block Assembly, Rocker Level Assembly, Ecm, Piston, Rings And Liners; Lube Oil Cooler Assembly, Front Gear Cover, Oil Pan, Connecting Rod Assembly, Front Gear Cover, Oil Pan, Connecting Rod Assembly, Lube Pump Assembly, Camshaft And Bushings; Cam Follower Assemblies, Crank Shaft Assemblies, Egr Cooler, Valve And Mixer; Fuel Injectors (Excluding Aftertreatment Injector), Turbo, Water Pump, Fuel Pump, Air Compressor, Select Engine Sensors And Flywheel. 		
Allison 5 Year Unlimited Miles Transmission Warranty		
OPTIONS 1A. Road Department Options (Shall Consist of all of the following items)		
Brake System Equipment Air Connections at Back of Truck Glad Hands		

(CONTENTED (CONTENTED)		IANCE
<u>OPTIONS</u>	<u>YES</u>	<u>NO</u>
1A. Road Department Options (Shall Consist of all of the following items (Cont'd)		
Frame and Wheelbase		
Square End of Frame with 58" Overhang		
Front Tires, Hubs, and Wheels		
Michelin Xze 11r X 24.5 16 Ply		
Conmet Iron Front Hubs		
Accuride 28827 Inset 2 Hand 24.5 X 8.25 10-Hub Pilot Disc Front Wheels Black		
Rear Drive Tires, Hubs, and Wheels		
Michelin Xds2 11r 24.5 16 Ply Rear Drive Axle Tires		
Conmet Iron Rear Hubs		
Accuride 28827 2 Hand 24.5 X 8.25 10 Hub Pilot Steel		
Steel Disc Rear Wheels Black		
Nylon Wheel Guards Front And Rear All Interfaces		
Wheel-Check High Visibility Green Loose Wheel Nut Indicator On All Wheels		
One (1) Spare Front and (1) Spare Rear Tire with Black Rims		
Road Department Paint Color Scheme School bus yellow from the bottom of the windows down, Bahama Blue from the bottom of the windows up to and including cab roof and Back, on hood from bottom of windshield to a point on the hood to make A "v" and match the road department fleet.		
Shall be base coat clear coat		
(Note: not all vehicles will be painted this way)		
 Whelen Led Liberty II Solo IX 54" Light Bar Light Bar Led Liberty II Solo IX 54", All Modules Filled With Amber LED Alley Lights And Takedowns Are To Be White Whelen Controller Brackets For Mounting On Safety Back Rack 		
 Lightbar Flush With Top Of Cab 		

	COMPLIANCE	
	YES	NO
OPTIONS		
1A. Road Department Options (Shall Consist of all of the following items) (Cont'd)		
32 Inch 16,200 Lumen Led Clear Combination Spot-Flood Light Bar Mounted On Top Crossmember Of The Headache Rack Facing Downward		
Flash Patterns		
Rated Ip67 For Dust And Water Resistance		
Height 4.89"		
Lead Length 52"		
Lens Shape Round		
30 Ton Heavy-Duty Swivel Type Pintle Hook Color: Black	П	
Color. Black		
Finish: Powder Coated		
Material: Forged Steel		
Pintle Hook Type: Swivel		
Drawbar Eye Inner Diameter: 3.00		
Maximum Gross Trailer Weight: 60000 Lb		
Maximum Vertical Load: 12000 Lb		
The Height Of The Inside Body Of The Pintle To Be 28 Inches		
1 Inch Pull Plate Mounted On Rear Of Tractor For Hitch Glad Hands Mounted On Side Of Frame Rail		
7 Way Trailer Plug Round		
Wide Load Sign Mounted To Front Bumper With A Stainless Steel Hinge		
Sign To Be 12" X 92"		
Sign Backing To Be Made Of Alumalite Material	П	

, `, `	COMPLIANCE VES NO	
	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd) 1A. Road Department Options (Shall Consist of all of the following items) (Cont'd) Wide Load Sign (Cont'd))	
Reflective Material To Be Orafol Oralite 5600 5 Mil		
Sign To Be Hinged In The Middle And Pinned To Curbside When Closed		
Hydraulic Specifications for Lowboy Specialty Equipment Trailer Fixed Displacement Pump With Hotshift PTO: The Hydraulic Pump		
Shall Be A Parker P-20, Fixed Displacement With 2.0" Gear.		
Minimum Pump Displacement Is 3.9 Cid Maximum Pressure 3000psi.		
Pressure Line Shall Have An In-Line Relief To Protect Against Over Pressurization.		
Pump Shall Be Bi-Rotational Or Uni-Rotational Design.		
Hydraulic Pump Must Be Self-Lubricating.		
Pump Shaft Shall Have 1 Inch With 15 T-Spline.		
Pump Shall Be PTO Mount With 2 Or 4 Bolt B-Flange.		
Pump Must Mount Directly To A Chelsea "Hot Shift" PTO On Allison 3000 And 4000 Series Transmissions Without Requiring Bent Axis Or External Mounting Hardware		
Pump Must Be Rear Ported.		
Installer Must Be Authorized To Preform Warranty Repairs If Required. Such authorization shall be provided with bid submission.		
Hydraulic Pump Shall Be A Parker Model P-20 Or Equal.		
PTO To Be Activated By On/Off Switch In The Cab		
Reservoir And Filter: Reservoir Shall Be A Chassis Mounted With 60 Gallon Capacity.		
The Return Line Shall Have A 25 Micron Return Filter Rated at 45-50 GPM Per Minute.		

	COM YES	<u>IPLIA</u>	NCE NO
OPTIONS (Cont'd)			110
1A. Road Department Options (Shall Consist of all of the following items) (Cont'd) Reservoir and Filter (Cont'd) Hydraulic Quick Connects To Be Pioneer 4110-5 Male And Pioneer 4150-5 Female On Trailer End And 1" Quick Disconnects On Opposite End For Ease			
Of Storage			
Hoses Are To Be ¾ Inch, 11 Foot Long			
2" Ball Valve Mounted On Hydraulic Tank For Suction Line Going To The Hydrualic Pump			
All Hydraulic Hoses shall have a Blind Side Quick Disconnect Mounted on Headache Rack for Safe Storage			
1B. Solid Waste Options (Shall consist of all of the following items)			
Frame and Wheelbase Tapered Rear End Of Frame For Plate Mount			
Front Tires, Hubs, And Wheels Michelin XZE 12r X 22.5 16 Ply			
Conmet Iron Front Hubs			
Accuride 28828 Inset 2 Hand 22.5 X 8.25 10-Hub Pilot Disc Front Wheels White			
Rear Drive Tires, Hubs, And Wheels Michelin Xds2 11r 22.5 16 Ply Rear Drive Axle Tires			
Conmet Iron Rear Hubs			
Accuride 28828 2 Hand 22.5 X 8.25 10 Hub Pilot Steel			
Steel Disc Rear Wheels White			
Nylon Wheel Guards Front And Rear All Interfaces			
Wheel-Check High Visibility Green Loose Wheel Nut Indicator On All Wheels			
One (1) Spare Front and One (1) Spare Rear Tire with White Rims			
Paint Chassis to Be Painted Chestnut Elite. Paint Code: 00751963EY			

		COMPLIANCE	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>	
1B. Solid Waste Options (Shall consist of all of the following items) (Cont'd)			
Equipment to Be Installed Behind Headache Rack 150 Amp Master Tarp Disconnect Switch Inside Cab			
Waterproof 150 Amp Reset Breaker In Battery Box			
Tarp Cable Connector Model # 3BY23 or equal			
One Tarp Cable Connector Mounted To Bulkhead For Tarp Cable Storage			
Hydraulic Specifications For Walking Floor Trailer And Lowboy Specialty Equip	ment Traile	<u>r</u>	
Fixed Displacement Pump With Hot Shift PTO.			
The Hydraulic Pump Shall Be A Parker P-350, Fixed Displacement With 2.0" Gear.			
Minimum Pump Displacement Is 5.11 Cid.			
Pump Shall Supply 25 To 30 GPM's At 1200 Rpm's.			
Pump Shall Be Bi-Rotational Or Uni-Rotational Design.			
Hydraulic Pump Must Be Self-Lubricating.			
Pump Shaft Shall Have 1 Inch With 15 T-Spline.			
Pump Shall Be PTO Mount With 2 Or 4 Bolt B-Flange.			
Pump Must Mount Directly To A Chelsea "Hot Shift" PTO On Allison 3000 And			
4000 Series Transmissions Without Requiring Bent Axis Or External Mounting Hardware			
Pump Must Be Rear Ported.			
Installer Must Be Authorized To Preform Warranty Repairs If Required. Such authorization shall be included with bid submission.			
Hydraulic Pump Shall Be A Parker Model P350 Or Equal.			
Parker DVG 20 Proportional Valve Group: The Central Hydraulic Valve System Shall Be A Mobile Design To Withstand Exposure To De-Icing Chemicals And Severe Weather Conditions.			
The System Shall Provide Hydraulic Oil To Operate A Walking Floor Trailer And Lowboy Special Equipment Trailer.			

		COMPLIANCE	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>	
1B. Solid Waste Options (Shall consist of all of the following items) (Cont'd)			
<u>Parker DVG 20 Proportional Valve Group:</u> (Cont'd) The Spool Valve Sections Shall Be Of Cast Iron Construction, Horizontally Stackable			
And Serviceable Without Disassembly.			
The Directional Control Valves Shall Be Cable Actuated.			
Valve Sections Must Be Adjustable For Pressures Up To 3500 Psi And Flow Ratings Up To 25 To 30 GPM.			
Where Required Each Section Must Be Able To Limit The Operating Pressure With Adjustable Relief.			
Each Directional Valve Section Must Have A Built-In Check Valve Prevents The Oil From Flowing Back To Tank. Each Section Must Have A Manual			
Over-Ride With Lever Included.			
Valves Must Mount With All The Work Ports Facing Up.			
There Shall Be Main Pressure Relieve Set At 3500psi To Protect Against System Over-Pressurization.			
The Walking Floor Section Shall Supply 35 GPM At 2900psi.			
The Lowboy Section Shall Supply For The Walking Floor Trailer 10 GPM At 1500psi			
Parker Valve Actuation With Push Pull Cable Controls			
Controls LeverS Shall Be Single Axis Cable Actuation With Return To Center For Safety.			
There Shall Be A Combination Of Single Axis De-Tented Levers Stacked Together For Operation Of The Walking Floor And Lowboy Trailer.			
Cable Core Shall Be Nylon Covered Stainless Steel Capable Of 100lb Of Push / Pull.			
Cable To Valve Connection Shall Be Clevis Ends With Mounting Bracket And Single Nut Adjustment With Locking Nut.			
The Controllers Shall Be Mounted In Cab Inside A Totally Enclosed Single Tower.			
Reservoir And Filter Reservoir Shall Be A Chassis Mounted With 60 Gallon Capacity.			
The Return Line Shall Have A 25 Micron Return Filter Rated At 45-50 GPM Per Minut	e. 🗆		

	COMPLI YES	IANCE NO
OPTIONS (Cont'd)	ILS	110
1B. Solid Waste Options (Shall consist of all of the following items) (Cont'd)		
Reservoir And Filter (Cont'd)		
Hydraulic Quick Connects To Be G95111-1616 Gates and G95121-1616 Gates	Ш	
Extra Set Mounted To Bulkead for Hose Storage		
Hoses Are To Be ¾ Inch, 11-Foot Long		
All Hydraulic Hoses Are to Have A Blind Side Quick Disconnect Mounted On Headache Rach for Safe Storage		
2" Ball Valve Mounted On Hydraulic Tank For Suction Line Going To The Hydrualic Pump		
A Relief Valve Will Be Installed To Prevent System From Over Presurizing When Hoses Are Not Hooked Up		
1C. <u>Diagnostic Tools / Test Equipment</u> Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment		
1. Successful bidder shall be required to supply between one (1) and three (3) Complete sets of testing/diagnostic/programming equipment (i.e. Laptop, Software, cabling, and adapters) and special tools required to perform the Full range of diagnostic and maintenance actions necessary to maintain Vehicle operability. This equipment will cover the vehicle chassis, engine,		
Transmission, brakes, hydraulics, and all additional equipment (if applicable) 2. All laptop computers will be of the newest available technology and have		
sufficient storage and memory to operate all required software		
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid		
4. All software installations and activations will be completed by the successful bidder at no cost to the county		
5. All software updates and renewal will be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the		
county for a period of five (5) years from the acceptance of the equipment 7. Training shall be provided on all items in this section at a specified county		
location	П	П

<u>ITEM #1 – MODEL YEAR 2023, OR NEWER, SPECIALIZED WESTERN STAR 49X TRACTOR, AS SPECIFIED, OR EQUAL (CONT'D)</u>

COMPLI	ANCE
YES	NO

OPTIONS (Cont'd)

1D. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new county vehicles and equipment, The following power and wiring components shall be included:

- #12 AWG red wire connected to 12vdc battery source rated at 20 amps
- #12 AWG black wire connected to chassis ground
- #16 AWG yellow wire connected to 12vdc ignition sense rated at 5 amps

Wires shall be encased in plastic wire loom and routed from their source into the Cab of the vehicle and secured in the vicinity of the operator. Wiring harness shall be Clearly labeled "two-way radio". Wires shall be unterminated. 12vdc sources Shall be protected from making contact with grounded metal surfaces

1E. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new county vehicles and equipment, The following power and wiring components shall be included:

- 1. #12 awg red wire connected to 12vdc battery source rated at 20 amps.
- 2. #12 awg black wire connected to chassis ground.
- 3. #16 awg yellow wire connected to 12vdc ignition sense rated at 5 amps.

These wires shall be encased in plastic wire loom and routed from their source into The cab of the vehicle. The wiring harness shall be clearly labeled "two-way radio".

The 12vdc sources shall be protected from making contact with grounded metal surfaces. □

1F. <u>Technical Support</u>

Technical support is to be provided by factory authorized technical representatives and Is to be the original equipment manufacturer's industry standard technical presentation. In a classroom setting. The support provided shall be at the journeyman/equipment technician Level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.

Technical support may be requested in the following areas:

- Engine (cooling, fuel, ignition, lubrication systems) 1 day at each location.
- Transmission 1 day at each location
- Electrical 1 day at each location
- Brakes 1 day at each location
- Hydraulic system (dump body, spreader, snow plow) 1 day at each location
- Upfitter (dump body, sweeper, etc.) 1 day at each location

A technical representative(s) shall be made available for a total of 180 training/support Hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be Allowed only with consent of vehicle services. The total training hours will be required

	COMPLIANCE	
OPTHONE (C. 411)	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd)		
1F. <u>Technical Support</u> To be provided and no additional compensation will be considered. The actual time to be	:	
Spent on each area will be by mutual agreement of the vehicle services department and		
The successful bidder.		
For the purposes of determining materials and other training costs, class size is Anticipated to be comprised of six (6) to ten (10) vehicle services department personnel. Actual class size will be determined by the vehicle services department at the time the		
classes are scheduled.		Ш
Before the training is scheduled, vehicle services and the contractor will agree on the Scope of the training, and the type and quantity of manuals, etc. That are necessary for Proper coverage.		
	_	
Technical support for vehicle services may be provided at the following fleet Maintenance facility location as scheduled by a vehicle services department Representative:		
 Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm) 		
 Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050 		
Technical support for other departments will be held at a location within Ocean County. The requesting department will notify the successful bidder of The location. Training at the successful bidder's site, rather than the designated Locations, will be by mutual consent only. Technical support will be requested And scheduled on an as needed basis up to but not exceeding the 180 hours total		
During a period not to exceed twelve (12) months from the date of placing the		
Last unit in service.	\sqcup	\sqcup