

Ocean County Board of Commissioners

OFFICE OF THE OCEAN COUNTY COMMISSIONERS

Director Barbara Jo Crea
Deputy Director Gary Quinn
Commissioner Virginia E. Haines
Commissioner John P. Kelly
Commissioner Frank Sadeghi

101 Hooper Avenue Toms River, New Jersey 08754-2191 (732)929-2005 (732)505-1918

Board Meeting Agenda

Date: August 7, 2024 - 4:00 PM

Location: Administration Building

Room 119


101 Hooper Avenue Toms River, NJ 08754

Agenda: Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: BOX TRUCK to Winner Ford, the sole qualified bidder. (B2024-123)

Official Resolution#			2024001190					
Meeting Date				08/07/2024				
Introduced Date			C	8/0	7/2	2024	4	
Adopted Date			C	8/0	7/2	2024	4	
Agenda Item			k	:-9				
CAF#			Γ					
Purchase Req. #			B2024-123					
Result			Adopted					
COUNTY COMMISSIONER	PRES.	ABS.		MOVE	SEC	AYE	NAY	ABST.
Crea	V					~		
Quinn	~					~		
Haines	~				~	~		
Kelly	~			~		~		
Sadeghi	~					~		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Clerk Of The Board



RESOLUTION

August 7, 2024

WHEREAS, on July 2, 2024, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: BOX TRUCK for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidder:

Name of Bidder

Winner Ford

Address of Bidder

250 Berlin Road Cherry Hill, NJ 08034 (856) 214-0759

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, WINNER FORD be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: Box Truck, for the County of Ocean, for the contract period from date of award through August 6, 2025, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

A. WINNER FORD for five (5) items, to wit:

ITEM NOS. 1, 1a, 1b, 1c and 1d.

For a Total Lump Sum Award (Item Nos. 1 - 1d) of \$166,598.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

Introduced on Adopted on:

August 7, 2024 August 7, 2024 , y F,

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. Funds for the equipment shall be available within the following funding Sources: Election Board O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2024-123.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Election Board and Winner Ford, the successful bidder.

[WINNER FORD] RESPONSE DOCUMENT REPORT Bid No. TBD MOTOR VEHICLE: BOX TRUCK

Confirmed

13. Submission of Bid Package*

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

PRICE TABLES

MOTOR VEHICLE: BOX TRUCK

	Line Item	Description	Quantity	Unit of Measure	Uniti Cost	Total	Ye!/Mfrs/Mäke/Models	Delîvery, A.R.O.:	Wärranty Detäils:	Comments:
/	1	Current Model Year, or Newer, Ford E350 Box Truck Cutaway with Cargo Body and Liftgate, As Specified or Equal	2 .	EA	\$71,254:00	\$142,508.00	ACCOUNTS OF THE POSSESSION CONTRACTOR OF THE POSSESSION OF THE POS	9-12 months from receipt of PO	,	
	OPTIONS						1)			
√	1a	Diagnostic Tools/Test Equipment, As Specified	.3	SET .	\$7,500.00 ,	\$22,500.00	, l			ж. 1

Introduced on:

August 7, 2024

Adopted on Adopted On Service Second Document Report

BId - MOTOR VEHICLE: BOX TRUCK

[WINNER FORD] RESPONSE DOCUMENT REPORT Bid No. TBD

MOTOR VEHICLE: BOX TRUCK

	Line Itëm	Description	Quantifÿ	Unit of Measure	Unit, Çost	Total	Ϋ́r./Mfr./Make/Models	Delĭverγ, Δ.Ŗ.Ο.₹	Warranty Details:	Comments	
	1h	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified	2	EĄ	\$300.00	\$600.00					* *
	1c .	Installation of County Supplied Two Way Radio and Accessories, As Specified	2	EA	\$495.00	\$990,00					; ;
/	1.d	Technical Support, As Specified	180	HOUR	\$0.00	\$0.00		,			î
	TOTAL					\$166,598.00			-988		1

COMPLIANCE PAGES FOR MOTOR VEHICLE: BOX TRUCK

ITEM #1 - CURRENT MODEL YEAR OR NEWER, FORD E350 BOX TRUCK CUTAWAY WITH

CARGO BODY AND LIFTGATE, AS SPECIFIED OR EQUAL

	COMPL	IANCE
	<u>YES</u>	<u>NO</u>
GENERAL		
Color: White	\boxtimes	
6 Speed Automatic Transmission with overdrive	$oxtimes_{i}$	
7.3 V8 Premium Engine	\boxtimes	
Maximum 176" wheelbase		
Minimum 12,500 lb GVWR	lacksquare	
Transmission with Auxiliary Oil Cooler	\boxtimes	
50-State Emissions System	\boxtimes	
Alternator-240 AMP Heavy Duty		, <u> </u>
40 Gallon Fuel Tank		
Dual Heavy Duty 78 AMP Battery	\boxtimes	
Front Axle-twin I-beam		
Rear Axle-full float		
Tires: LT225-75R X 16E All Season	\boxtimes	2;
Wheels Steel Valve Stem	\boxtimes	
16"x 6" Painted White Steel Wheels		
Spare Tire and Wheel	\boxtimes	.,
Running Board-LH/RH Door Length	\boxtimes	□ .
High Capacity upfitter switches	\boxtimes	
Remote Keyless Entry	\boxtimes	^ <u></u> ,
Front Bucket Seats vinyl with inner arm rests on driver and passenger seat	\boxtimes	
Radio Electronic AM/FM with Clock and Audio	\boxtimes	, .
Front A/C	\boxtimes	· 🗖 ,
Vinyl Flooring	\boxtimes	. 🗀
Front dome lamp	\boxtimes	
Heated – Power Mirrors		
Bluetooth® Radio	×	
Power Windows and Locks Group		,
Dual USB Port	\boxtimes	
Rear View Camera	, X	
CARGO BODY: DURACUBE PRO	a a	,5 Ta
The Duracube Cargo Van aluminum design features .040" pre-painted aluminum	· 	
sheet with galvanized "Z" posts on 16" centers, 2" spacing on seams, and 4" on ribs.	An anguag annuar a si a si ai An anguag annuar a si ai si ai	k
FEATURES	<u>4</u>	
Adopted on: August 7, 2024		· 🖺
amda Beapution than 2010 by 1900 cills	⊠	

COMPLIANCE PAGES FOR MOTOR VEHICLE: BOX TRUCK

ITEM #1 - CURRENT MODEL YEAR OR NEWER, FORD E350 BOX TRUCK CUTAWAY WITH

CARGO BODY AND LIFTGATE, AS SPECIFIED OR EQUAL (CONT'D)

e to the second	COMPLIA	ANCE
	YES	<u>NO</u> .
FEATURES (Cont'd)		
12 ga galvanneal rear frame construction	\	
4" rear post width	\boxtimes	z a 🔲
Complete underbody undercoat	\boxtimes	,
Grab handles passenger and driver side	\boxtimes	:[
5-5/8" rear header depth	\boxtimes	
Marker light eyebrow		□ ,
Premium Grade door with 2" nylon rollers	. 💆	
10" aluminum diamond plate front radius	, · ⊠	
5" radius aluminum corner castings	\boxtimes	
One piece aluminum roof panels	\bowtie	
Anti-snag roof bows on 24" centers	, 🛮	
ICC Bumper	\text{\tin}}\text{\ti}\text{\texi{\text{\ti}}\\ \tittt{\text{\text{\text{\text{\texi}\text{\text{\text{\text{\text{\text{\texi}\text{\texi}\text{\text{\texi}\text{\texi}\text{\text{\texitit{\text{\text{\texi}\text{\texi}\text{\texit{\text{\texi}	
Exterior lights meet FMVSS	\boxtimes	
Dome light with switch in body	\boxtimes	
LED Dome light up by bulkhead	\boxtimes	
(2) LED Lights one each side of the body towards rear just under the door	***	
height when up	\boxtimes	
(2) rows of e-track all around body 18" and 48" off floor		
10 sets of straps to be included 2" x 16'	oxtimes	
· · · · · · · · · · · · · · · · · · ·	7	
DIMENSIONS:		
Body Length:		
16'5" Exterior	i ⇔	П
15'9" Interior usable space.	· 🗵	<u></u>
Body Height & Width: 103.25" Outside Height		
96.25" Inside Height		20
96" Outside Width	i	
92.25" Inside Width	· 🔀:	
Rear Door Opening:		
88" Width	ė.	
91-3/8" Height	, 🛮	
LIFTGATE: MAXON CONVENTIONAL LIFTGATE MODEL GPC X1	1-22	u.
Platform:48" x 92" Wedge	200	· 🗆 🖰
Bed Height: 39" - 51"	\B	. 🗆
Introducts Capacit August 7, 2024 Adopted on: August 7, 2024 ឬក្រុង የኢምታኒ ያልዩነርያ በ190		

COMPLIANCE PAGES FOR MOTOR VEHICLE: BOX TRUCK

ITEM #1 - CURRENT MODEL YEAR OR NEWER, FORD E350 BOX TRUCK CUTAWAY WITH CARGO BODY AND LIFTGATE, AS SPECIFIED OR EQUAL (CONT'D)

	COMPL	IANCE .
s .	YES	NO
LIFTGATE: MAXON CONVENTIONAL LIFTGATE MODEL GPC X1-22 (Co	nt'd):	1
Side Roll off guards	\boxtimes	
Cab cut off switch	\boxtimes	, 🗖
KEY FEATURES	•	
X1 technology simplifies the entire lifting mechanism by eliminating two cylinders.	\boxtimes	
Standard aluminum platform is robust and lightweight	\boxtimes	
Standard dual cart stops and cab power cut off switch	\boxtimes	
When stowed, the underside of the flat platform surface is ideal for decals	\boxtimes	
Waterproof hand-held remote control		ar'
Equipped with Service Switch, which enables the service mechanic to operate and tes	t all lift func	tions •
Equipped with grease-free bearings		9
Platform automatic leveling with soft landing	10	113
Aluminum platform 48"D x 92"W		*
Platform warning lights		7 2 g
Dual cart stops	•	
Platform ground rollers		
Stainless cylinder rods with nitrate treatment		4 , s
Completely sealed flat panel main control		,
Hand held control		
Cab cut-off switch Side Roll Off Guards	•	
Install Fixture		
Instant Practice		•
OPTIONS		
/1A. <u>Diagnostic Tools / Test Equipment</u>		
1. Successful bidder may be required to supply between one (1) to three (3)		,
complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the		
full range of diagnostic and maintenance actions necessary to maintain		
vehicle operability. This equipment will cover the vehicle chassis, engine,		¹ .ø
transmission, brakes, hydraulics, and all additional equipment (if applicable).	\boxtimes	
2. All laptop computers will be of the newest available technology and have		_
sufficient storage and memory to operate all required software.	×	
3. Provide a list of all test/diagnostic/programming equipment and special tools	r	
*		
being supplied at the time of bid.	, <u>,</u> <u>,</u>	ъ.
4. All software installations and activations will be completed by the successful		
blader at no cost to the county.	A. A	
5. All software updates and renewal will be provided at no cost to the County	1 .	_
Introduced on o Arthust 752034 ars from the acceptance of the equipment. Adopted on: Adopted on: Official Resolution#: 2024001190	⊠ ·	Ц

ITEM #1 - CURRENT MODEL YEAR OR NEWER, FORD E350 BOX TRUC	K.CUTA	WAY WITH
CARGO BODY AND LIFTGATE, AS SPECIFIED OR EQUAL (CONT'D)	COM	LIANCE
	YES	NO .
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County	A Addition	***
for a period of five (5) years from the acceptance of the equipment.	\boxtimes	Ĺ .
7. Training shall be provided on all items in this section at a County location.		
1B. Two-Way Radio Power and Wiring Requirements for New Vehicles		1/4
For the purpose of installing two-way radios into new County vehicles and equipment,		
the following power and wiring components shall be included:		
#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.		٣
#12 AWG BLACK wire connected to chassis ground.		
#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.		
These wires shall be encased in plastic wire loom and routed from their source into the		•
cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall	7	ā
be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDO)	
sources shall be protected from making contact with grounded metal surfaces.	\boxtimes	4
	it.)· .
1C. Installation of County Supplied Two Way Radio and Accessories		
Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc.		
For the purpose of installing two-way radios into new County vehicles and equipment,		
the following power and wiring components shall be included:		n
#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.		e de
#12 AWG BLACK wire connected to chassis ground.	δ(Ē a	
#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.		
These wires shall be encased in plastic wire loom and routed from their source into	-	
the cab of the vehicle. The wiring harness shall be clearly labeled		
"TWO-WAY RADIO". The 12VDC sources shall be protected from making contact		v.
with grounded metal surfaces.	\boxtimes	
/ 1D. <u>Technical Support</u>		,
Technical Support is to be provided by factory authorized technical representatives and		a.
is to be the original equipment Manufacturer's industry standard technical presentation	Νı	
in a classroom setting.	\bowtie	П
St. And the state of the state	* c g =	Ц

 \boxtimes

,

Supplied under this specification.

Adopted on:
August 7, 2024

Official Resolution#: 2024001190

ITEM#1 – CURRENT MODEL YEAR OR NEWER, FORD E350 BOX TRUCK CUTAWAY WITH CARGO BODY AND LIFTGATE, AS SPECIFIED OR EQUAL (CONT'D)

	COMPLE	
OPTIONS (Cont'd)	<u>YES</u>	<u>, NO</u>
1D. <u>Technical Support</u> (Cont'd)		an an
Technical support may be requested in the following areas:		
1. Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.		
2. Transmission – 1 day at each location		
3. Electrical – 1 day at each location	·	
4. Brakes – 1 day at each location		11
5. Hydraulic system (dump body, spreader, snow plow) – 1 day at each location		-
6. Upfitter (dump body, sweeper, etc.) – 1 day at each location		
A technical representative(s) shall be made available for a total of 180 training/support		at ^a
hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be		
allowed only with consent of Vehicle Services. The total training hours will be required		
to be provided and no additional compensation will be considered. The actual time to be		
spent on each area will be by mutual agreement of the Vehicle Services Department and		Z.
the successful bidder.	\boxtimes	
	r	**
For the purposes of determining materials and other training costs, class size is		
anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel		
Actual class size will be determined by the Vehicle Services Department at the time the		111
classes are scheduled.	, 🛛	
, · · · · · · · · · · · · · · · · · · ·		XI.
Before the training is scheduled, Vehicle Services and the contractor will agree on the		
scope of the training, and the type and quantity of manuals, etc. that are necessary for	•	
proper coverage.	\boxtimes	
Technical Support for Vehicle Services may be provided at the following fleet		
maintenance facility location as scheduled by a Vehicle Services Department		¥
representative:	,	•
a. Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions	€°	
will be provided at this location. One beginning at 7 am and another	Y	
beginning at 1:30 pm)	_	
b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050		. <u> </u>
Technical Support for other Departments will be held at a location within	и — — — — — — — — — — — — — — — — — — —	1.
Ocean County. The requesting Department will notify the successful bidder of	a de la managada maria. Na de	
the location.	×	
Introduced on: August 7, 2024	d	
Adopted on: August 7, 2024 Official Resolution#: 2024001190		

WINNER FORD COMPLIANCE PAGES FOR MOTOR VEHICLE: BOX TRUCK

CARGO BODY AND LIFTGATE, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE NO OPTIONS (Cont'd) 1D. Technical Support (Cont'd) Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only. \boxtimes Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service. \boxtimes

Introduced on: Adopted on:

August 7, 2024 August 7, 2024 Official Resolution#: 2024001190