

Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director Barbara Jo Crea
Deputy Director Gary Quinn
Commissioner Virginia E. Haines
Commissioner John P. Kelly
Commissioner Frank Sadeghi

101 Hooper Avenue
Toms River, New Jersey
08754-2191
(732)929-2005
(732)505-1918

Board Meeting Agenda

Date: December 4, 2024 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754


Agenda: Awarding Contracts for the furnishing and delivery of GOLF COURSE AND LANDSCAPING AND UTILITY EQUIPMENT to Central Jersey Equipment, LLC; Ocean County Equipment, Inc. dba ACE Outdoor Power Equipment; and Turf Equipment and Supply Company, Inc., the lowest qualified bidders. No bids were received on Item Nos. 26, 26A, 26B, 26C, 26D, 26E, 26F, 26G, 26H, 26I, 27, 27A, 27B, 27C, 27D, 27E, 27F, 27G, 27H, 27I, 34, 34A and 35A. They will be rebid. (B2024-176)

| | | | | | | | | |
|----------------------|-------|------------|------|-----|-----|-----|-------|--|
| Official Resolution# | | 2024001816 | | | | | | |
| Meeting Date | | 12/04/2024 | | | | | | |
| Introduced Date | | 12/04/2024 | | | | | | |
| Adopted Date | | 12/04/2024 | | | | | | |
| Agenda Item | | k-5 | | | | | | |
| CAF # | | | | | | | | |
| Purchase Req. # | | B2024-176 | | | | | | |
| Result | | Adopted | | | | | | |
| COUNTY COMMISSIONER | PRES. | ABS. | MOVE | SEC | AYE | NAY | ABST. | |
| Crea | < | | | | < | | | |
| Quinn | < | | | | < | | | |
| Haines | < | | < | | < | | | |
| Kelly | < | | | < | < | | | |
| Sadeghi | < | | | | < | | | |

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board



RESOLUTION

December 4, 2024

WHEREAS, on October 16, 2024, pursuant to legal advertisements therefor, sealed bids were received for furnishing and delivery of GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT, County of Ocean, State of New Jersey; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Central Jersey Equipment, LLC
670 Route 40
Elmer, NJ 08318
(856) 358-2880

Turf Equipment and Supply Company, Inc.
8015 Dorsey Run Road
Jessup, MD 20794
(410) 799-3963

Victoria McVay LLC dba Cartz Partz
14634 N. Cave Creek Road
Phoenix, AZ 85022
(602) 788-0355

Name and Address of Bidder

Ocean County Equipment, Inc., dba
ACE Outdoor Power Equipment
395 Route 9
Bayville, NJ 08721
(732) 269-1155

J. Houston Holdings, LLC
483 N. Main Street
Keller, TX 76248
(817) 431-3341

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely that of CENTRAL JERSEY EQUIPMENT, LLC; OCEAN COUNTY EQUIPMENT DBA ACE OUTDOOR POWER EQUIPMENT and TURF EQUIPMENT AND SUPPLY COMPANY, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts for furnishing and delivery of Golf Course, Landscaping and Utility Equipment for the County of Ocean, for the contract period from date of award through December 3, 2025, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

A. CENTRAL JERSEY EQUIPMENT, LLC for ten (10) items, to wit:

ITEM NOS. 6, 7, 12, 13, 14, 18, 23, 29, 31 and 40.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier No. CK-02-OC.

B. OCEAN COUNTY EQUIPMENT, INC., DBA ACE POWER OUTDOOR EQUIPMENT for forty-four (44) items, to wit:

ITEM NOS. 1, 2, 3, 4, 5, 8, 9, 10, 15, 16, 17, 19, 20, 21, 22, 24, 25, 28, 28A, 28B, 28C, 28D, 28E, 28F, 30, 32, 33, 33A, 33B, 33C, 33D, 35, 36, 36A, 36B, 36C, 36D, 37, 37A, 37B, 37C, 37D, 38 and 39.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier No. CK-02-OC.

C. TURF EQUIPMENT AND SUPPLY COMPANY, INC., for one (1) item, to wit:

ITEM NO. 11.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier No. CK-02-OC.

No bids were received for items 26, 26A, 26B, 26C, 26D, 26E, 26F, 26G, 26H, 26I, 27, 27A, 27B, 27C, 27D, 27E, 27F, 27G, 27H, 27I, 34, 34A and 35A. All no bid items will be rebid.

2. Payments for the equipment and supplies to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. Funds for these services shall be available within the following funding sources: Buildings and Grounds Department, Parks Department, Roads Department, Security, Solid Waste Management and Vehicle Services O.E.

4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2024-176.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, Buildings and Grounds Department, Parks Department, Roads Department, Security, Solid Waste Management, Vehicle Services and the successful bidders.

[CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|-----------|--|----------|-----------------|-----------|-------------|--------|---------------|--------|----------------------|
| 1 | Line Trimmer, Red Max EXZ260S-94, As Specified or Equal As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 2 | Hedge Trimmer, Red Max CHTZ75R, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 3 | Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal | | EA | No Bid | No Bid | X | | | |
| 4 | Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal | | EA | No Bid | No Bid | X | | | |
| 5 | Hedge trimmer, Stihl HS 82 R, 30" blade | 15 | EA | \$503.99 | \$7,559.85 | | Stihl | HS82R | |
| 6 | Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal | 50 | EA | \$383.99 | \$19,199.50 | | Stihl | FS111 | Equal-New Model Name |

Introduced on: December 4, 2024

Adopted [CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024091816

[CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|----------------------|---|----------|-----------------|-----------|------------|--------|---------------|---------|-----------|
| 7 | Line Trimmer, battery-powered, Stihl FSA 135 R, As Specified, or Equal | 15 | EA | \$359.99 | \$5,399.85 | | Stihl | FSA135R | |
| SECTION II - BLOWERS | | | | | | | | | |
| 8 | Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 9 | Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 10 | Hand Held Blower, Red Max HB281 As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 11 | Pro Force Debris Blower ,Toro 44538 As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 12 | Battery Operated Handheld Blower, Stihl BGA 200, As Specified, or Equal | 10 | EA | \$383.99 | \$3,839.90 | | Stihl | BGA200 | |

Introduced on: December 4, 2024

Adopted on: December 4, 2024

Official Resolution #: 2024001816

[CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

B2024-176

CENTRAL JERSEY EQUIPMENT, LLC

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|--|---|----------|-----------------|-----------|-------------|--------|---------------|--------|----------------------|
| ✓ 13 | Battery Operated Backpack Blower, Stihl BGA 300, As Specified, or Equal | 10 | EA | \$559.99 | \$5,599.90 | | Stihl | BGA300 | |
| ✓ 14 | Battery Operated Handheld Blower, Stihl BGA 86, As Specified or Equal | 10 | EA | \$223.99 | \$2,239.90 | | Stihl | BGA86 | |
| SECTION III - BRUSH AND TREE EQUIPMENT | | | | | | | | | |
| 15 | Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 16 | Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal | 25 | EA | \$575.99 | \$14,399.75 | | Stihl | HT105 | Equal-New model name |
| 17 | Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| ✓ 18 | Chainsaw, Full Battery, Stihl MSA 300 C-O, As Specified or Equal | 15 | EA | \$639.99 | \$9,599.85 | | Stihl | MSA300 | |
| 19 | Chain Saw, Husqvarna 562XP As Specified, or Equal | | EA | No Bid | No Bid | X | | | |

Introduced on: December 4, 2024
 Adopted on: December 4, 2024
 Official Resolution #: 2024001816

[CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

B2024-176

CENTRAL JERSEY EQUIPMENT, LLC

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|--------------------------------|---|----------|-----------------|------------|-------------|--------|---------------|---------|-----------|
| 20 | Arborist Gas Saw, Stihl MS201T As Specified, or Equal | 5 | EA | \$671.99 | \$3,359.95 | | Stihl | MS201T | |
| 21 | Cordless Chainsaw (with required accessories), Stihl MSA 220 C-B, As Specified or Equal | 15 | EA | \$767.97 | \$11,519.55 | | Stihl | MSA220C | |
| 22 | Gas Powered Chainsaw, Stihl MS 362, Complete, As Specified, or Equal | 15 | EA | \$759.99 | \$11,399.85 | | Stihl | MS362 | |
| SECTION IV - GENERATORS | | | | | | | | | |
| ✓ 23 | Generator, Honda EU3000, 4 Wheeled Model, As Specified, or Equal | 8 | EA | \$2,390.00 | \$19,120.00 | | Honda | EU3000 | |
| 24 | Generator, Honda EB5000XK3 As Specified, or Equal | 8 | EA | \$2,469.00 | \$19,752.00 | | Honda | EB5000 | |
| 25 | Generator, Honda Model ED10000AN, As Specified or Equal | 3 | EA | \$5,224.00 | \$15,672.00 | | Honda | EB10000 | |
| SECTION V - COMPRESSORS | | | | | | | | | |

Introduced on: December 4, 2024

Adopted by: [CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Official Resolution #: 2024001816

[CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|----------------------|--|----------|-----------------|-----------|------------|--------|---------------|-----------|-----------|
| 28A | 1.6 (40mm) Diameter Auger Bit (For Dirt) | 10 | EA | \$90.39 | \$903.90 | | Stihl | 1.6 auger | |
| 28B | 2.4" Diameter Auger Bit (For Dirt) | 10 | EA | \$79.19 | \$791.90 | | Stihl | | |
| 28C | 3.5" Diameter Auger Bit (For Dirt) | 10 | EA | \$83.19 | \$831.90 | | Stihl | | |
| 28D | 4.7" Diameter Auger Bit (For Dirt) | 10 | EA | \$123.19 | \$1,231.90 | | Stihl | | |
| 28E | 5.9" Diameter Auger Bit (For Dirt) | 10 | EA | \$131.99 | \$1,319.90 | | Stihl | | |
| 28F | 7.9" Diameter Auger Bit (For Dirt) | 10 | EA | \$140.79 | \$1,407.90 | | Stihl | | |
| SECTION VII - MOWERS | | | | | | | | | |
| 29 | 20" Battery-Powered, Self-Propelled Mower, Stihl RMA 510 V, As Specified or Equal | 5 | EA | \$639.99 | \$3,199.95 | | Stihl | RMA510 | |
| 30 | 42" Ride-on Commercial Lawn Mower, Walker C23I with Bushel Box, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |

Introduced on: December 4, 2024

Adopted by: [CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

[CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

B2024-176

CENTRAL JERSEY EQUIPMENT, LLC

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|---------------------------------|---|----------|-----------------|-------------|--------------|--------|---------------|--------------|-----------|
| 31 | 60" Zero Turn Rear Discharge Mower, Kubota Model ZD1211R-60R As Specified, or Equal | 8 | EA | \$15,685.00 | \$125,480.00 | | John Deere | z994R 60" RD | |
| 32 | 72" Zero-Turn Rear Discharge Mower, Stihl RZ972I, As Specified, or Equal | 3 | EA | \$15,000.00 | \$45,000.00 | | John Deere | z970R | |
| SECTION VIII - UTILITY VEHICLES | | | | | | | | | |
| 33 | Utility Vehicle, Kubota RTV-X1100CWLH As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| OPTIONS FOR ITEM 33 | | | | | | | | | |
| 33A | 25 x 11-12 ATV, 6 Ply, Front Set of Tires | | SET | No Bid | No Bid | X | | | |
| 33B | 25 x 10-12 HDWS, 6 Ply, Front Set of Tires | | SET | No Bid | No Bid | X | | | |
| 33C | 25 x 11-12 ATV, 6 Ply, Rear Set of Tires | | SET | No Bid | No Bid | X | | | |
| 33D | 25 x 10-12 HDWS, 6 Ply, Rear Set of Tires | | SET | No Bid | No Bid | X | | | |

Introduced on: December 4, 2024

Adopted by: [CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001819

[CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|-----------|---|----------|-----------------|-----------|------------|--------|---------------|--------|-----------|
| ITEM 38 | | | | | | | | | |
| 38 | Sod Cutter, Blue Bird, Honda Engine 5.5 HP, 18 in., As Specified or Equal | | EA | No Bid | No Bid | X | | | |
| ITEM 39 | | | | | | | | | |
| 39 | Walk Behind Edger, Husqvarna LE475, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| ITEM 40 | | | | | | | | | |
| ✓ 40 | Battery Powered Backpack Sprayer, Stihl SGA 85, As Specified, or Equal | 5 | EA | \$359.99 | \$1,799.95 | | Stihl | SGA 85 | |

Introduced on: December 4, 2024

Adopted by [CENTRAL JERSEY EQUIPMENT LLC] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

SECTION I – TRIMMERS (CONT'D)**ITEM #4, HEDGE TRIMMER, 30" TANAKA, TCH22ECP2, AS SPECIFIED, OR EQUAL**

| | | <u>COMPLIANCE</u> | |
|-------------------------|------------------------|--------------------------|------------------|
| | | <u>YES</u> | <u>NO</u> |
| Blade Length | 30 in. | <input type="checkbox"/> | X |
| Weight | 11.4 lbs. | <input type="checkbox"/> | X |
| Displacement | 21.1 cm ³ | <input type="checkbox"/> | X |
| Max. Strokes | 3,760/min. | <input type="checkbox"/> | X |
| Fuel Capacity | 10.1 oz | <input type="checkbox"/> | X |
| Blades | Double-Sided | <input type="checkbox"/> | X |
| Operation Time per Tank | 32 mins. | <input type="checkbox"/> | X |
| Exhaust Direction | Forward/Angled | <input type="checkbox"/> | X |
| Emission | Standard Phase 2 | <input type="checkbox"/> | X |
| Noise Level | 89 dB | <input type="checkbox"/> | X |
| Rear Handle | 5 Position, Adjustable | <input type="checkbox"/> | X |
| Warranty | 2 years | <input type="checkbox"/> | X |

ITEM #5, HEDGE TRIMMER, STIHL HS 82R, 30" BLADE, AS SPECIFIED, OR EQUAL

| | | | |
|----------------|-------------------------------|---|--------------------------|
| Displacement | 22.7cc (1.4 in ³) | X | <input type="checkbox"/> |
| Engine Power | 0.7 kw (094 bhp) | X | <input type="checkbox"/> |
| Fuel | Gas | X | <input type="checkbox"/> |
| Fuel Capacity | 460 cc (15.6 oz) | X | <input type="checkbox"/> |
| Blade Length | 30" | X | <input type="checkbox"/> |
| Strokes/Minute | 3100 | X | <input type="checkbox"/> |
| Weight | 5.7 kg with 30" Blade | X | <input type="checkbox"/> |
| Warranty | 2 years | X | <input type="checkbox"/> |

✓ ITEM #6, BIKE HANDLE TRIMMER/BRUSH CUTTER, STIHL FS110, AS SPECIFIED, OR EQUAL

| | | | |
|---|---|---|--------------------------|
| Stihl 4-MIX® Engine, meets EPA emission requirements, | | | |
| Auto Cut® cutting head, lightweight. | | X | <input type="checkbox"/> |
| Displacement: | 1.9 cu. in. | X | <input type="checkbox"/> |
| Engine Power: | 1.4 bhp | X | <input type="checkbox"/> |
| Weight: | 12.8 lbs. (without cutting attachment or deflector) | X | <input type="checkbox"/> |
| Fuel Capacity: | 18 oz. | X | <input type="checkbox"/> |

SECTION I – TRIMMERS (CONT'D)**ITEM #7, LINE TRIMMER, BATTERY-POWERED TRIMMER, STIHL FSA 135 R, AS SPECIFIED, OR EQUAL**

| | | <u>COMPLIANCE</u> | |
|-------------------------------|---------------------|--------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Weight: | 10.1 lbs. | X | <input type="checkbox"/> |
| Weight (w/ AP 300 S) : | 14.1 lbs. | X | <input type="checkbox"/> |
| Power Source: | Battery | X | <input type="checkbox"/> |
| Battery System: | AP Series | X | <input type="checkbox"/> |
| Cutting Width | 16.5 in. | X | <input type="checkbox"/> |
| Run time (w/ AP 300 S) Up to: | 45 min. | X | <input type="checkbox"/> |
| Voltage | 36 Volt | X | <input type="checkbox"/> |
| Front Handle | 360-degree rotation | X | <input type="checkbox"/> |
| Warranty | 2 years | X | <input type="checkbox"/> |

COMPLIANCE PAGES - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Page 5 of 23

| | | | |
|-----------|-----------|--------------------------|-------------------------------------|
| Warranty: | 2 years | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Weight: | 475 lbs. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Width: | 48 inches | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

SECTION II – BLOWERS (CONT'D)**✓ ITEM #12, BATTERY OPERATED HANDHELD BLOWER, STIHL BGA 200, AS SPECIFIED, OR EQUAL**

| <u>COMPLIANCE</u> | |
|--------------------------|------------------|
| <u>YES</u> | <u>NO</u> |

Note: Must be used with battery belt or AR-style backpack battery.

| | | | |
|--------------------------------|------------|-------------------------------------|--------------------------|
| Power Source: | Battery | | |
| Blowing Force: | 21 Newtons | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 7.1 lbs | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Sound Pressure Rating: | 59 db(A) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Speed: | 188 MPH | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Volume at Nozzle: | 553 CFM | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Run Time (w/ AR 3000 L) Up to: | 500 min. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Voltage: | 36 volt | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

✓ ITEM #13, BATTERY OPERATED BACKPACK BLOWER, STIHL BGA 300, AS SPECIFIED, OR EQUAL

| | | | |
|--------------------------------|------------|-------------------------------------|--------------------------|
| Power Source: | Battery | | |
| Blowing Force: | 26 Newtons | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 16.5 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight (w/ AR 3000L) | 37.9 lbs. | | |
| Sound Pressure Rating: | 59 db(A) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Speed: | 192 MPH | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Volume at Nozzle: | 571 CFM | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Run Time (w/ AR 3000 L) Up to: | 140 min. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

✓ ITEM # 14 – BATTERY OPERATED HANDHELD BLOWER, STIHL BGA 86, AS SPECIFIED OR EQUAL

| | | | |
|-----------------------------|------------|-------------------------------------|--------------------------|
| Power Source | Battery | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight | 6.2 Lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight (W/ Ap 300) | 10 Lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Blowing Force | 15 Newtons | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Sound Pressure Rating | 58 Db(A) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Air Velocity | 154 Mph | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Volume At Nozzle | 459 Cfm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Run Time (w/ Ap 300) Up to: | 21 Min. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Adopted on: December 4, 2024
 Official Resolution#: 2024001816
 Central Jersey Equipment LLC

COMPLIANCE PAGES - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Page 7 of 23

| | | | |
|-----------------------------|---------|--------------------------|---|
| Warranty: | 2 years | <input type="checkbox"/> | X |
| Shoulder Strap Included | | <input type="checkbox"/> | X |
| Side-access Chain Tensioner | | <input type="checkbox"/> | X |
| Adjustable auto oiler | | <input type="checkbox"/> | X |
| Two (2) guide bar studs | | <input type="checkbox"/> | X |

SECTION III – BRUSH AND TREE EQUIPMENT (CONT'D)**ITEM #18, BATTERY CHAINSAW, STIHL MSA 300 C-O, AS SPECIFIED, OR EQUAL**

| | | COMPLIANCE | |
|-------------------------------|----------------|-------------------|--------------------------|
| | | YES | NO |
| Weight (w/ AP 500 S): | 14.1 lbs. | X | <input type="checkbox"/> |
| Power Source: | Battery | X | <input type="checkbox"/> |
| Powerhead Weight: | 9.9 lbs. | X | <input type="checkbox"/> |
| Battery System: | AP Series | X | <input type="checkbox"/> |
| Guide Bar Length: | 16" | X | <input type="checkbox"/> |
| Chain Oil Capacity: | 10.5 oz. | X | <input type="checkbox"/> |
| Run Time (w/ AP 500 S) up to: | 44 min. | X | <input type="checkbox"/> |
| Voltage: | 36 volt | X | <input type="checkbox"/> |
| Warranty: | 2 Years | X | <input type="checkbox"/> |
| Oilomatic® Chain: | .325 RS3 Chain | X | <input type="checkbox"/> |

ITEM #19 CHAIN SAW, HUSQVARNA 562XP, AS SPECIFIED, OR EQUAL

| | | | |
|----------------------------------|-------------|--------------------------|---|
| Cylinder displacement | 59.8 cc | <input type="checkbox"/> | X |
| Cylinder bore | 1.81 inch | <input type="checkbox"/> | X |
| Cylinder stroke | 1.42 inch | <input type="checkbox"/> | X |
| Power output | 4.7 hp | <input type="checkbox"/> | X |
| Maximum power speed | 9600 rpm | <input type="checkbox"/> | X |
| Maximum recommended engine speed | 14000 rpm | <input type="checkbox"/> | X |
| Ignition system | SEM DM61 | <input type="checkbox"/> | X |
| Ignition module air gap | 0.01" | <input type="checkbox"/> | X |
| Idling speed | 2800 rpm | <input type="checkbox"/> | X |
| Spark plug | NGK CMR6H | <input type="checkbox"/> | X |
| Electrode gap | 0.02" | <input type="checkbox"/> | X |
| Oil tank volume | 0.7 US pint | <input type="checkbox"/> | X |
| Oil pump capacity | 6-15 ml/min | <input type="checkbox"/> | X |
| Chain pitch | 3/8" | <input type="checkbox"/> | X |
| Recommended bar length, min-max | 15"-28" | <input type="checkbox"/> | X |
| Chain speed at max power | 69.9 ft/s | <input type="checkbox"/> | X |
| Bar mount | Large | <input type="checkbox"/> | X |
| Exhaust emissions (HC average) | 56 g/kWh | <input type="checkbox"/> | X |
| Exhaust emissions (CO average) | 241 g/kWh | <input type="checkbox"/> | X |
| Exhaust emissions (NOx average) | 4.8 g/kWh | <input type="checkbox"/> | X |
| Exhaust emissions (CO2 average) | 802 g/kWh | <input type="checkbox"/> | X |

Introduced on: December 4, 2024

Approved by: [Signature]

Official Resolution#: 2024001816

Central Jersey Equipment LLC

SECTION IV – GENERATORS**ITEM #23, GENERATOR, HONDA EU3000 IS SUPERQUIET, 4 WHEELED MODEL, AS SPECIFIED, OR EQUAL**

| | | <u>COMPLIANCE</u> | |
|----------------------|---|--------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Engine: | 6.5 HP | X | <input type="checkbox"/> |
| | Single cylinder | X | <input type="checkbox"/> |
| | OV air cooled | X | <input type="checkbox"/> |
| Displacement: | 196 cc. | X | <input type="checkbox"/> |
| AC Output: | 120V, 3000 watt max. | X | <input type="checkbox"/> |
| DC Output: | 12V, 144 watt | X | <input type="checkbox"/> |
| Receptacles: | 20A 125V Duplex | X | <input type="checkbox"/> |
| | 30A 125V Locking Plug | X | <input type="checkbox"/> |
| Fuel capacity: | 3.4 gal. | X | <input type="checkbox"/> |
| Run Time: | Approx. 6.9 hrs. of run time on full tank @ rated load | X | <input type="checkbox"/> |
| Dry WT: | 130.7 lbs. | X | <input type="checkbox"/> |
| Dimensions: | 25.9" x 17.6" x 22" | X | <input type="checkbox"/> |
| Commercial Warranty: | 3 yrs. | X | <input type="checkbox"/> |

ITEM #24, GENERATOR, HONDA EB5000XK3, AS SPECIFIED, OR EQUAL

| | | | |
|-------------------------|--|---|--------------------------|
| Engine: | Honda iGX390 | X | <input type="checkbox"/> |
| Displacement: | 389cc | X | <input type="checkbox"/> |
| AC Output: | 120/240V 5000W max. | X | <input type="checkbox"/> |
| Receptacles: | 20A 125V Duplex (2) | X | <input type="checkbox"/> |
| | 30A 125V Locking Plug | X | <input type="checkbox"/> |
| | 30A 125/250V Locking Plug | X | <input type="checkbox"/> |
| Fuel Capacity: | 6.2 gal. | X | <input type="checkbox"/> |
| Run Time per Tankful: | 7.0 hrs. @ rated load, 11.2 hrs @ ½ load | X | <input type="checkbox"/> |
| Dry Weight: | 210.8 lbs. | X | <input type="checkbox"/> |
| Commercial Warranty: | 3 years | X | <input type="checkbox"/> |
| With Standard Wheel Kit | | X | <input type="checkbox"/> |

ITEM #25 - HONDA GENERATOR, MODEL EB10000AN, AS SPECIFIED OR EQUAL

| | | | |
|---------------|---|---|--------------------------|
| Engine: | Honda GX630 | X | <input type="checkbox"/> |
| Displacement: | 688cc | X | <input type="checkbox"/> |
| AC Output: | 120/240V 9000W max. (83.8/41.6A) 9000W rated (75/37.5A) | X | <input type="checkbox"/> |

Introduced on: December 4, 2024

Official Resolution#: 2024001816

Central Jersey Equipment LLC

SECTION VII – MOWERS**ITEM #29 – 20" BATTERY-POWERED, SELF-PROPELLED LAW MOWER, STIHL RMA 510 V, AS SPECIFIED, OR EQUAL**

| | | <u>COMPLIANCE</u> | |
|---------------------------|-------------------|--------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Power Source: | Battery | X | <input type="checkbox"/> |
| Battery System: | AP Series | X | <input type="checkbox"/> |
| Weight: | 63.9 lbs. | X | <input type="checkbox"/> |
| Deck Material: | Steel | X | <input type="checkbox"/> |
| Deck Width: | 21" | X | <input type="checkbox"/> |
| Cutting Width: | 20" | X | <input type="checkbox"/> |
| Cutting Height: | 1"-3.9" | X | <input type="checkbox"/> |
| Self Propelling: | Required | | |
| Cutting Positions: | 7 spring assisted | X | <input type="checkbox"/> |
| Mowing Blade Speed: | 3,200 rpm | X | <input type="checkbox"/> |
| Starter: | Power Switch | X | <input type="checkbox"/> |
| Grass Catcher Capacity: | 19.8 gal. | X | <input type="checkbox"/> |
| Area Mowed (w/ AP 300 S): | 3,078 sq. ft. | X | <input type="checkbox"/> |

ITEM #30 - 42" RIDE ON COMMERCIAL LAWN MOWER, WALKER C23I WITH BUSHEL BOX, AS SPECIFIED, OR EQUAL

| | | | |
|--|---------------------------------|--------------------------|---|
| Engine | Kohler ECH730 | <input type="checkbox"/> | X |
| Collection | 42" Deck Collection | <input type="checkbox"/> | X |
| Fuel System | EFI (Electronic Fuel Injection) | <input type="checkbox"/> | X |
| Cooling System | Air | <input type="checkbox"/> | X |
| Displacement | 747 cc | <input type="checkbox"/> | X |
| Max Power | 23 HP | <input type="checkbox"/> | X |
| Max Torque | 38.1 ft. lbs. | <input type="checkbox"/> | X |
| Fuel Capacity | 4.7 gal. | <input type="checkbox"/> | X |
| Seat | Comfort/Cushion | <input type="checkbox"/> | X |
| Tires | 18 X 8.50-10 Turf Tire | <input type="checkbox"/> | X |
| Dimensions | 50" H X 49.25" W X 96.25" L | <input type="checkbox"/> | X |
| Bushel Catcher Box | 10 | <input type="checkbox"/> | X |
| Introduced on: | December 4, 2024 | | |
| Warranty on: | December 4, 2024 | | |
| Official Resolution#: | 2024001816 | | |
| Central Jersey Equipment LLC | | | |
| 2 Years on Entire Tractor; 3 Years on Engine | | <input type="checkbox"/> | X |

SECTION VII – MOWERS (CONT'D)**ITEM #31 - 60" ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R,
AS SPECIFIED, OR EQUAL - (JOHN DEERE Z994R 60" REAR DISCHARGE)**

| | | COMPLIANCE | |
|---------------------------------------|--|--------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| <u>DIESEL ENGINE</u> | | | |
| Engine Model | 3 Cylinder | X | <input type="checkbox"/> |
| Horsepower (Gross): | 24.8 Gross HP @ 3000 rpm (24.7@3200) | <input type="checkbox"/> | X |
| Total Displacement | 68.5 cu. in. Displacement (77.3cu in) | X | <input type="checkbox"/> |
| 12v 475 Amp Hour Battery: | 14 Amps Charging Output (75 amp) | X | <input type="checkbox"/> |
| <u>DIMENSIONS:</u> | | | |
| Wheel Base: | 56.7" (56") | X | |
| Overall Length: | 89" | X | <input type="checkbox"/> |
| Overall Width (with mower): | 73.8" (63.5") | | X |
| Overall Width (w/o mower): | 59.6" (63.5) | <input type="checkbox"/> | X |
| Overall Height (with ROPS upright) | 78.7" (73") | X | <input type="checkbox"/> |
| Overall Height (with ROPS folded) | 54" (47") | X | <input type="checkbox"/> |
| <u>TIRES AND WHEELS</u> | | | |
| Front | 15 x 6.0 – 6 Flat-free (13x6.5-6 Flat free) | <input type="checkbox"/> | X |
| Rear | 26 x 12.0 – 16 (24x12-12) | <input type="checkbox"/> | X |
| 1. <u>WEIGHT (W/MOWER)</u> | 1750 lbs. (1720lbs) | X | <input type="checkbox"/> |
| <u>FLUID CAPACITY</u> | | | |
| Dual Fuel Tanks (total cap) | 12.9 gal (11.5 US GAL diesel or biodiesel) | <input type="checkbox"/> | X |
| Engine Coolant: | 3.96 qts (7.5 qts) | X | <input type="checkbox"/> |
| Crankcase with filter | 4.1 qts (3.6 qts) | X | <input type="checkbox"/> |
| Transmission Case: | 12.8 qts (6.3 qts) | <input type="checkbox"/> | X |
| <u>TRANSMISSION</u> | | | |
| Hydrostatic Drive | (2) HST w/Gear Reduction (HST L and R Independent) | <input type="checkbox"/> | X |
| Brake Type: | Wet Multi Disks | X | <input type="checkbox"/> |
| Forward Speed: | 0-10.6 mph | X | <input type="checkbox"/> |
| Reverse Speed: | 0-5.3 mph (4.5mph) | <input type="checkbox"/> | X |
| <u>STEERING/MOTION CONTROL</u> | | | |
| Two (2) Hand Levers, Adjustable | | X | <input type="checkbox"/> |
| Hydraulically Damped, Adjustable | | X | <input type="checkbox"/> |
| <u>SAFETY EQUIPMENT</u> | | | |
| Electric Key Shut Off | | X | <input type="checkbox"/> |
| Control Lever Safety Switch | | X | <input type="checkbox"/> |
| Parking Brake Safety Switch | | X | <input type="checkbox"/> |
| Foldable ROPS | | X | <input type="checkbox"/> |
| <u>POWER TAKE OFF</u> | | | |
| Hydraulic Independent PTO | | X | <input type="checkbox"/> |

Introduced on: December 4, 2024

Hydraulic Independent PTO 2024

Official Resolution#: 2024001816

Central Jersey Equipment LLC

COMPLIANCE PAGES - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

Page 16 of 23

Shaft Drive Mower Deck

X

☐

Wet Disk Clutch

X

☐**SECTION VII – MOWERS (CON'T)****ITEM #31 – 60" ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R, AS SPECIFIED, OR EQUAL (CONT'D)****REAR DISCHARGE MOWER**

| COMPLIANCE | |
|------------|----|
| YES | NO |

| | | |
|--|--------------------------|--------------------------|
| 60" Kubota PRO Deck(JOHN DEERE 7 IRON FASTBACK 7 GUAGE DECK) | <input type="checkbox"/> | X |
| 5.5" Deep Deck | X | <input type="checkbox"/> |
| 1-5" Cut Height, (1/4" adjustable increments) | x | <input type="checkbox"/> |
| 3 Blades | x | <input type="checkbox"/> |
| Bolt-on Skid Bars | x | <input type="checkbox"/> |

OPERATING FEATURES

| | | |
|--|--------------------------|--------------------------|
| Adj. Front Axle: Rigid/Oscillating | <input type="checkbox"/> | x |
| Dual Element Air Filter | x | <input type="checkbox"/> |
| Deluxe Suspension Seat | x | <input type="checkbox"/> |
| Hands-free Hydraulic Deck Lift (HANDS FREE MECHANICAL DECK LIFT) | <input type="checkbox"/> | x |
| Hands-free Parking Brake (Hand operated parking brake) | <input type="checkbox"/> | x |
| Cup Holder | x | <input type="checkbox"/> |

ITEM #32 -72" ZERO-TURN LAWN MOWER, STIHL RZ 972I, AS SPECIFIED OR EQUAL

| | | | |
|-----------------|---|--------------------------|--------------------------|
| Power Source: | Gas | X | <input type="checkbox"/> |
| Engine: | Briggs & Stratton (KAWASAKI) | <input type="checkbox"/> | X |
| Max Power: | 40hp (37 hp) | X | <input type="checkbox"/> |
| Deck Size: | 72 in. | X | <input type="checkbox"/> |
| Fuel Capacity: | 15 Gallons (11.5 gal) | <input type="checkbox"/> | X |
| Dimensions: | 71" H x 77" W x 88" L (73" H 77" W 87" L) | <input type="checkbox"/> | X |
| Warranty: | 3 Years / 1,500 engine hours (unlimited hrs in first 2 years) | X | <input type="checkbox"/> |
| Ground Speed: | 12 mph | X | <input type="checkbox"/> |
| Tires: | 26 x 12 Rear Tires; 12 x 6.5-6 Front Tires | <input type="checkbox"/> | X |
| Suspension Seat | | X | <input type="checkbox"/> |

SECTION X - MISCELLANEOUS EQUIPMENT (CONT'D)**ITEM #38 - SOD CUTTER, 18 IN. BLUE BIRD, HONDA ENGINE 5.5 HP, AS SPECIFIED OR EQUAL**

| | | <u>COMPLIANCE</u> | |
|------------------------|----------------------------------|--------------------------|------------------|
| | | <u>YES</u> | <u>NO</u> |
| Engine: | Honda GX160 or Kohler CH255 | <input type="checkbox"/> | X |
| Power: | 5.5 hp | <input type="checkbox"/> | X |
| Drive Train: | Chain Drive | <input type="checkbox"/> | X |
| Clutch Mechanism: | Centrifugal, throttle controlled | <input type="checkbox"/> | X |
| Transmission Type | 4-Speed with reverse | <input type="checkbox"/> | X |
| Gears, Forward/Reverse | 4/1 | <input type="checkbox"/> | X |
| Product Size: | 54 X 24 X 36 | <input type="checkbox"/> | X |

ITEM #39 - WALK BEHIND EDGER, HUSQVARNA LE475, AS SPECIFIED, OR EQUAL

| | | | |
|---------------------------|-------------------|--------------------------|---|
| Capacity: | | | |
| Working depth | 4 in | <input type="checkbox"/> | X |
| Trimming Width | 9 in | <input type="checkbox"/> | X |
| Cylinder displacement | 9.03 cu.inch | <input type="checkbox"/> | X |
| Power output | 4.2 hp | <input type="checkbox"/> | X |
| Fuel consumption | 411 g/kWh | <input type="checkbox"/> | X |
| Motor/engine manufacturer | Briggs & Stratton | <input type="checkbox"/> | X |
| Gross Torque | 5.5 lb-ft | <input type="checkbox"/> | X |
| Transmission type | Belt | <input type="checkbox"/> | X |
| Consumer Warranty | 2 Years | <input type="checkbox"/> | X |

✓ ITEM # 40 - BATTERY-POWERED BACKPACK SPRAYER STIHL SGA 85, AS SPECIFIED, OR EQUAL

| | | | |
|--|-----------|---|--------------------------|
| Weight: | 15.5 lbs. | X | <input type="checkbox"/> |
| Power Source: | Battery | X | <input type="checkbox"/> |
| Container Capacity: | 4.5 gal. | X | <input type="checkbox"/> |
| Working Pressure (not including liquid): | 14.5 psi | X | <input type="checkbox"/> |
| Voltage: | 36 volt | X | <input type="checkbox"/> |
| Warranty: | 2 Years | X | <input type="checkbox"/> |

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

PRICE TABLES
GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|-----------------------------|--|----------|-----------------|-----------|------------|--------|---------------|---------|------------------|
| SECTION I - TRIMMERS | | | | | | | | | |
| ✓ 1 | Line Trimmer, Red Max EXZ260S-94, As Specified or Equal As Specified, or Equal | 12 | EA | \$285.00 | \$3,420.00 | | Red Max | BCZ265S | |
| ✓ 2 | Hedge Trimmer, Red Max CHTZ75R, As Specified, or Equal | 15 | EA | \$510.00 | \$7,650.00 | | | | |
| ✓ 3 | Hedge Trimmer, 20" Tanaka, Model #TCH22EAP2, As Specified or Equal | 15 | EA | \$481.39 | \$7,220.85 | | Echo | HCZ210 | 22"/10lbs/12.5oz |
| ✓ 4 | Hedge Trimmer, 30" Tanaka, Model #TCH22ECP2, As Specified or Equal | 15 | EA | \$485.00 | \$7,275.00 | | Echo | HCZ810 | |
| ✓ 5 | Hedge trimmer, Stihl HS 82 R, 30" blade | 15 | EA | \$470.75 | \$7,061.25 | | | | |

Introduced on: December 4, 2024

Adopted by OCEAN COUNTY BOARD OF SUPERVISORS, December 4, 2024

Official Resolution#: 2024001816

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|----------------------|--|----------|-----------------|------------|-------------|--------|---------------|--------|-----------|
| 6 | Bike Handle Trimmer/Brush Cutter, Stihl FS110, As Specified, or Equal | 50 | EA | \$384.29 | \$19,214.50 | | | | |
| 7 | Line Trimmer, battery-powered, Stihl FSA 135 R, As Specified, or Equal | 15 | EA | \$399.99 | \$5,999.85 | | | | |
| SECTION II - BLOWERS | | | | | | | | | |
| 8 | Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal | 5 | EA | \$1,881.50 | \$9,407.50 | | | | |
| 9 | Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal | 20 | EA | \$542.50 | \$10,850.00 | | | | |
| 10 | Hand Held Blower, Red Max HB281 As Specified, or Equal | 20 | EA | \$152.00 | \$3,040.00 | | | | |
| 11 | Pro Force Debris Blower, Toro 44538 As Specified, or Equal | | EA | No Bid | No Bid | X | | | |

Introduced on: December 4, 2024

Adopted on: December 4, 2024 [OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816
BID - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|---|---|----------|-----------------|------------|-------------|--------|---------------|--------|----------------------|
| 12 | Battery Operated Handheld Blower, Stihl BGA 200, As Specified, or Equal | 10 | EA | \$383.99 | \$3,839.90 | | | | Batt. Sep. \$1139.82 |
| 13 | Battery Operated Backpack Blower, Stihl BGA 300, As Specified, or Equal | 10 | EA | \$599.99 | \$5,999.90 | | | | Batt. Sep. \$1139.82 |
| 14 | Battery Operated Handheld Blower, Stihl BGA 86, As Specified or Equal | 10 | EA | \$223.99 | \$2,239.90 | | | | Batt. Sep. 224.99 |
| SECTION III - BRUSH AND TREE EQUIPMENT | | | | | | | | | |
| ✓ 15 | Brush Cutter, Billy Goat Outback BC2601HHC, As Specified, or Equal | 3 | EA | \$4,071.23 | \$12,213.69 | | | | |
| ✓ 16 | Telescoping Pole Pruner, 80", Stihl HT103, As Specified, or Equal | 25 | EA | \$539.99 | \$13,499.75 | | Stihl | HT105 | 17.3lbs |
| ✓ 17 | Telescoping Power Pruner, Echo PPT-2620H, As Specified, or Equal | 20 | EA | \$510.29 | \$10,205.80 | | | | |

Introduced on: December 4, 2024

Adopted by OCEAN COUNTY BOARD OF SUPERVISORS, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816
BID - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|--------------------------------|---|----------|-----------------|------------|-------------|--------|---------------|--------|---------------------|
| 18 | Chainsaw, Full Battery, Stihl MSA 300 C-O, As Specified or Equal | 15 | EA | \$639.99 | \$9,599.85 | | | | Batt. Sep. \$337.49 |
| ✓ 19 | Chain Saw, Husqvarna 562XP As Specified, or Equal | 5 | EA | \$695.99 | \$3,479.95 | | | | 20" bar |
| ✓ 20 | Arborist Gas Saw, Stihl MS201T As Specified, or Equal | 5 | EA | \$629.40 | \$3,147.00 | | | | |
| ✓ 21 | Cordless Chainsaw (with required accessories), Stihl MSA 220 C-B, As Specified or Equal | 15 | EA | \$635.47 | \$9,532.05 | | | | |
| ✓ 22 | Gas Powered Chainsaw, Stihl MS 362, Complete, As Specified, or Equal | 15 | EA | \$709.25 | \$10,638.75 | | | | |
| SECTION IV - GENERATORS | | | | | | | | | |
| 23 | Generator, Honda EU3000, 4 Wheeled Model, As Specified, or Equal | 8 | EA | \$1,575.00 | \$12,600.00 | | | | Wheels Sep. \$72.10 |

Introduced on: December 4, 2024

Adopted on: December 10, 2024 [OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|--------------------------------|--|----------|-----------------|------------|-------------|--------|---------------|--------|-----------|
| 24 | Generator, Honda EB5000XK3 As Specified, or Equal | 8 | EA | \$2,040.00 | \$16,320.00 | | | | |
| 25 | Generator, Honda Model ED10000AN, As Specified or Equal | 3 | EA | \$4,680.00 | \$14,040.00 | | | | |
| SECTION V - COMPRESSORS | | | | | | | | | |
| 26 | Portable Compressor, Atlas Copco XAS 188, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| OPTIONS FOR ITEM 26 | | | | | | | | | |
| 26A | 50' Single Hose Reel | | EA | No Bid | No Bid | X | | | |
| 26B | 50' Dual Hose Reel | | EA | No Bid | No Bid | X | | | |
| 26C | 50' Hose | | EA | No Bid | No Bid | X | | | |
| 26D | 100' Single Hose Reel | | EA | No Bid | No Bid | X | | | |
| 26E | 100' Dual Hose Reel | | EA | No Bid | No Bid | X | | | |
| 26F | 100' Hose | | EA | No Bid | No Bid | X | | | |
| 26G | 2" Adjustable Bulldog Hitch | | EA | No Bid | No Bid | X | | | |

Introduced on: December 4, 2024

Adopted: [OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP: B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|-----------------------------|---|----------|-----------------|-----------|------------|--------|---------------|--------|-----------|
| SECTION VI – AUGERS | | | | | | | | | |
| ✓ 28 | Earth Auger, Stihl BT 131 with 5.9" (150 mm) Diameter Bit, As Specified, or Equal | 10 | EA | \$498.50 | \$4,985.00 | | | | |
| OPTIONS FOR ITEM 28 | | | | | | | | | |
| ✓ 28A | 1.6 (40mm) Diameter Auger Bit (For Dirt) | 10 | EA | \$86.24 | \$862.40 | | | | |
| ✓ 28B | 2.4" Diameter Auger Bit (For Dirt) | 10 | EA | \$98.75 | \$987.50 | | | | |
| ✓ 28C | 3.5" Diameter Auger Bit (For Dirt) | 10 | EA | \$107.00 | \$1,070.00 | | | | |
| ✓ 28D | 4.7" Diameter Auger Bit (For Dirt) | 10 | EA | \$115.00 | \$1,150.00 | | | | |
| ✓ 28E | 5.9" Diameter Auger Bit (For Dirt) | 10 | EA | \$123.00 | \$1,230.00 | | | | |
| ✓ 28F | 7.9" Diameter Auger Bit (For Dirt) | 10 | EA | \$131.00 | \$1,310.00 | | | | |
| SECTION VII - MOWERS | | | | | | | | | |

Introduced on: December 4, 2024

Adopted by: OCEAN COUNTY BOARD OF SUPERVISORS, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816

BID: GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|---------------------------------|--|----------|-----------------|-------------|--------------|--------|---------------|----------------|---------------------|
| 29 | .20" Battery-Powered, Self-Propelled Mower, Stihl RMA 510 V, As Specified or Equal | 5 | EA | \$399.99 | \$1,999.95 | | | | Batt. Sep. \$639.99 |
| ✓ 30 | 42" Ride-on Commercial Lawn Mower, Walker C23I with Bushel Box, As Specified, or Equal | 5 | EA | \$14,378.50 | \$71,892.50 | | | | |
| 31 | 60" Zero Turn Rear Discharge Mower, Kubota Model ZD1211R-60R As Specified, or Equal | 8 | EA | \$16,821.40 | \$134,571.20 | | | | |
| ✓ 32 | 72" Zero-Turn Rear Discharge Mower, Stihl RZ972I, As Specified, or Equal | 3 | EA | \$13,858.64 | \$41,575.92 | | Bobcat | 9997065 ZT7000 | Kawasaki EFI eng |
| SECTION VIII - UTILITY VEHICLES | | | | | | | | | |
| ✓ 33 | Utility Vehicle, Kubota RTV-X1100CWLH As Specified, or Equal | 5 | EA | \$22,549.80 | \$112,749.00 | | | | |
| OPTIONS FOR ITEM 33 | | | | | | | | | |

Introduced on: December 4, 2024

Adopted on: December 11, 2024

Official Resolution#: 2024001816

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|--|---|----------|-----------------|------------|-------------|--------|---------------|---------|--------------|
| ✓ 33A | 25 x 11-12 ATV, 6 Ply, Front Set of Tires | 5 | SET | \$415.16 | \$2,075.80 | | | | |
| ✓ 33B | 25 x 10-12 HDWS, 6 Ply, Front Set of Tires | 5 | SET | \$273.80 | \$1,369.00 | | | | |
| ✓ 33C | 25 x 11-12 ATV, 6 Ply, Rear Set of Tires | 5 | SET | \$415.16 | \$2,075.80 | | | | |
| ✓ 33D | 25 x 10-12 HDWS, 6 Ply, Rear Set of Tires | 5 | SET | \$273.80 | \$1,369.00 | | | | |
| SECTION IX - TRAILERS | | | | | | | | | |
| 34 | Utility Trailer, Big Tex #10PI-20, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| OPTION FOR ITEM 34 | | | | | | | | | |
| 34A | 4' Heavy Duty Integrated Ramp Gate w/Gas Shock Assist | | EA | No Bid | No Bid | X | | | |
| SECTION X - MISCELLANEOUS EQUIPMENT | | | | | | | | | |
| ITEM 35 AND OPTIONS | | | | | | | | | |
| ✓ 35 | Vibratory Asphalt Plate, Wacker Neuson WP 1550AW, As Specified or Equal | 10 | EA | \$1,714.00 | \$17,140.00 | | | BCF2150 | Comes w/whls |

Introduced on: December 4, 2024

Adopted by OCEAN COUNTY BOARD OF SUPERVISORS on December 4, 2024

Official Resolution #: 2024001816

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|---------------------|---|----------|-----------------|-----------|------------|--------|---------------|--------|-----------|
| 35A | Wheel Kit | | KIT | No Bid | No Bid | X | | | |
| ITEM 36 AND OPTIONS | | | | | | | | | |
| ✓ 36 | Stihl TS 420 Cutquik Cut-Off Machine, As Specified or Equal | 10 | EA | \$974.99 | \$9,749.90 | | | | |
| ✓ 36A | Stihl Cutquik Cart with Mounting Kit | 10 | EA | \$305.24 | \$3,052.40 | | | | |
| ✓ 36B | Water Tank for Cart | 6 | EA | \$128.99 | \$773.94 | | | | |
| ✓ 36C | Stihl TS Wheel Kit | 10 | EA | \$115.49 | \$1,154.90 | | | | |
| ✓ 36D | Guide Wheel Kit for Stihl Cutquik cart | 10 | EA | \$40.49 | \$404.90 | | | | |
| ITEM 37 AND OPTIONS | | | | | | | | | |
| ✓ 37 | Stihl KombiSystem, Powerhead KM 131R, As Specified, or Equal | 2 | EA | \$374.99 | \$749.98 | | | | |
| ✓ 37A | Adjustable Power Scythe, Compatible with KM 131R, As Specified or Equal | 2 | EA | \$202.49 | \$404.98 | | | | |

Introduced on: December 4, 2024

Adopted by: OCEAN COUNTY BOARD OF COMMISSIONERS, INC DBA/ACE OUTDOOR POWER EQUIPMENT

Official Resolution #: 2024001819
for GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

[OCEAN COUNTY EQUIPMENT, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

OCEAN COUNTY EQUIPMENT DBA ACE POWER OUTDOOR EQUIP. B2024-176

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|-----------|---|----------|-----------------|------------|------------|--------|---------------|------------|-----------|
| ✓ 37B | Pole Pruner Attachment, Compatible with KM 131R, As Specified, or Equal | 2 | EA | \$149.99 | \$299.98 | | | | |
| ✓ 37C | Shaft Extension, Compatible with KM 131R, As Specified or Equal | 2 | EA | \$67.49 | \$134.98 | | | | |
| ✓ 37D | Adjustable Hedge Trimmer, Compatible with KM 131R, As Specified, or Equal | 2 | EA | \$209.99 | \$419.98 | | | | |
| ITEM 38 | | | | | | | | | |
| ✓ 38 | Sod Cutter, Blue Bird, Honda Engine 5.5 HP, 18 in., As Specified or Equal | 2 | EA | \$4,822.24 | \$9,644.48 | | | M6131 | |
| ITEM 39 | | | | | | | | | |
| ✓ 39 | Walk Behind Edger, Husqvarna LE475, As Specified, or Equal | 2 | EA | \$1,013.22 | \$2,026.44 | | | 6033-00-01 | |
| ITEM 40 | | | | | | | | | |

Introduced on: December 4, 2024

Adopted by: [OCEAN COUNTY BOARD OF FREEholders, INC DBA/ACE OUTDOOR POWER EQUIPMENT] RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001816
BID: GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

SECTION I - TRIMMERS

ITEM #1, LINE TRIMMER, RED MAX EXZ260S-94, AS SPECIFIED, OR EQUAL

| | | <u>COMPLIANCE</u> | |
|--|--------------------------------------|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Weight: | 8.82 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine: | Pro-GZ25N Strato charged | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement: | 25.4 cm ³ | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Carburetor: | Diaphragm w/purge pump | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Horsepower: | 1.27 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Bore & Stroke: | 34M x 28M | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Ignition: | Solid State | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Clutch: | Centrifugal | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 22.32 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cutting Head: | 4" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Muffler: | Quiet tone with guard | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Drive Shaft: | Straight solid shaft w/ splined ends | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Shall meet all EPA Pollution Standards for Phase II/Carb Tier II | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #2, HEDGE TRIMMER, RED MAX CHTZ75R, AS SPECIFIED, OR EQUAL

| | | | |
|----------------|-----------------|-------------------------------------|--------------------------|
| Blade Type: | Double | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Blade Length: | 30" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Size: | 23.6 cc | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Type: | Strato-Charged® | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Horse Power: | .80 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dry Weight: | 13.3 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 15.2 fl. oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #3, HEDGE TRIMMER, 20" TANAKA, TCH22EAP2, AS SPECIFIED, OR EQUAL

| | | | |
|-------------------------|------------------------|-------------------------------------|-------------------------------------|
| Blade Length | 20 in. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Weight | 9.5 lbs. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Displacement | 21.1 cm ³ | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Strokes | 3,760/min. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity | 10.1 oz | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Operation Time per Tank | 32 mins. | <input type="checkbox"/> | <input type="checkbox"/> |
| Exhaust Direction | Forward/Angled | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Emission | Standard Phase 2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Noise Level | 87 dB | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Rear Handle | 5 Position, Adjustable | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

SECTION I – TRIMMERS (CONT'D)

ITEM #4, HEDGE TRIMMER, 30" TANAKA, TCH22ECP2, AS SPECIFIED, OR EQUAL

| | | COMPLIANCE | |
|-------------------------|------------------------|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Blade Length | 30 in. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight | 11.4 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement | 21.1 cm ³ | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Strokes | 3,760/min. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity | 10.1 oz | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Blades | Double-Sided | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Operation Time per Tank | 32 mins. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Exhaust Direction | Forward/Angled | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Emission | Standard Phase 2 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Noise Level | 89 dB | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Rear Handle | 5 Position, Adjustable | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #5, HEDGE TRIMMER, STIHL HS 82R, 30" BLADE, AS SPECIFIED, OR EQUAL

| | | | |
|----------------|-------------------------------|-------------------------------------|--------------------------|
| Displacement | 22.7cc (1.4 in ³) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Power | 0.7 kw (094 bhp) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel | Gas | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity | 460 cc (15.6 oz) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Blade Length | 30" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Strokes/Minute | 3100 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight | 5.7 kg with 30" Blade | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #6, BIKE HANDLE TRIMMER/BRUSH CUTTER, STIHL FS110, AS SPECIFIED, OR EQUAL

| | | | |
|---|---|-------------------------------------|--------------------------|
| Stihl 4-MIX® Engine, meets EPA emission requirements, | | | |
| Auto Cut® cutting head, lightweight. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement: | 1.9 cu. in. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Power: | 1.4 bhp | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 12.8 lbs. (without cutting attachment or deflector) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 18 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

SECTION II – BLOWERS

ITEM #8, LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL

| | | <u>COMPLIANCE</u> | |
|-----------------|------------------------------------|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Model No.: | F1302H – 13.0 HP Honda GX | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Front Wheel: | 10" x 3" pneumatic | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Rear Wheels: | 13" x 5" pneumatic | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Base: | 12 gauge steel, robotically welded | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Discharge Size: | 5" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Unit Weight: | 152 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dimensions: | 33" L x 30" W x 35" H | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #9, BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL

| | | | |
|----------------------|-----------------------------|-------------------------------------|--------------------------|
| Engine: | Strato 75.6 cm ³ | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 24.7 lbs | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Horsepower: | 4.4 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Speed: | 206 MPH | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Volume: | 908 CFM | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 77.77 fl. oz | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Emission Durability: | 300 hrs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #10, HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL

| | | | |
|----------------------|-----------------|-------------------------------------|--------------------------|
| Engine: | 28 cc, 2 stroke | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 9.4 lbs | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Horse Power: | 1.1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Speed: | 170 MPH | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 16.9 OZ | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Flow in Pipe: | 425 CFM | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Air Flow in Housing: | 470 CFM | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Standard Warranty | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #11, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL

| | | | |
|--------------|---|--------------------------|--------------------------|
| Engine: | 27 hp twin cylinder air-cooled Kohler command pro with electronic governor | <input type="checkbox"/> | <input type="checkbox"/> |
| Fan: | Aerial flow | <input type="checkbox"/> | <input type="checkbox"/> |
| Height: | 33 inches | <input type="checkbox"/> | <input type="checkbox"/> |
| Length: | 79-115 inches from adjustable tow hitch to nozzle outlet | <input type="checkbox"/> | <input type="checkbox"/> |
| Nozzle Type: | impact resistant plastic with 13 inch outlet diameter | <input type="checkbox"/> | <input type="checkbox"/> |
| Tires: | 10X10.8, 4 ply turf tire | <input type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 years | <input type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 475 lbs. | <input type="checkbox"/> | <input type="checkbox"/> |
| Width: | 48 inches | <input type="checkbox"/> | <input type="checkbox"/> |

SECTION III – BRUSH AND TREE EQUIPMENT

ITEM #15, BRUSH CUTTER, BILLY GOAT OUTBACK BC2601HHC, AS SPECIFIED, OR EQUAL

| | | COMPLIANCE | |
|---------------|--|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Engine: | Honda 388cc Electric Start | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Transaxle: | Tuff Torq hydrostatic transmission featuring fully automatic enhanced traction control | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Blade Clutch: | Blade brake/clutch | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Slope: | 20° | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cut Width: | 26" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cut Height: | Saplings up to 2" in diameter, and brush 6 ft. tall | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Wheels Rear: | 16" diameter with puncture sealant | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Unit Weight: | 335 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dimensions: | 72" L (Overall) x 31" W x 48" H | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #16, TELESCOPING POLE PRUNER, 80", STIHL HT103, AS SPECIFIED, OR EQUAL

| | | | |
|--|---|-------------------------------------|-------------------------------------|
| Automatic chain oiling, side access chain tensioner. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement: | 1.9 cu. in., 31.4cc | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine: | Stihl 4-MIX® | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Power: | 1.05 Kw | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight with Cutting Attachment: | 16.3 lbs. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Fuel Capacity: | 18.0 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Chain Oil Capacity: | 7.4 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Oilomatic® Chain: | 3/8" PMM ³ , 12" bar and chain | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Shaft Length: | 80" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #17, TELESCOPING POWER PRUNER, ECHO PPT-2620H, AS SPECIFIED, OR EQUAL

| | | | |
|------------------------------------|------------------------|-------------------------------------|--------------------------|
| Engine Displacement: | 25.4 cc | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Carburetor (w/ purge pump): | Rotary Valve-Diaphragm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 20.6 fl. oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Oil Capacity: | 6.6 fl. oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Length Collapsed: | 107 in. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Length Extended: | 146 in. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Optional Extension to be included: | 4 ft. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Bar Length: | 12 in. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dry Weight (w/o bar and chain): | 17 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Shoulder Strap Included | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Side-access Chain Tensioner | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Adjustable auto oiler | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Two (2) guide bars standard | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Introduced on: December 4, 2024
 Adopted on: December 4, 2024
 Two (2) guide bars standard

ITEM #18, BATTERY CHAINSAW, STIHL MSA 300 C-O, AS SPECIFIED, OR EQUAL

| | | <u>COMPLIANCE</u> | |
|-------------------------------|----------------|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Weight (w/ AP 500 S): | 14.1 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Power Source: | Battery | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Powerhead Weight: | 9.9 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Battery System: | AP Series | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Guide Bar Length: | 16" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Chain Oil Capacity: | 10.5 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Run Time (w/ AP 500 S) up to: | 44 min. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Voltage: | 36 volt | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 Years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Oilomatic® Chain: | .325 RS3 Chain | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

✓ **ITEM #19 CHAIN SAW, HUSQVARNA 562XP, AS SPECIFIED, OR EQUAL**

| | | | |
|--|-------------|-------------------------------------|--------------------------|
| Cylinder displacement | 59.8 cc | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cylinder bore | 1.81 inch | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cylinder stroke | 1.42 inch | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Power output | 4.7 hp | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Maximum power speed | 9600 rpm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Maximum recommended engine speed | 14000 rpm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Ignition system | SEM DM61 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Ignition module air gap | 0.01" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Idling speed | 2800 rpm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Spark plug | NGK CMR6H | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Electrode gap | 0.02" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Oil tank volume | 0.7 US pint | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Oil pump capacity | 6-15 ml/min | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Chain pitch | 3/8" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Recommended bar length, min-max | 15"-28" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Chain speed at max power | 69.9 ft/s | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Bar mount | Large | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Exhaust emissions (HC average) | 56 g/kWh | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Exhaust emissions (CO average) | 241 g/kWh | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Exhaust emissions (NOx average) | 4.8 g/kWh | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Exhaust emissions (CO ₂ average) | 802 g/kWh | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Equivalent vibration level (ahv,eq) front/rear handle 2.7/3.2 m/s ² | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Sound pressure level at operators' ear | 106 dB(A) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Sound power level, guaranteed (LWA) | 118 dB(A) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight excl. cutting equipment | 12.57 lbs | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #20, STIHL MS201T, ARBORIST GAS SAW, AS SPECIFIED, OR EQUAL

| | | COMPLIANCE | |
|---------------------|-------------------------------|-------------------------------------|--------------------------|
| | | YES | NO |
| Displacement: | 2.14 cu. in | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Power: | 2.41 bhp | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Powerhead weight: | 8.16 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel capacity: | 10.5 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Chain oil capacity: | 7.4 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Oilmatic® chain: | 63 PS3 (30" to 40") | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Guide bar lengths: | Stihl Rollomatic®E or E light | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #21, STIHL MSA 220 C-B, CORDLESS CHAINSAW, AS SPECIFIED, OR EQUAL

| | | | |
|----------------------------------|--------------------------|-------------------------------------|--------------------------|
| Weight | 3.6 kg | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cutting Length/Bar Length | 35 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Rated voltage | 36V | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Sound pressure level | 89 dB(A) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Vibration level left/right | 4.8/3.6 m/s ² | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Saw chain pitch | 3/8" P | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Battery technology | Lithium-Ion AP System | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Battery Life | Minimum 42 Minutes | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Included Accessories: | | | |
| AL 300 Quick Charger, 220-240V | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| AP 300 S 36V Lithium Ion Battery | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #22, STIHL MS 362, GAS POWERED CHAINSAW, COMPLETE, AS SPECIFIED, OR EQUAL

| | | | |
|--------------------------------|--------------|-------------------------------------|--------------------------|
| Power Source | Gas | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Powerhead Weight | 12.3 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Guide Bar Length (Recommended) | 20 in. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Oilomatic® Chain | 3/8" RS3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Chain Oil Capacity | 11 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Power | 4.6 bhp | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity | 20.3 oz. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement | 59.0 cc | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Intended Use | Professional | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #23, GENERATOR, HONDA EU3000 IS SUPERQUIET, 4 WHEELED MODEL, AS SPECIFIED, OR EQUAL

| | | <u>COMPLIANCE</u> | |
|----------------------|---|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Engine: | 6.5 HP | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | Single cylinder | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | OV air cooled | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement: | 196 cc. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| AC Output: | 120V, 3000 watt max. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| DC Output: | 12V, 144 watt | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Receptacles: | 20A 125V Duplex | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | 30A 125V Locking Plug | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel capacity: | 3.4 gal. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Run Time: | Approx. 6.9 hrs. of run time on full tank @ rated load | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dry WT: | 130.7 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dimensions: | 25.9" x 17.6" x 22" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Commercial Warranty: | 3 yrs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

✓ **ITEM #24, GENERATOR, HONDA EB5000XK3, AS SPECIFIED, OR EQUAL**

| | | | |
|-------------------------|--|-------------------------------------|--------------------------|
| Engine: | Honda iGX390 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement: | 389cc | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| AC Output: | 120/240V 5000W max. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Receptacles: | 20A 125V Duplex (2) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | 30A 125V Locking Plug | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | 30A 125/250V Locking Plug | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 6.2 gal. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Run Time per Tankful: | 7.0 hrs. @ rated load, 11.2 hrs @ ½ load | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dry Weight: | 210.8 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Commercial Warranty: | 3 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| With Standard Wheel Kit | | <input type="checkbox"/> | <input type="checkbox"/> |

✓ **ITEM #25 - HONDA GENERATOR, MODEL EB10000AN, AS SPECIFIED OR EQUAL**

| | | | |
|-----------------------|--|--------------------------|--------------------------|
| Engine: | Honda GX630 | <input type="checkbox"/> | <input type="checkbox"/> |
| Displacement: | 688cc | <input type="checkbox"/> | <input type="checkbox"/> |
| AC Output: | 120/240V 10000W max. (83.8/41.6A) 9000W rated (75/37.5A) | <input type="checkbox"/> | <input type="checkbox"/> |
| Receptacles: | 20A 125V GFCI Duplex (2), 30A 125V Locking Plug, 30A 125/250V Locking Plug, 50A 125/250V Locking Plug | <input type="checkbox"/> | <input type="checkbox"/> |
| Starting System: | Electric | <input type="checkbox"/> | <input type="checkbox"/> |
| Fuel Tank Capacity: | 8.19 gal. | <input type="checkbox"/> | <input type="checkbox"/> |
| Run Time per Tankful: | 5.4 hrs @ rated load, 7.9 hrs @ 1/2 load | <input type="checkbox"/> | <input type="checkbox"/> |
| Dimensions: | (L x W x H): 41.0" x 27.7" x 35.1" including hanging hook & with handlebars folded | <input type="checkbox"/> | <input type="checkbox"/> |
| Introduced on: | December 4, 2024 | | |
| Adopted on: | December 4, 2024 | | |
| Official Resolution#: | 2024001816 | | |

SECTION VI – AUGERS

ITEM #28 - EARTH AUGER, STIHL BT 131 WITH 5.9" (150mm) DIAMETER BIT, AS SPECIFIED, OR EQUAL

| | | <u>COMPLIANCE</u> | |
|--|----------------------------------|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| High Torque one-person auger, 4 MIX engine with low fuel consumption, Low Noise and vibration level. Standard with QuickStop drill brake, long live air filter system and support cushion. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement cm | 36.3 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Power output Kw/BHP | 1.4/ 1.9 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight kg | 10 KG | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Tank volume | 550.00 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Included Bit | 5.9" (150mm) diameter (for dirt) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| QuickStop drill brake for work safety. QuickStop drill brake acts to stop backwards rotation. A jammed drilling bit can simply be unscrewed from the borehole | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| OPTIONS: | | | |
| ✓ 28A. 1.6 (40mm) diameter auger bit (for dirt) | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 28B. 2.4 (60mm) diameter auger bit (for dirt) | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 28C. 3.5 (90mm) diameter auger bit (for dirt) | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 28D. 4.7 (120 mm) diameter auger bit (for dirt) | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 28E. 5.9 (150mm) diameter auger bit (for dirt) | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 28F. 7.9 (200 mm) diameter auger bit (for dirt) | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

SECTION VII – MOWERS

ITEM #29 – 20" BATTERY-POWERED, SELF-PROPELLED LAW MOWER, STIHL RMA 510 V, AS SPECIFIED, OR EQUAL

| | | <u>COMPLIANCE</u> | |
|---------------------------|-------------------|-------------------------------------|--------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Power Source: | Battery | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Battery System: | AP Series | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 63.9 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Deck Material: | Steel | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Deck Width: | 21" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cutting Width: | 20" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cutting Height: | 1"-3.9" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Self Propelling: | Required | | |
| Cutting Positions: | 7 spring assisted | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Mowing Blade Speed: | 3,200 rpm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Starter: | Power Switch | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Grass Catcher Capacity: | 19.8 gal. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Area Mowed (w/ AP 300 S): | 3,078 sq. ft. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

✓ **ITEM #30 - 42" RIDE ON COMMERCIAL LAWN MOWER, WALKER C23I WITH BUSHEL BOX, AS SPECIFIED, OR EQUAL**

| | | | |
|--------------------|--|-------------------------------------|--------------------------|
| Engine | Kohler ECH730 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Collection | 42" Deck Collection | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel System | EFI (Electronic Fuel Injection) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cooling System | Air | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement | 747 cc | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max Power | 23 HP | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max Torque | 38.1 ft. lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity | 4.7 gal. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Seat | Comfort/Cushion | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Tires | 18 X 8.50-10 Turf Tire | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dimensions | 50" H X 49.25" W X 96.25" L | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Bushel Catcher Box | 10 | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 Years on Entire Tractor; 3 Years on Engine | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #31 – 60” ZERO TURN REAR DISCHARGE MOWER, KUBOTA MODEL ZD1211R-60R, AS SPECIFIED, OR EQUAL (CONT'D)

| | <u>COMPLIANCE</u> | |
|---|-------------------------------------|--------------------------|
| | <u>YES</u> | <u>NO</u> |
| <u>REAR DISCHARGE MOWER</u> | | |
| 60” Kubota PRO Deck | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 5.5” Deep Deck | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 1-5” Cut Height, (1/4” adjustable increments) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 3 Blades | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Bolt-on Skid Bars | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <u>OPERATING FEATURES</u> | | |
| Adj. Front Axle: Rigid/Oscillating | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dual Element Air Filter | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Deluxe Suspension Seat | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Hands-free Hydraulic Deck Lift | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Hands-free Parking Brake | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cup Holder | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

✓ **ITEM #32 -72” ZERO-TURN LAWN MOWER, STIHL RZ 972I, AS SPECIFIED OR EQUAL**

| | | | |
|-----------------|--|-------------------------------------|-------------------------------------|
| Power Source: | Gas | <input type="checkbox"/> | <input type="checkbox"/> |
| Engine: | Briggs & Stratton | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Max Power: | 40hp | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Deck Size: | 72 in. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Capacity: | 15 Gallons | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Dimensions: | 71" H x 77" W x 88" L | <input type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 3 Years / 1,500 engine hours | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Ground Speed: | 12 mph | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Tires: | 26 x 12 Rear Tires; 12 x 6.5-6 Front Tires | <input type="checkbox"/> | <input type="checkbox"/> |
| Suspension Seat | | <input type="checkbox"/> | <input type="checkbox"/> |

SECTION VIII – UTILITY VEHICLES

ITEM #33, UTILITY VEHICLE, KUBOTA RTV-X1100CWLH, AS SPECIFIED, OR EQUAL

| | | | COMPLIANCE | |
|-----------------------------------|--|--|-------------------------------------|--------------------------|
| | | | YES | NO |
| Type: | 3 cylinder, water-cooled 4-cycle diesel OHV | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement: | 68.5 cu. in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Horsepower (HP): | 24.8 @3000 rpm | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Tank Capacity: | 7.9 gals. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Transmission: | Variable hydro transmission (VHT - X) | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Traveling Speed: | 25 mph | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Wheels, Drive System: | 4, rear 2WD or 4WD selection | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Differential Lock: | Standard foot operated with mechanical holder | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Gear Selection: | Hi-Med-Lo range forward, neutral, reverse | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Brakes: | Front/Rear Wet-disc brake | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Parking Brake: | Rear wheel, hand lever | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Steering: | Hydrostatic power | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Suspension: | Front: Independent Dual A arms with adjustable spring pre load | | | |
| | Rear: Independent with coil over shock | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Length: | 122.5 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Width: | 65.4 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Height Overall: | 82.3 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Front Tread Centers: | 48.8 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Rear Tread Centers: | 48.8 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Wheelbase: | 80.5 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Ground Clearance: | Front/rear axle 10.5/10.4 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Turning Diameter: | 26.2 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max Rolling Weight: | Towing capacity – 1300 lbs. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| | Payload capacity – 1629 lbs. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 2370 lbs. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cargo Bed Width x Length x Depth: | 57.7 x 40.5 x 11.2 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cargo Volume: | 15.2 cu. ft. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Bed Height: | Unloaded – 34.9 in. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Cargo Bed Load: | 1102 lbs. | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Tires, Front: | TURF 25 × 10-12, 4-ply, or equal | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Tires, Rear: | TURF 25 × 10-12, 4-ply, or equal | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Front Guard: | Standard | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Hydraulic Bed Lift: | Standard | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Speedometer: | Standard | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Bed Liner | Standard | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Color: | Orange | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

SECTION VIII – UTILITY VEHICLES (CONT'D)

ITEM #33, UTILITY VEHICLE, KUBOTA RTV-X1100CWLH, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS:

- | | | |
|--|-------------------------------------|--------------------------|
| ✓ 33A. 25 x 11-12 ATV, 6 Ply – Front Set of Tires | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 33B. 25 x 10-12 HDWS, 6 Ply – Front Set of Tires | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 33C. 25 x 11-12 ATV, 6 Ply – Rear Set of Tires | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 33D. 25 x 10-12 HDWS, 6 Ply – Rear Set of Tires | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #35, VIBRATORY ASPHALT PLATE, WACKER NEUSON #WP 1550AW, AS SPECIFIED OR EQUAL

| | | <u>COMPLIANCE</u> | |
|--|---|-------------------------------------|-------------------------------------|
| | | <u>YES</u> | <u>NO</u> |
| <u>DIMENSIONS</u> | | | |
| Length | 34.5 in | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Width | 19.5 in | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Height | 38 in. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Base Plate | 23 in x 19.5 in | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Lowest Working Height | 20 in. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Weight | 190 lbs. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| <u>ENGINE</u> | | | |
| Type | Air-Cooled, 4 Cycle, Single Cylinder, Honda Gasoline | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement | 9.9 in ³ | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Power Output | 5.5 hp/3,900 rpm | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Power Rate | 5 hp/3,600 rpm | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Fuel Tank Capacity | 3.9 qt | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Fuel Consumption | 1.9 qt/hr | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <u>BASE PLATE</u> | | | |
| Water Tank Capacity | 11 qt. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Grade Ability | 30% | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Vibration Frequency | 6,000 vpm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Compacted Area | 9,750 ft ² / hr | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Tough, wear resistant ductile iron base plate | | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Computer designed base plate has tapered bottom and edges for high speed | | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Designed for compaction of granular and mixed materials with some cohesive content in confined areas | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <u>TRANSMISSION</u> | | | |
| Power Train | Power transmission from engine via centrifugal clutch and V-Belt onto exitter which transmits centrifugal force onto base plate | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Centrifugal Force | 3,375 lb. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Forward Speed | Up to 100 ft/min | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| <u>STANDARD FEATURES</u> | | | |
| Asphalt Water Tank Included | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Straight, Center-Mounted Guide Handle | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <u>OPTION</u> | | | |
| Introduced on: December 4, 2024 35A Wheel Kit Official Resolution#: 2024001816 | | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

SECTION X – MISCELLANEOUS EQUIPMENT (CONT'D)

ITEM #36, STIHL TS 420 CUTQUICK CUT-OFF MACHINE, AS SPECIFIED OR EQUAL

| | | COMPLIANCE | |
|--------------------|---------------------------------|-------------------------------------|--------------------------|
| | | YES | NO |
| Displacement | 66.7 cc (4.07 in ³) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Power | 3.2 kW (4.4 bhp) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight | 9.6 kg (21.2 lbs.) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Fuel Tank Capacity | 710 cc (24 oz.) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Speed | 9,000 rpm (elec. Gov.) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Spindle Speed | 5,350 rpm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Arbor Size | 20 mm | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Wheel Size | 350 mm (14") | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Max. Cutting Depth | 125 mm (4.9") | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Power Source | Gas | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

OPTIONS:

| | | |
|---|-------------------------------------|--------------------------|
| ✓ 36A. Stihl CutQuik Cart with Mounting Kit | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 36B. Water Tank for Cart | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 36C. Stihl TS Wheel Kit | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 36D. Guide Wheel Kit for Cart | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

ITEM #37 – STIHL KOMBI SYSTEM POWERHEAD KM-131R, AS SPECIFIED, OR EQUAL

| | | | |
|--------------|---------------------|-------------------------------------|--------------------------|
| Weight | 4.4Kg (9.7lbs) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Displacement | 36.3cc (2.2cu. in.) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Engine Power | 1.4 kw (1.9 bhp) | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Power Source | Gas | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

OPTIONS:

| | | |
|--|-------------------------------------|--------------------------|
| ✓ 37A. Adjustable Power Scythe 145°, 10" Blade | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 37B. Pole Pruner Guide Bar Length shall be 12" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 37C. Shaft Extension Lengthens shaft by at least 37" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| ✓ 37D. Adjustable Hedge Trimmer Blade length shall be 20" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Overall Length shall be 58.3" | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 145° working range | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

[TURF EQUIPMENT AND SUPPLY CO.] RESPONSE DOCUMENT REPORT

Bid No. TBD

GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

B2024-176

TURF EQUIPMENT AND SUPPLY COMPANY

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total Cost | No Bid | Manufacturer: | Model: | Comments: |
|----------------------|---|----------|-----------------|-------------|--------------|--------|---------------|--------|---|
| 7 | Line Trimmer, battery-powered, Stihl FSA 135 R, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| SECTION II - BLOWERS | | | | | | | | | |
| 8 | Leaf Blower, Billy Goat Force™ II Model #F13 As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 9 | Backpack Blower, Red Max EBZ8500/RH As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| 10 | Hand Held Blower, Red Max HB281 As Specified, or Equal | | EA | No Bid | No Bid | X | | | |
| ✓ 11 | Pro Force Debris Blower, Toro 44538 As Specified, or Equal | 10 | EA | \$10,760.74 | \$107,607.40 | | Toro | 44552 | Model number for Pro Force Debris Blower has changed from 44538 to 44552. |
| 12 | Battery Operated Handheld Blower, Stihl BGA 200, As Specified, or Equal | | EA | No Bid | No Bid | X | | | |

Introduced on: December 4, 2024

Adopted on: December 4, 2024

Official Resolution#: 2024001816 [TURF EQUIPMENT AND SUPPLY CO.] RESPONSE DOCUMENT REPORT

Bid - GOLF COURSE, LANDSCAPING AND UTILITY EQUIPMENT

SECTION II – BLOWERS**ITEM #8, LEAF BLOWER, BILLY GOAT FORCE™ II MODEL #F13, AS SPECIFIED, OR EQUAL**

| | | <u>COMPLIANCE</u> | |
|-----------------|------------------------------------|--------------------------|-------------------------------------|
| | | <u>YES</u> | <u>NO</u> |
| Model No.: | F1302H – 13.0 HP Honda GX | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Front Wheel: | 10" x 3" pneumatic | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Rear Wheels: | 13" x 5" pneumatic | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Engine Base: | 12 gauge steel, robotically welded | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Discharge Size: | 5" | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Unit Weight: | 152 lbs. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Dimensions: | 33" L x 30" W x 35" H | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

ITEM #9, BACKPACK BLOWER, RED MAX EBZ8500/RH, AS SPECIFIED, OR EQUAL

| | | | |
|----------------------|-----------------------------|--------------------------|-------------------------------------|
| Engine: | Strato 75.6 cm ³ | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Weight: | 24.7 lbs | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Horsepower: | 4.4 | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Air Speed: | 206 MPH | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Air Volume: | 908 CFM | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Fuel Capacity: | 77.77 fl. oz | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Emission Durability: | 300 hrs. | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

ITEM #10, HAND HELD BLOWER, RED MAX HB281, AS SPECIFIED, OR EQUAL

| | | | |
|----------------------|-----------------|--------------------------|-------------------------------------|
| Engine: | 28 cc, 2 stroke | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Weight: | 9.4 lbs | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Horse Power: | 1.1 | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Air Speed: | 170 MPH | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Fuel Capacity: | 16.9 OZ | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Air Flow in Pipe: | 425 CFM | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Air Flow in Housing: | 470 CFM | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Standard Warranty | 2 years | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

ITEM #11, PRO FORCE DEBRIS BLOWER, TORO MODEL 44538, AS SPECIFIED, OR EQUAL

| | | | |
|--------------|--|-------------------------------------|-------------------------------------|
| Engine: | 27 hp twin cylinder air-cooled Kohler command pro with electronic governor | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Fan: | Aerial flow | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Height: | 33 inches | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Length: | 79-115 inches from adjustable tow hitch to nozzle outlet | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Nozzle Type: | impact resistant plastic with 13 inch outlet diameter | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Tires: | 10X10.8, 4 ply turf tire | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Warranty: | 2 years | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Weight: | 475 lbs. | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Width: | 48 inches | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Introduced on: December 4, 2024

Accepted on: December 4, 2024

Official Resolution#: 2024001816