



## Ocean County Board of Commissioners

OFFICE OF THE  
OCEAN COUNTY COMMISSIONERS

Director Joseph H. Vicari  
Deputy Director Gary Quinn  
Commissioner Barbara Jo Crea  
Commissioner Virginia E. Haines  
Commissioner John P. Kelly

101 Hooper Avenue  
Toms River, New Jersey  
08754-2191  
(732)929-2005  
(732)505-1918

### Board Meeting Agenda

Date: October 18, 2023 - 4:00 PM  
Location: Administration Building  
Room 119  
101 Hooper Avenue  
Toms River, NJ 08754

Agenda: Awarding a Contract for the furnishing and delivery of MOBILE BALLISTIC SHIELD to Dynamic Defense Technologies LLC, the lowest qualified bidder. (B2023-172)

<b>Official Resolution#</b>		<b>2023001479</b>					
Meeting Date		10/18/2023					
Introduced Date		10/18/2023					
Adopted Date		10/18/2023					
Agenda Item		k-3					
CAF #							
Purchase Req. #		B2023-172					
Result		Adopted					
COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Vicari	✓				✓		
Quinn	✓			✓	✓		
Crea	✓				✓		
Haines	✓		✓		✓		
Kelly		✓					

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

*Michelle I. Gunther*

---

Clerk Of The Board

CONTRACT NO. MUST BE ON ALL  
PAPERS, DOCUMENTS, INVOICES, VOUCHERS  
NO. B2023-172

RESOLUTION

October 18, 2023

WHEREAS, on September 26, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOBILE BALLISTIC SHIELD for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

<u>Name and Address of Bidder</u>	<u>Name and Address of Bidder</u>
Dynamic Defense Technologies, LLC 100 Sharp Road Marlton, NJ 08053 (609) 605-5600	Atlantic Tactical, Inc. 763 Corporate Circle New Cumberland, PA 17070 (717) 774-3339 ext 151142

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of DYNAMIC DEFENSE TECHNOLOGIES, LLC, be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract for the furnishing and delivery of Mobile Ballistic Shield for the County of Ocean, for the contract period from date of award through October 17, 2024, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

A. DYNAMIC DEFENSE TECHNOLOGIES, LLC for one (1) item, to wit:

ITEM NO. 1.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-172.

4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Sheriff's Office and Dynamic Defense Technologies, LLC, the successful bidder.

**DYNAMIC DEFENSE TECHNOLOGIES, LLC**

PROPOSAL DOCUMENT REPORT  
 Bid No. TBD  
 MOBILE BALLISTIC SHIELD

**11. Submission of Bid Package\***

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

**PRICE TABLES**

**MOBILE BALLISTIC SHIELD**

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Mfr. Make/Model:	Delivery A.R.O.:	Warranty:	Comments:
1	Mobile ballistic Shield, Tactical Model, Rolling Rescue, As Specified, or Equal	3	EA	\$14,500.00	\$43,500.00					



## COMPLIANCE PAGES FOR MOBILE BALLISTIC SHIELD

**ITEM #1 – MOBILE BALLISTIC SHIELD, TACTICAL MODEL, ROLLING RESCUE, AS SPECIFIED OR EQUAL**

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<b>Dimensions:</b>		
Height: 74"		
Protection Width: 23"; Base Width: 27.5"		
Depth: 1.5 feet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>General:</b>		
Able to be disassembled into smaller components for ease of transport	<input checked="" type="checkbox"/>	<input type="checkbox"/>
No tools shall be necessary for assembly	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Run Flat Tires	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Armor Panels	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ability to pass through standard doorways	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Material:</b>		
Ballistic-resistant composite material designed to withstand various types of ballistic threats, including handguns and rifles up to a specified caliber (e.g., NIJ Level 4 or higher).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Viewing Port:</b>		
Equipped with a shatter-resistant transparent viewing port to allow for situational awareness and communication.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Viewing port positioned at eye level for optimal visibility.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Glass Viewing Area: 16" X 16"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Handle and Grips:</b>		
Ergonomically designed handles for ease of use and maneuverability.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handles strategically placed to provide cover for the user while allowing effective shield control.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Weight:</b>		
Maximum weight not to exceed 435 lbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Locking Mechanism:</b>		
Secure locking mechanism to keep the shield in place once positioned.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Quick-release mechanism for rapid deployment.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Accessories:</b>		
Integrated LED lighting for visibility in low-light environments.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mounting options for attaching additional equipment, such as communication devices and tactical tools.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: October 18, 2023  
 Adopted on: October 18, 2023  
 Official Resolution#: 2023001479

COMPLIANCE PAGES FOR MOBILE BALLISTIC SHIELD

**ITEM #1 – MOBILE BALLISTIC SHIELD, TACTICAL MODEL, ROLLING RESCUE, AS SPECIFIED OR EQUAL (CONT'D)**

**COMPLIANCE**  
**YES**                      **NO**

**Durability:**

Designed to withstand impact and repeated use without compromising ballistic protection.

                    

Resistant to environmental factors such as moisture and temperature variations.

                    

**Testing and Certification:**

The shield shall be tested and certified by relevant ballistic testing authorities to meet or exceed specified ballistic resistance standards (e.g., NIJ 0108.01).

                    

Documentation of ballistic test results and certification shall be provided.

                    

**Assembly and Deployment:**

Quick and intuitive assembly process, requiring no tools for assembly or disassembly.

                    

Clear instructions provided for proper deployment and use.

                    

**Training:**

Comprehensive training materials provided for end-users, covering shield deployment, maneuvering, and effective use during tactical operations.

                    

**Warranty:**

One (1) year manufacturer's warranty on all components

                    

Armor panels or glass damaged by an active shooter will be replaced free of charge

COMPLIANCE PAGES FOR MOBILE BALLISTIC SHIELD

**ITEM #1 – MOBILE BALLISTIC SHIELD, TACTICAL MODEL, ROLLING RESCUE, AS SPECIFIED OR EQUAL**

**COMPLIANCE**  
**YES**                      **NO**

**Dimensions:**

Height: 74"

Protection Width: 23"; Base Width: 27.5"

Depth: 1.5 feet

**General:**

Able to be disassembled into smaller components for ease of transport

No tools shall be necessary for assembly

Run Flat Tires

Armor Panels

Ability to pass through standard doorways

**Material:**

Ballistic-resistant composite material designed to withstand various types of ballistic threats, including handguns and rifles up to a specified caliber (e.g., NIJ Level 4 or higher).

**Viewing Port:**

Equipped with a shatter-resistant transparent viewing port to allow for situational awareness and communication.

Viewing port positioned at eye level for optimal visibility.

Glass Viewing Area: 16" X 16"

**Handle and Grips:**

Ergonomically designed handles for ease of use and maneuverability.

Handles strategically placed to provide cover for the user while allowing effective shield control.

**Weight:**

Maximum weight not to exceed 435 lbs

**Locking Mechanism:**

Secure locking mechanism to keep the shield in place once positioned.

Quick-release mechanism for rapid deployment.

**Accessories:**

Integrated LED lighting for visibility in low-light environments.

Mounting options for attaching additional equipment, such as communication devices and tactical tools.

Introduced on:      October 18, 2023  
Adopted on:         October 18, 2023  
Official Resolution#: 2023001479

COMPLIANCE PAGES FOR MOBILE BALLISTIC SHIELD

**ITEM #1 – MOBILE BALLISTIC SHIELD, TACTICAL MODEL, ROLLING RESCUE, AS SPECIFIED OR EQUAL (CONT'D)**

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<b>Durability:</b>		
Designed to withstand impact and repeated use without compromising ballistic protection.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Resistant to environmental factors such as moisture and temperature variations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Testing and Certification:</b>		
The shield shall be tested and certified by relevant ballistic testing authorities to meet or exceed specified ballistic resistance standards (e.g., NIJ 0108.01).	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Documentation of ballistic test results and certification shall be provided.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Assembly and Deployment:</b>		
Quick and intuitive assembly process, requiring no tools for assembly or disassembly.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Clear instructions provided for proper deployment and use.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Training:</b>		
Comprehensive training materials provided for end-users, covering shield deployment, maneuvering, and effective use during tactical operations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<b>Warranty:</b>		
One (1) year manufacturer's warranty on all components	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Armor panels or glass damaged by an active shooter will be replaced free of charge	<input checked="" type="checkbox"/>	<input type="checkbox"/>