



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director Barbara Jo Crea
Deputy Director Gary Quinn
Commissioner Virginia E. Haines
Commissioner John P. Kelly
Commissioner Frank Sadeghi

101 Hooper Avenue
Toms River, New Jersey
08754-2191
(732)929-2005
(732)505-1918

Board Meeting Agenda

Date: December 4, 2024 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding Contracts for the furnishing and delivery of ROLLOFF CONTAINERS to CivicBridges; and Rudco Products, Inc., the lowest qualified bidders. (B2024-172)

Official Resolution#	2024001814						
Meeting Date	12/04/2024						
Introduced Date	12/04/2024						
Adopted Date	12/04/2024						
Agenda Item	k-3						
CAF #							
Purchase Req. #	B2024-172						
Result	Adopted						
COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Crea	<				<		
Quinn	<				<		
Haines	<		<		<		
Kelly	<			<	<		
Sadeghi	<				<		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS
NO. **B2024-172**

RESOLUTION

December 4, 2024

WHEREAS, on October 8, 2024, pursuant to legal advertisements therefor, sealed bids were received for furnishing and delivery of ROLLOFF CONTAINERS for the County of Ocean, State of New Jersey; and

WHEREAS, at the advertised time, responses were received from the following bidders:

<u>Name and Address of Bidder</u>	<u>Name and Address of Bidder</u>
CivicBridges 1846 1 st Street-#1006 Idaho Falls, ID 83401 (857) 930-0257	Rudco Products, Inc. 114 East Oak Road Vineland, NJ 08361 (856) 691-0800
Monmouth Solutions, Inc. 93 Butman Road Lowell, MA 01852 (978) 735-3968	Wastequip Manufacturing Company, LLC 841 Meacham Road Statesville, NC 28677 (980) 987-7602 Ext: 9641

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bids, according to specifications, in each instance, be accepted, namely that of CIVICBRIDGES and RUDCO PRODUCTS, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract for Rolloff Containers for the County of Ocean; for the contract period from date of award through December 3, 2025, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

A. CIVICBRIDGES for nine (9) items to wit:

ITEM NOS. 1, 2, 3, 5, 6, 7, 10, 11 and 13.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier No. CK-02-OC.

B. RUDCO PRODUCTS, INC. for five (5) items to wit:

ITEM NOS. 4, 8, 9, 12 and 14.

2. Payments for the equipment and supplies to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. Funds for these services shall be available within the following funding sources: Solid Waste Management O.E.

4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2024-172.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, Solid Waste Management, and the successful bidders.

[CIVICBRIDGES] RESPONSE DOCUMENT REPORT

Bid No. TBD

ROLLOFF CONTAINERS

B2024-172

CIVICBRIDGES

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
✓ 1	9 Yard Closed Recycling Rolloff Container - Ribbed Style As Specified, or Equal	2	EA	\$4,500.00	\$9,000.00				45 Days	
✓ 2	9 Yard Closed Recycling Rolloff Container - Tub Style As Specified, or Equal	2	EA	\$4,200.00	\$8,400.00				45 Days	
✓ 3	12 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	4	EA	\$5,200.00	\$20,800.00				45 Days	
4	20 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	6	EA	\$6,200.00	\$37,200.00				45 Days	
✓ 5	20 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	2	EA	\$5,900.00	\$11,800.00				45 Days	

Introduced on: December 4, 2024

Adopted by CIVICBRIDGES Resolution# 2024001814

Official Bid - ROLLOFF CONTAINERS

[CIVICBRIDGES] RESPONSE DOCUMENT REPORT

Bid No. TBD

ROLLOFF CONTAINERS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
6	25 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	2	EA	\$6,700.00	\$13,400.00				45 Days	
7	25 Yard Open Recycling Rolloff Container - Tub Style As Specified or Equal	2	EA	\$6,400.00	\$12,800.00				45 Days	
8	30 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	9	EA	\$7,500.00	\$67,500.00				45 Days	
9	30 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	2	EA	\$7,200.00	\$14,400.00				45 Days	
10	40 Yard Closed Top Rolloff Container - Ribbed Style, As Specified, or Equal	2	EA	\$8,000.00	\$16,000.00				45 Days	

Introduced on: December 4, 2024

Adopted by: CIVICBRIDGES December 11, 2024

Official Resolution#: 2024001814

B2024-172

CIVICBRIDGES

[CIVICBRIDGES] RESPONSE DOCUMENT REPORT

Bid No. TBD

ROLLOFF CONTAINERS

B2024-172

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
11	40 Yard Closed Top Rolloff Container, No Windows - Ribbed Style, As Specified, or Equal	2	EA	\$7,800.00	\$15,600.00				45 Days	
12	40 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	8	EA	\$8,300.00	\$66,400.00				45 Days	
13	40 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	2	EA	\$8,100.00	\$16,200.00				45 Days	
14	40 Yard Octagon Rolloff Compactor Container As Specified or Equal	2	EA	\$9,000.00	\$18,000.00				45 Days	

CIVICBRIDGES

Introduced on: December 4, 2024

Adopted by: CIVICBRIDGES RESPONSE DOCUMENT REPORT

Official Resolution#: 2024001814
 Bid - ROLLOFF CONTAINERS

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #1 - 9 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 9 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall: 40"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 155"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) - 8" Diameter x 10" LG Heavy Duty Wheels	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 6" LG Front Roller with 1 1/2 Pin and Grease Fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

12' Deck with 30" Inside Height (40 1/2" height to roof)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" x 3" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2 x 2 Formed Angle	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side: 11 Gauge 3" x 5" Formed 4-way Bend Stiffener	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 6 1/2" x 3/16" Formed Stiffener 4-way Bend	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 4" x 3" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 4" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and 1 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door Must Rest On Floor of Container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #1 - 9 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>TOP/ROOF</u>		
11 Gauge Steel with a maximum of two (2) openings per side for a total of four (4) openings per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Single Wall Plastic Sliding Door (30" x 30") equipped with a (lockable) sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9" Pitched Roof	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #2 - 9 YARD CLOSED ROLLOFF CONTAINER—TUB STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 9 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall: 40"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 155"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers - REAR ONLY	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY – 3" x 5" 7 Gauge Posts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

TOP/ROOF

11 Gauge Steel with a maximum of two (2) openings per side for a total of four (4) openings per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Single Wall Plastic Sliding Door (30" x 30") equipped with a (lockable) sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9" Pitched Roof	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #2 - 9 YARD CLOSED ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #3 - 12 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>STANDARD DECK</u>		
3/16" PL floor	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL gussets on every other cross member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" diameter x 10" LG Heavy Duty Wheels	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 6" LG with one (1) 1/2" pin front roller and grease fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1" plate 6" x 15	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/4" plate with lifetime guarantee	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>FRONT AND SIDES</u>		
11 Gauge steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" formed 4-way bend side stiffener on 24" centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns shall have notches at bottom to prevent moisture retention	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed corner post wraps around for extra strength and stability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>REAR CORNER POSTS</u>		
Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" formed stiffener 4-way bend	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>REAR DOOR</u>		
11 Gauge Sheet with 3" x 4" x 11 Gauge Tube frame and 3/8" safety chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" x 9" x 9" and 1/2" x 3" x 9" plates with 2" OD mechanical tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bushings with grease fittings and one (1) 3/16" cold rolled pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door Must Rest On Floor of Container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DOOR LOCK</u>		
Semi-automatic cam locking system with three (3) cams, self-aligning keeper and vertical lift handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>TOP</u>		
11 Gauge Steel with three (3) openings on each side for a total of six (6) per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Double wall plastic sliding door (30" x 30") equipped with a lockable sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Containers to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Adopted on: December 4, 2024
 Official Resolution # 2024001894

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #5 - 20 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 20 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 44"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 56"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 4,760 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1-1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY – 3" x 5" 7 Gauge Posts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #5 - 20 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause

7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #7 - 25 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES **NO**

Size: 25 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 55"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 78 1/2"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,000 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors: three (3) lockable sliding doors on each side	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Structural Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 1/4" Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 6" x 2" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers Front and Rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts: 12 Gauge formed plate 3" x 5", 4-way bend, eleven (11) posts per side	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top Rails: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Stiffeners: 7 Gauge Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain w/ Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roof: 12 Gauge Hip Roof with Lockable sliding lids (three (3) per side)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON

Introduced on: December 4, 2024	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Adopted on: December 4, 2024		
Official Resolution#: 2024001814		

COMPLIANCE PAGES - ROLLOFF CONTAINERS

**ITEM #7 - 25 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED,
OR EQUAL (CONT'D)**

COMPLIANCE
YES **NO**

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause

7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM # 10 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 84"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 99"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 97"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 275"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,700 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>STANDARD DECK</u>		
3/16" PL Floor 2 Piece	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rails	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels W/ 1-1/4" Diameter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 4" Long Bullnose Rollers W/ 1-1/2" Greasable Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Cable Hook Plate with 1 1/4" Solid Cable Hook	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>FRONT AND SIDES</u>		
12 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Front Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>REAR CORNER POST</u>		
Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" Formed Stiffener 4-way Bend	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>REAR DOOR</u>		
Swing Door 40 Yard OT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Barn Style Rear Door	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 3" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM # 10 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>DOOR LOCK</u>		
Southern Style Latch-Hook and Pin System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cam Action type door lock, 1-1/4" Cams on 1-1/4" Dia solid bar to 3/8" Locking Plates.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Swing Handle is Securely Welded to a cam assembly rod for easy Opening and closing operations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle is secured by 1/2" x 2" bar stock with safety chain.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and a Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>ROOF</u>		
4" Pitch with 12 Gauge Sheets and 3" Channel Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>WINDOW</u>		
Three (3) 3'x3' opening on each side	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM # 11 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 84"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 99"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 97"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 275"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,700 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor 2 Piece	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rails	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels W/ 1-1/4" Diameter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 4" Long Bullnose Rollers W/ 1-1/2" Greasable Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Cable Hook Plate with 1 1/4" Solid Cable Hook	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

12 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Front Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" Formed Stiffener 4-way Bend	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR DOOR

Swing Door 40 Yard OT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Barn Style Rear Door	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 3" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM # 11 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>DOOR LOCK</u>		
Southern Style Latch-Hook and Pin System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cam Action type door lock, 1-1/4" Cams on 1-1/4" Dia solid bar to 3/8" Locking Plates.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Swing Handle is Securely Welded to a cam assembly rod for easy Opening and closing operations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle is secured by 1/2" x 2" bar stock with safety chain.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and a Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>ROOF</u>		
4" Pitch with 12 Gauge Sheets and 3" Channel Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #13 - 40 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 86"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 98"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 6,270 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SAFETY PLACARDS

ANSI Z39-30-2008 Figure 7b24 - Container Label Reference Clause Adopted on: December 4, 2024 Official Resolution: 2024001814 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

✓ COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #13 - 40 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED,
OR EQUAL (CONT'D)

COMPLIANCE
YES NO

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)

[RUDCO PRODUCTS, INC.] RESPONSE DOCUMENT REPORT
Bid No. TBD
ROLLOFF CONTAINERS

B2024-172

RUDCO PRODUCTS, INC.

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
1	9 Yard Closed Recycling Rolloff Container - Ribbed Style As Specified, or Equal	2	EA	\$7,148.00	\$14,296.00			Rudco Products, Inc.	715.00	1 Year
2	9 Yard Closed Recycling Rolloff Container - Tub Style As Specified, or Equal		EA	No Bid	No Bid	X	NO BID	NO BID	NO BID	NO BID
3	12 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	4	EA	\$6,741.00	\$26,964.00			Rudco Products, Inc.	1430.00	1 Year
4	20 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	6	EA	\$5,242.00	\$31,452.00			Rudco Products, Inc.	2145.00	1 Year
5	20 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	2	EA	\$6,187.00	\$12,374.00			Rudco Products, Inc.	715.00	1 Year

Introduced on: December 4, 2024
Adopted on: December 4, 2024
Official Resolution#: 2024091514
[RUDCO PRODUCTS, INC.] RESPONSE DOCUMENT REPORT
Bid - ROLLOFF CONTAINERS

[RUDCO PRODUCTS, INC.] RESPONSE DOCUMENT REPORT
Bid No. TBD
ROLLOFF CONTAINERS

B2024-172

RUDCO PRODUCTS, INC.

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
6	25 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	2	EA	\$9,099.00	\$18,198.00			Rudco Products, Inc.	715.00	1 Year
7	25 Yard Open Recycling Rolloff Container - Tub Style As Specified or Equal		EA	No Bid	No Bid	X	NO BID	NO BID	NO BID	NO BID
8	30 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	9	EA	\$5,596.00	\$50,364.00			Rudco Products, Inc.	3575.00	1 Year
9	30 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	2	EA	\$7,021.00	\$14,042.00			Rudco Products, Inc.	715.00	1 Year
10	40 Yard Closed Top Rolloff Container - Ribbed Style, As Specified, or Equal	2	EA	\$10,099.00	\$20,198.00			Rudco Products, Inc.	715.00	1 Year

[RUDCO PRODUCTS, INC.] RESPONSE DOCUMENT REPORT
 Bid No. TBD
 ROLLOFF CONTAINERS

B2024-172

RUDCO PRODUCTS, INC.

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
11	40 Yard Closed Top Rolloff Container, No Windows - Ribbed Style, As Specified, or Equal	2	EA	\$9,067.00	\$18,134.00			Rudco Products, Inc.	715.00	1 Year
12	40 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	8	EA	\$6,832.00	\$54,656.00			Rudco Products, Inc.	2860.00	1 Year
13	40 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	2	EA	\$8,344.00	\$16,688.00			Rudco Products, Inc.	715.00	1 Year
14	40 Yard Octagon Rolloff Compactor Container As Specified or Equal	2	EA	\$7,913.00	\$15,826.00			Rudco Products, Inc.	715.00	1 Year

COMPLIANCE PAGES - ROLLOFF CONTAINERS
ITEM #4 - 20 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

		<u>COMPLIANCE</u>	
		<u>YES</u>	<u>NO</u>
<u>FLOOR</u>	3		
7 Gauge sheet, two (2) pieces, 22' long		<input type="checkbox"/>	<input checked="" type="checkbox"/>
3" structural channel		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing 20"		<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube – all prime material no splits or joints		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt welded on outside of tubes not acceptable)		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets on every other cross member, 7 Gauge		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers - 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook – 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SIDES</u>			
12 Gauge Sheet, 43" high		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes of 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are full welded to floor plate on outside.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material, no splits or joints (formed top tube not acceptable)		<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DOOR</u>	3		
Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material, one (1) piece, with no splits or joints.		<input type="checkbox"/>	<input checked="" type="checkbox"/>
Door Sheet: 12 Gauge		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges 8" long with grease fitting – three (3) hinges on 43" sides and above with 1 1/16" C.R. Shafts. 1/2" x 7" x 9" & 3" x 4" plate		<input type="checkbox"/>	<input checked="" type="checkbox"/>
Four (4) "J" hooks for tarping		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)		<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded to ensure maximum protection of the operator.		<input checked="" type="checkbox"/>	<input type="checkbox"/>

✓ COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #4 - 20 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

BULKHEAD

- Two (2) vertical and one (1) horizontal structural tube
- Tubes: 12 Gauge Steel, 3" deep x 5" wide
- 12 Gauge Sheet with corner wraps for bulkhead and dog box of 10 Gauge Plate
- Four (4) "J" hooks for tarping

-
-
-
-

PAINT

- Container to be scraped and ground and free of sharp edges

- All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

-

-

SAFETY PLACARDS

- ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location

-

DELIVERY

- Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)

-

✓ COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #8 - 30 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE
YES NO

FLOOR 3

7 Gauge sheet, two (2) pieces, 22' long	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3" structural channel 20'	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube – all prime material; no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt-welded on outside of tubes not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers: 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook: 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SIDES

12 Gauge Sheet, 62" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes: 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are full welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material; no splits or joints (formed top tube not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR 3

Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material; one (1) piece with no splits or joints.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges: 8" long with grease fitting – three (3) hinges on 62" sides and above with 1 1/16" C.R. Shafts. 1/2" x 7" x 9" 1 3/4" x 4" plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded for maximum protection of the operator	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #8 - 30 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (Cont'd)

COMPLIANCE
YES **NO**

BULKHEAD

- Two (2) vertical and one (1) horizontal structural tube
- Tubes: 12 Gauge Steel, 3" deep x 5" wide
- 12 Gauge Sheet with corner wraps for bulkhead and dog box of
- 10 Gauge Plate
- Four (4) "J" hooks for tarping.

PAINT

- Container to be scraped and ground and free of sharp edges.

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

-

SAFETY PLACARDS

- ANSI z245.30-2008 Figure 7b – Container Label Reference Clause
- 7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

- Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)

✓ COMPLIANCE PAGES - ROLLOFF CONTAINERS
ITEM #9 - 30 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 30 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 66"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 78"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83" + <i>AREA 83' front, 87' back</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,620 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on ^{18"} 16" Centers	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24" ^{1/4"}	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

lifetime guarantee

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

✓ COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #9 - 30 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

<u>COMPLIANCE</u>	
<u>YES</u>	<u>NO</u>

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause

7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

✓ COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #12 - 40 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

YES **NO**

FLOOR

7 Gauge sheet, two (2) pieces, 22' long	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3" structural channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube, all prime material; no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt-welded on outside of tubes not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers: 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook: 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SIDES

12 Gauge Sheet, 82" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes: 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are fully welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material; no splits or joints (formed top tube not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR

Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material; one (1) piece, no splits or joints.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges: 8" long with grease fitting – three (3) hinges on 82" sides and above with 1 1/16" C.R. Shafts.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded for maximum protection of the operator	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #12 - 40 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE

YES **NO**

BULKHEAD

- Two (2) vertical and one (1) horizontal structural tube
- Tubes: 12 Gauge Steel, 3" deep x 5" wide
- 12 Gauge Sheet with corner wraps for bulkhead and dog box of
- 10 Gauge Plate
- Four (4) "J" hooks for tarping.

PAINT

- Container to be scraped and ground and free of sharp edges.
- All surfaces to be thoroughly cleaned and primed with one (1) coat of
- Low V.O.C alkyd primer or equivalent, followed by one (1) coat of
- Low V.O.C enamel or equivalent. Color to be specified on Purchase Order.
- (SPECIALTY COLORS MUST BE AVAILABLE UPON
- REQUEST)

SAFETY PLACARDS

- ANSI z245.30-2008 Figure 7b – Container Label Reference Clause
- 7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

- Container to be delivered to site in upright position with all doors fully
- assembled (no "nested" containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #14 - 40 YARD OCTAGON ROLLOFF COMPACTOR CONTAINER, AS SPECIFIED, OR EQUAL

COMPLIANCE

	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height (A): 90"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
OA Height Outside (B): 104"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Outside Width (C): 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Length: 264"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length: 273"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 7,130 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) 8" Diameter x 10" LG Rear & Two (2) 8" Diameter x 5" LG Front Heavy Duty Wheels	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 6" LG Front Roller with 1 1/2 Pin and Grease Fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate 6" x 15" (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

7 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) Fire Ports	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8" Taper Front to Rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) 6" Vertical Bulkhead Stiffeners	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side 4" x 3" x 3/16" Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side 4" x 3" x 3/16" Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 4" x 3" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" x 7" x 9" and 1/2" x 3" x 9" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 1 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Compactor Door Opening Hooks	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams and Self-Aligning Keeper and Vertical Lift Handle (flat bar) is securely welded to a cam system for easy operation. Handle is secured by a 3/4" solid pin, 180 degree turn keyway locking system.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

COMPLIANCE PAGES - ROLLOFF CONTAINERS

ITEM #14 - 40 YARD OCTAGON ROLLOFF COMPACTOR CONTAINER, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

PAINT

Container to be scraped and ground and free of sharp edges.

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)