



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director Frank Sadeghi
Deputy Director Jennifer Bacchione
Commissioner Robert S. Arace
Commissioner Sam Ellenbogen
Commissioner Ray Gormley

101 Hooper Avenue
Toms River, New Jersey
08754-2191
(732)929-2005
(732)505-1918

Board Meeting Agenda

Date: January 21, 2026 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding a Contract for the furnishing and delivery of ROLLOFF CONTAINERS NO. II to Monmouth Solutions, Inc., the lowest qualified bidder. (B2026-07)

Official Resolution#	2026000045
Meeting Date	01/21/2026
Introduced Date	01/21/2026
Adopted Date	01/21/2026
Agenda Item	j-3
CAF #	
Purchase Req. #	B2026-07
Result	Adopted

COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Sadeghi	✓				✓		
Bacchione	✓			✓	✓		
Arace	✓		✓		✓		
Ellenbogen	✓				✓		
Gormley	✓				✓		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board

RESOLUTION

January 21, 2026

WHEREAS, on November 25, 2025, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of ROLLOFF CONTAINERS NO. II for the County of Ocean; and

WHEREAS, at the advertised time, three (3) responses were received from the following bidders:

<u>Name of Bidder</u>	<u>Address of Bidder</u>
Monmouth Solutions, Inc. 153 Vivas Drive Barnegat, NJ 08005 (978) 735-6964	Customer Container Solutions LLC 201 N. Industrial Park Road Milton, PA 17847 (570) 524-7835
Phoenix Contracting LLC 9915 Smarty Jones Drive Ruskin, Fl 33573 (813) 293-3069	

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, MONMOUTH SOLUTIONS, INC., be accepted.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract for the furnishing and delivery of ROLLOFF CONTAINERS NO. II for the County of Ocean, for the contract period of one (1) year from January 21, 2026 through January 20, 2027, or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

A. MONMOUTH SOLUTIONS, INC. for fourteen (14) items, to wit:

ITEM NOS. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 and 14.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier No. CK-02-OC.

2. Pursuant to N.J.A.C. 5:30-5.4, the County has established a reasonable estimated maximum dollar value of \$1,143,300.00 for the term of this contract, based on historical procurement data for comparable goods or services. The County further reserves the right to increase quantities by up to twenty percent (20%) of the maximum awarded amount at the unit prices bid, in accordance with N.J.A.C. 5:30-11.3.

3. Funds for the materials or services described herein shall be made available through operating and expense (O&E) accounts, trust accounts, grant accounts, or capital accounts maintained by, but not limited to, the following departments: Solid Waste Management.

4. Payments for the materials and services to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2026-07.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, Purchasing Department, Finance Department, Solid Waste Management and Monmouth Solutions, Inc., the successful bidder.

[MONMOUTH SOLUTIONS, INC] RESPONSE DOCUMENT REPORT
 Bid No. TBD
 ROLLOFF CONTAINERS NO. II

PRICE TABLES

ROLLOFF CONTAINERS

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
✓ 1	9 Yard Closed Recycling Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$6,250.00	\$62,500.00		Would be 12' long			
✓ 2	9 Yard Closed Recycling Rolloff Container - Tub Style As Specified, or Equal	10	EA	\$6,750.00	\$67,500.00					
✓ 3	12 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$6,200.00	\$62,000.00		ours would be 11YD			
✓ 4	20 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$6,850.00	\$68,500.00					
✓ 5	20 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	10	EA	\$7,450.00	\$74,500.00					

Introduced on: January 21, 2026

Adopted on: January 21, 2026

Official Resolution#: 2026000045
 Bid - ROLLOFF CONTAINERS NO. II

[MONMOUTH SOLUTIONS, INC] RESPONSE DOCUMENT REPORT

Bid No. TBD

ROLLOFF CONTAINERS NO. II

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
6	25 Yard Closed Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$8,400.00	\$84,000.00					
7	25 Yard Open Recycling Rolloff Container - Tub Style As Specified or Equal	10	EA	\$9,990.00	\$99,900.00					
8	30 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$6,890.00	\$68,900.00					
9	30 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	10	EA	\$7,450.00	\$74,500.00					
10	40 Yard Closed Top Rolloff Container - Ribbed Style, As Specified, or Equal	10	EA	\$11,650.00	\$116,500.00					

Introduced on: January 21, 2026

Adopted on: January 21, 2026

Official Resolution#: 2026000045

Bid - ROLLOFF CONTAINERS NO. II

[MONMOUTH SOLUTIONS, INC] RESPONSE DOCUMENT REPORT

Bid No. TBD

ROLLOFF CONTAINERS NO. II

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No Bid	Comments:	Manufacturer:	Delivery, A.R.O.:	Warranty:
✓ 11	40 Yard Closed Top Rolloff Container, No Windows - Ribbed Style, As Specified, or Equal	10	EA	\$11,500.00	\$115,000.00					
✓ 12	40 Yard Open Top Rolloff Container - Ribbed Style As Specified, or Equal	10	EA	\$7,550.00	\$75,500.00					
✓ 13	40 Yard Open Top Rolloff Container - Tub Style As Specified, or Equal	10	EA	\$8,450.00	\$84,500.00					
✓ 14	40 Yard Octagon Rolloff Compactor Container As Specified or Equal	10	EA	\$8,950.00	\$89,500.00					

Introduced on: January 21, 2026

Adopted on: January 21, 2026

Official Resolution#: 2026000045

Bid - ROLLOFF CONTAINERS NO. II

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #1 - 9 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 9 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall: 40"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 155"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>STANDARD DECK</u>		
3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) - 8" Diameter x 10" LG Heavy Duty Wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4" OD x 6" LG Front Roller with 1½ Pin and Grease Fitting	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1¼" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1½" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>FRONT AND SIDES</u>		
12' Deck with 30" Inside Height (40 ½" height to roof)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" x 3" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2 x 2 Formed Angle	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>REAR CORNER POST</u>		
Latch Side: 11 Gauge 3" x 5" Formed 4-way Bend Stiffener	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 6 ½" x 3/16" Formed Stiffener 4-way Bend	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>REAR DOOR</u>		
11 Gauge Sheet with 4" x 3" x 11 Gauge Tube Frame and ¾" Safety Chain	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hinges ½" x 7" x 9" and ½" x 3" x 4" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and 1 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door Must Rest On Floor of Container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>DOOR LOCK</u>		
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #1 - 9 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>TOP/ROOF</u>		
11 Gauge Steel with a maximum of two (2) openings per side for a total of four (4) openings per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Single Wall Plastic Sliding Door (30" x 30") equipped with a (lockable) sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9" Pitched Roof	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #2 - 9 YARD CLOSED ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

	COMPLIANCE	
	YES	NO
Size: 9 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 2	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Overall: 40"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 155"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>STANDARD SPECS</u>		
Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers - REAR ONLY	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>DOOR LOCK</u>		
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>TOP/ROOF</u>		
11 Gauge Steel with a maximum of two (2) openings per side for a total of four (4) openings per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Single Wall Plastic Sliding Door (30" x 30") equipped with a (lockable) sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9" Pitched Roof	<input type="checkbox"/>	<input checked="" type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #2 - 9 YARD CLOSED ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

PAINT

Container to be scraped and ground and free of sharp edges

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause
 7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #3 - 12 YARD CLOSED ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE
YES **NO**

STANDARD DECK

3/16" PL floor	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL gussets on every other cross member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" diameter x 10" LG Heavy Duty Wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4" OD x 6" LG with one (1) 1/2" pin front roller and grease fitting	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hook Plate: 1" plate 6" x 15	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/4" plate with lifetime guarantee	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

11 Gauge steel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" formed 4-way bend side stiffener on 24" centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns shall have notches at bottom to prevent moisture retention	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed corner post wraps around for extra strength and stability	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POSTS

Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8" 6.5" x 3/16" formed stiffener 4-way bend	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 3" x 4" x 11 Gauge Tube frame and 3/8" safety chain	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hinges: 1/2" x 9" 7" x 9" and 1/2" x 3" x 4" 4" plates with 2" OD mechanical tube	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bushings with grease fittings and one (1) 3/16" cold rolled pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door Must Rest On Floor of Container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-automatic cam locking system with three (3) cams, self-aligning keeper and vertical lift handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

TOP

11 Gauge Steel with three (3) openings on each side for a total of six (6) per container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Double wall plastic sliding door (30" x 30") equipped with a lockable sliding bolt latch	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #4 - 20 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE
YES **NO**

FLOOR

7 Gauge sheet, two (2) pieces, 22' long	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" structural channel 20"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube – all prime material no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt welded on outside of tubes not acceptable)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers - 4" diameter x 4 1/2" long. 1 1/2 axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook – 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SIDES

12 Gauge Sheet, 43" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes of 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are full welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material, no splits or joints (formed top tube not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR

Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material, one (1) piece, with no splits or joints.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges 8" long with grease fitting – three (3) hinges on 43" sides and above with 1 1/16" C.R. Shafts.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded to ensure maximum protection of the operator.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #4 - 20 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>BULKHEAD</u>		
Two (2) vertical and one (1) horizontal structural tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tubes: 12 Gauge Steel, 3" deep x 5" wide	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Sheet with corner wraps for bulkhead and dog box of 10 Gauge Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #5 - 20 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 20 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 44"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 56"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 4,760 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" 18" Centers	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge Gusset on every channel	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cable Hook: 1-1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input type="checkbox"/>	<input checked="" type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #5 - 20 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause

7.1.5.1.2 Sticker placed on container in visible location

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #6 - 25 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 25 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 55"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 78 ½"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: (A) 22' 9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,000 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>STANDARD DECK</u>		
3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4" OD x 6" LG Front Roller with 1 ½ Pin and Grease Fitting	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1¼" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1½" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>FRONT AND SIDES</u>		
11 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge One-Piece Formed Dog House	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>REAR CORNER POST</u>		
Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8 x 3/16" Formed Stiffener 4-way Bend 6.5"	<input type="checkbox"/>	<input checked="" type="checkbox"/>
 <u>REAR DOOR</u>		
12GA 11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and ⅜" Safety Chain	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Hinges ½" x 9" x 9" and ½" x 3" x 9" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>
 <u>DOOR LOCK</u>		
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and a Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #6 - 25 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

ROOF

11 Gauge Steel with Maximum of three (3) openings per side for a total of six (6) openings per container

PAINT

Container to be scraped and ground and free of sharp edges.

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause
 7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #7 - 25 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 25 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 55"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 78 1/2"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,000 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors: three (3) lockable sliding doors on each side	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Structural Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 1/4" Gauge Gusset on every channel	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Main Rails: 6" x 2" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers Front and Rear	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts: 12 Gauge formed plate 3" x 5", 4-way bend, eleven (11) posts per side	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Top Rails: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Stiffeners: 7 Gauge Plate	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain w/ Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roof: 12 Gauge Hip Roof with Lockable sliding lids (three (3) per side)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges. YES NO

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

Introduced on: January 21, 2026 YES NO
 Adopted on: January 21, 2026
 Official Resolution#: 2026000045

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #7 - 25 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause

7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #8 - 30 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>FLOOR</u>		
7 Gauge sheet, two (2) pieces, 22' long	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" structural channel ^{20"}	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 78" spacing	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube – all prime material; no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt-welded on outside of tubes not acceptable)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers: 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook: 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SIDES</u>		
12 Gauge Sheet, 62" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes: 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are full welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material; no splits or joints (formed top tube not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DOOR</u>		
Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material; one (1) piece with no splits or joints.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges: 8" long with grease fitting – three (3) hinges on 62" sides and above with 1 1/16" C.R. Shafts.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded for maximum protection of the operator	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #8 - 30 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (Cont'd)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>BULKHEAD</u>		
Two (2) vertical and one (1) horizontal structural tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tubes: 12 Gauge Steel, 3" deep x 5" wide	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Sheet with corner wraps for bulkhead and dog box of	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10 Gauge Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #9 - 30 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

Size: 30 Yard
 Height Inside: 66"
 Height Outside: 78"
 Width Overall: 83"
 Length Overall: 22'9"
 Approximate Weight: 5,620 lbs.

STANDARD SPECS

Floor Plate: 7 Gauge
 Cross Members: 3" Structural Channel on 16" Centers
 Side Rails: 3" Channel
 Gussets: 7 Gauge Gusset on every channel
 Main Rails: 2" x 6" x 3/16" Structural Tubing
 Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY
 Bull Noses: 1 1/2" Plate
 Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings
 Roller Arms: 1/2" Plate
 Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail
 Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides
 Side Sheets: 12 Gauge
 Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts
 Top Rails: 4" x 3" 11 Gauge Structural Tubing
 Tie Down Bar: 3/8" Hook, Every 24"
 Ladders: 5/8" Solid Round Bar
 Tailgate Sheet: 12 Gauge
 Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing
 Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall
 Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift
 Safety Chain: 3/8" High Test Chain with Receptors on both sides
 Push Plate: 3/16" x 18" x 36"

PAINT

Container to be scraped and ground and free of sharp edges.

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

COMPLIANCE

YES **NO**

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #9 - 30 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause

7.1.5.1.2 Sticker placed on container in visible location

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM # 10 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 84"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 99"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 97"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 275"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,700 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor 2 Piece	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rails	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels W/ 1-1/4" Diameter 4" OD x 4" Long Bullnose Rollers W/ 1-1/2" Greasable Pin	<input type="checkbox"/>	<input checked="" type="checkbox"/>
1" Cable Hook Plate with 1 1'4" Solid Cable Hook	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

12 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Front Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8" 6.5" x 3/16" Formed Stiffener 4-way Bend	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REAR DOOR

Swing Door 40 Yard OT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Barn Style Rear Door	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 3" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM # 10 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>DOOR LOCK</u>		
Southern Style Latch-Hook and Pin System	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cam Action type door lock, 1-1/4" Cams on 1-1/4" Dia solid bar to 3/8"		
Locking Plates.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Swing Handle is Securely Welded to a cam assembly rod for easy Opening and closing operations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle is secured by 1/2" x 2" bar stock with safety chain.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and a Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>ROOF</u>		
4" Pitch with 12 Gauge Sheets and 3" Channel Support	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>WINDOW</u>		
Three (3) 3'x3' opening on each side	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM # 11 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors per side: 3	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 84"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 99"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 97"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 275"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 5,700 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>STANDARD DECK</u>		
3/16" PL Floor 2 Piece	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rails	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Four (4) 8" Diameter x 10" LG Heavy Duty Wheels W/ 1-1/4" Diameter 4" OD x 4" Long Bullnose Rollers W/ 1-1/2" Greasable Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Cable Hook Plate with 1 1/4" Solid Cable Hook	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>FRONT AND SIDES</u>		
12 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Front Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" x 4" x 11 Gauge Top Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge 3" x 5" Formed 4-way Bend Side Stiffener on 24" Centers Columns have notches at bottom to prevent moisture retention.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Gauge Formed Corner Post wraps around for extra strength	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>REAR CORNER POST</u>		
Latch Side: 3" x 4" x 11 Gauge Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side: 3" x 8" x 3/16" Formed Stiffener 4-way Bend	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>REAR DOOR</u>		
Swing Door 40 Yard OT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Barn Style Rear Door	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11 Gauge Sheet with 3" x 4" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges 1/2" x 7" x 9" and 1/2" x 3" x 3" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 3/16" Cold Rolled Pin	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Non-Sagging Door shall be designed to rest on the floor of the container	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM # 11 - 40 YARD CLOSED RECYCLING ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>DOOR LOCK</u>		
Southern Style Latch-Hook and Pin System	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Cam Action type door lock, 1-1/4" Cams on 1-1/4" Dia solid bar to 3/8" Locking Plates.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Swing Handle is Securely Welded to a cam assembly rod for easy Opening and closing operations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Handle is secured by 1/2" x 2" bar stock with safety chain.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-Automatic Cam Locking system with three (3) Cams, Self-Aligning Keeper and a Vertical Lift Handle (flat bar) to assure safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>ROOF</u>		
4" Pitch with 12 Gauge Sheets and 3" Channel Support	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on purchase order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #12 - 40 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>FLOOR</u>		
7 Gauge sheet, two (2) pieces, 22' long	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" structural channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross members on 18" spacing	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rails: one (1) piece, 2" x 6" x 3/16" structural tube, all prime material; no splits or joints	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Solid steel bullnoses inserted into tube for added strength (butt-welded on outside of tubes not acceptable)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gussets on every other cross member, 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) wheels, 8" diameter x 8" long with 1 7/16" axle; full welded internal rim; heavy duty construction. All four (4) wheels must have grease fittings installed in axle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rollers: 4" diameter x 4 1/2" long. 1 1/2" axle for roller with grease fitting must be inserted through the bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook: 1 1/2" hi-tensile steel, inserted through 1" thick x 5" x 15" hook plate, locked in and full welded; both sides.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook and hook plate must carry a lifetime guarantee.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SIDES</u>		
12 Gauge Sheet, 82" high	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Structural side tubes: 13 Gauge Steel, 4-way bend, 3" deep x 5" wide, on 24" centerlines with holes at bottom for drainage	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" high weld at floor, all additional welds on 15" spacing, approximately 3" long.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie down bar on sides only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bottom of side plate and bottom of formed tubes are fully welded to floor plate on outside.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top horizontal structural tubes: 3 x 4 x 11 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full length prime material; no splits or joints (formed top tube not acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DOOR</u>		
Four (4) horizontal and two (2) vertical structural tubes; all tubes shall be prime material; one (1) piece, no splits or joints.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Machined hinges: 8" long with grease fitting – three (3) hinges on 82" sides and above with 1 1/16" C.R. Shafts.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Four (4) "J" hooks for tarping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Semi-automatic cam locking system with vertical lift handle.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fabricated from 1 1/4" heavy steel bar, "Posi-lock" cams and 1/2" "Posi-lock" keepers on door. (Only vertical lift cam lock will be acceptable)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All areas of stress must be reinforced and double welded for maximum protection of the operator	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #12 - 40 YARD OPEN TOP ROLLOFF CONTAINER-RIBBED STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>BULKHEAD</u>		
Two (2) vertical and one (1) horizontal structural tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tubes: 12 Gauge Steel, 3" deep x 5" wide	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Gauge Sheet with corner wraps for bulkhead and dog box of 10 Gauge Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four (4) "J" hooks for tarping.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>SAFETY PLACARDS</u>		
ANSI z245.30-2008 Figure 7b – Container Label Reference Clause 7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DELIVERY</u>		
Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #13 - 40 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL

COMPLIANCE

	<u>YES</u>	<u>NO</u>
Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Inside: 86"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height Outside: 98"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Width Overall: 83"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Length Overall: 22'9"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 6,270 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD SPECS

Floor Plate: 7 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cross Members: 3" Structural Channel on 16" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Rails: 3" Channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Gussets: 7 Gauge on every channel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Main Rails: 2" x 6" x 3/16" Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels: 8" x 10" Heavy Duty Ground Rollers REAR ONLY	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bull Noses: 1 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Guide Rollers: 4" x 6" Heavy Duty Tubing with Grease Fittings	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Roller Arms: 1/2" Plate	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hook Plate: 1/2" Plate 12" x 38" Welded Solid Rail to Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cable Hook: 1 1/2" High Tensile Plate Inserted through Hook Plate, locked in and welded fully on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Sheets: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Side Posts/Rear Frame: REAR ONLY - 3" x 5" 7 Gauge Posts	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Top Rails: 4" x 3" 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tie Down Bar: 3/8" Hook, Every 24"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Ladders: 5/8" Solid Round Bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tailgate Sheet: 12 Gauge	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Door Framing & Reinforcing: 4" x 3" x 11 Gauge Structural Tubing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" Plate, 3" x 9" on door and 9" x 9" on sidewall	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Latch System: 1/2" Heavy Duty Self-Aligning Vertical Lift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Chain: 3/8" High Test Chain with Receptors on both sides	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Plate: 3/16" x 18" x 36"	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Container to be scraped and ground and free of sharp edges.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b - Container Label Reference Clause Introduced on: January 21, 2026 Adopted on: January 21, 2026 Official Resolution#: 2026000045	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.1.5.1.2 Sticker placed on container in visible location	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #13 - 40 YARD OPEN RECYCLING ROLLOFF CONTAINER-TUB STYLE, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no "nested" containers)

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #14 - 40 YARD OCTAGON ROLLOFF COMPACTOR CONTAINER, AS SPECIFIED, OR EQUAL**COMPLIANCE****YES** **NO**

Size: 40 Yard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Height (A): 90"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
OA Height Outside (B): 104"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Outside Width (C): 96"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Deck Length: 264"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Overall Length: 273"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: 7,130 lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

STANDARD DECK

3/16" PL Floor Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3" Structural Channel on 20" Centers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3/16" PL Gussets on every other Cross Member	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6" x 2" x 3/16" Tube One Piece Main Rail	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) 8" Diameter x 10" LG Rear & Two (2) 8" Diameter x 5" LG Front Heavy Duty Wheels	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4" OD x 6" LG Front Roller with 1 1/2 Pin and Grease Fitting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1" Certified Hook Plate 6" x 15" (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/4" Certified Plate Cable Hook (with lifetime guarantee)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1 1/2" Plate Solid Bullnose	<input checked="" type="checkbox"/>	<input type="checkbox"/>

FRONT AND SIDES

7 Gauge Sheet	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) Fire Ports	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8" Taper Front to Rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Two (2) 6" Vertical Bulkhead Stiffeners	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR CORNER POST

Latch Side 4" x 3" x 3/16" Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinge Side 4" x 3" x 3/16" Tube	<input checked="" type="checkbox"/>	<input type="checkbox"/>

REAR DOOR

11 Gauge Sheet with 4" x 3" x 11 Gauge Tube Frame and 3/8" Safety Chain	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hinges: 1/2" x 7" x 9" and 1/2" x 3" x 9" Plates with 2" OD Mechanical Tube Bushings with Grease Fittings and on 1 3/16" Cold Rolled Pin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Compactor Door Opening Hooks	<input checked="" type="checkbox"/>	<input type="checkbox"/>

DOOR LOCK

Semi-Automatic Cam Locking system with three (3) Cams and Self-Aligning Keeper and Vertical Lift Handle (flat bar) is securely welded to a cam system for easy operation. Handle is secured by a 3/4" solid pin, 180 degree turn keyway locking system.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

Introduced on: January 21, 2026
 Adopted on: January 21, 2026
 Official Resolution#: 2026000045

COMPLIANCE PAGES - ROLLOFF CONTAINERS NO. II

ITEM #14 - 40 YARD OCTAGON ROLLOFF COMPACTOR CONTAINER, AS SPECIFIED, OR EQUAL (CONT'D)

<u>COMPLIANCE</u>	
<u>YES</u>	<u>NO</u>

PAINT

Container to be scraped and ground and free of sharp edges.

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

All surfaces to be thoroughly cleaned and primed with one (1) coat of Low V.O.C alkyd primer or equivalent, followed by one (1) coat of Low V.O.C enamel or equivalent. Color to be specified on Purchase Order. (SPECIALTY COLORS MUST BE AVAILABLE UPON REQUEST)

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

SAFETY PLACARDS

ANSI z245.30-2008 Figure 7b – Container Label Reference Clause
7.1.5.1.2 Sticker placed on container in visible location

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------

DELIVERY

Container to be delivered to site in upright position with all doors fully assembled (no “nested” containers)

<input checked="" type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------