

Joseph H. Vicari, Director Gary Quinn, Deputy Director Barbara Jo Crea, Commissioner Virginia E. Haines, Commissioner John P. Kelly, Commissioner

Tristin J. Collins, Director, Management & Budget Jennifer L. Bowens, Purchasing Agent

County of Ocean Administration Building 101 Hooper Avenue Toms River, NJ 08754

BID

MOTOR VEHICLES: PICKUPS, SUVS, VANS AND WAGONS

2023

ADVERTISEMENT DATE: April 19, 2023 OPENING: May 9, 2023, 11:00 am

Bid Category: 04- Automotive Products, Vehicles and Services

NOTICE TO BIDDERS

NOTICE IS HEREBY GIVEN that sealed bids for the furnishing and delivery of MOTOR VEHICLES: PICKUPS, SUVS, VANS AND WAGONS for the County of Ocean, will be received by the Purchasing Agent of the County of Ocean on Tuesday, May 9, 2023 at 11:00 am, prevailing time.

Bids will be received electronically via the <u>County's OpenGov Electronic Bid Portal</u> (https://procurement.opengov.com/portal/oceancounty/)

Specifications and form of proposal are on the <u>Procurement Portal (Link Above)</u> or available for viewing in the Department of Purchase, Room #224, Administration Building, 101 Hooper Avenue, Toms River, New Jersey. Direct all inquiries to Jennifer L. Bowens, Purchasing Agent.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et seq. and P.L. 1975 C. 127 (N.J.A.C. 17:27-1 et seq.) regarding equal employment opportunities and with the requirements of P.L. 1977 C.33 regarding corporate and/or partnership ownership.

The right to reject any and all bids is reserved in accordance with applicable law.

By order of the Board of Commissioners of the County of Ocean.

Signed:

JOSEPH H. VICARI, Director JENNIFER L. BOWENS, Purchasing Agent

CONTACT INFORMATION AND PROJECT TIMELINE

Summary

The purpose of this bid package is to provide the County of Ocean with a Contractor who will supply the materials or services described and specified herein.

Contact Information

For further information regarding these specifications, contact

Brian W. McCarthy

Director

Email: ocpurchasing@co.ocean.nj.us

Phone: (732) 349-4579

Department: Vehicle Services

Timeline

| Advertising Date | April 19, 2023 |
|------------------|---|
| Bid Opening Date | May 9, 2023, 11:00 am Administration Building, 101 Hooper Ave., Room 119, Toms River, NJ, 08753 |

IMPORTANT INSTRUCTIONS FOR ELECTRONIC SUBMITTAL

Instructions for Electronic Bid Submission

The County is accepting electronic bid submissions with Open Gov by following these instructions:

Sign up for a FREE account at https://procurement.opengov.com/portal/oceancounty

Once you have completed account registration, browse back to this page: <u>County's OpenGov</u> Electronic Bid Portal (https://procurement.opengov.com/portal/oceancounty/)

Click on the bid of interest, then click "Draft Response".

Follow the instructions to submit the electronic bid.

It is important to note that this process should be completed well in advance of the bid deadline / bid opening. DO NOT WAIT UNTIL THE LAST MINUTE. The County's electronic submission system will not allow electronic bids to be submitted once the deadline has passed, even if you've already started the process. The deadline is based on the countdown timer found on the ProcureNow bid submission page.

INSTRUCTIONS TO BIDDERS

Bid Opening

All bids will be opened publicly in the Administration Building, Room 119, 101 Hooper Avenue, Toms River, New Jersey, commencing at 11:00 am, prevailing time on Tuesday, May 9, 2023.

Electronic Bid Submissions

Bids must be submitted electronically through Ocean County's Procurement Portal by the date and time stipulated in the Notice to Bidders.

Deadline Instructions

The County will not be responsible for late bids, and no bids will be accepted if received after the time stipulated in the notice to bidders.

Completion of all Documents

Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package and must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.

NOTE: In order to access any DocuSign forms in this solicitation, you must first click "Draft Response".

Instructions on how to access the forms through DocuSign are available in the Attachments. Please note that in order to view the forms as a .pdf document, you must access DocuSign first. Once you access DocuSign, the option to download, save, print and complete the forms becomes available

Right to Reject

The County reserves the right to reject all bids in accordance with N.J.S.A. 40A:11-13.2, to waive any informalities in the bid and to accept the lowest responsible bid in accordance with applicable law.

Bidder Default

In case of default by the bidder or contractor, the County of Ocean may procure the articles or services from other sources and hold the bidder or contractor responsible for any excess cost occasioned thereby.

Indemnity

The bidder, if awarded a contract, agrees to protect, defend and save harmless the County against any damage for payment for the use of any patented material process, article or device that may enter into the manufacture, construction or form a part of the work covered by either order or

contract, and he further agrees to indemnify and save harmless the County from suits or actions of every nature and description brought against it, for, or on account of injuries or damages received or sustained by any party or parties by, or from any of the negligent acts of the contractor, his servants or agents.

Specifications

It is to be understood by the bidder that this bid is submitted on the basis of specifications prepared by the County and the fact that any bidder is not familiar with these specifications or conditions will not be accepted as an excuse.

Bid Security

NO BID SECURITY

Performance Bond

NO PERFORMANCE BOND

Pricing Proposal

Bidders must use the pricing proposal provided in the bid specifications. Failure to use the pricing proposal in the bid specifications shall be cause for rejection of the bid.

Pricing

Insert prices for furnishing all of the material and/or labor described or required. Prices shall be net, including any charges for packing, crating, containers, etc. and all transportation charges fully prepaid by the contractor F.O.B. destination and placement at locations specified by the County. No additional charges will be allowed for any transportation costs resulting from partial shipments made at the vendor's convenience when a single shipment is ordered.

Payment

Payments will be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. The County will not pay interest or late fees regardless of language provided.

Discrepancy in Pricing

In the event that there is a discrepancy between the unit prices and the extended totals, the unit prices shall prevail. In the event there is an error of the summation of the extended totals, the computation by the OWNER of the extended totals shall govern.

Award Timeframe

Award will be made by Ocean County Board of Commissioners within sixty (60) days after receipt of bids.

Equal or Tie Bids

The County of Ocean reserves the right to award at their discretion to any one of the tie bidders where it is most advantageous for the County to do so, pursuant to N.J.S.A. 40A:11-6.1.

Tax Exempt

The County of Ocean is exempt from any State sales tax or Federal excise tax.

Equivalent Product

For purpose of evaluation where an equivalent product is being furnished, bidder must indicate any variation to our specifications no matter how slight. If no variations are indicated, it will be construed that the bid fully complies with our specifications.

Quantities

Quantities shown are approximate and the County reserves the right to decrease or omit quantities. The County will not consider minimums placed on order quantities. The County also reserves the right to increase quantities to twenty (20) percent of the maximum quantities listed at the unit price bid, in accordance with N.J.A.C. 5:30-11.3.

Delivery of Goods and Services

Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

American Goods and Products

All contractors must comply with the provisions of New Jersey Statute Title 40A:11-18, when applicable.

Market Conditions

Due to the fact that goods provided by this solicitation and the current economic conditions are in a volatile state, the County will allow the Contractor to request a price adjustment outside the normal contract renewal process only if it can be demonstrated and documented that on a national basis the goods solicited and utilized have experienced a significant cost increase since the date of contract award.

Such events shall be industry wide and cause all related product prices to be effected. All price adjustment requests must be in writing and submitted to the Ocean County Purchasing Department for approval. If approved, the Contractor will provide the County with revised pricing. The Contractor may not request an additional increase for a period of three (3) months from the prior request.

Note: A request for price increase does not guarantee approval.

Specific Market Conditions for Motor Vehicles

If the current model year changes mid contract, the vendor can submit a price adjustment request to the County for the next model year. Requests for price adjustments must include justification and documentation such as a notice of an increase in the manufacturer's price and/or an increase in the industry. Requests, including specifications and a revised price sheet, must be submitted to the Ocean County Purchasing Agent for review and approval. If approved, the revised specifications and price sheet will be posted on line for all future purchases for the new model year vehicle.

Additionally, if the awarded model vehicle is no longer available to order, the County reserves the right to purchase the same make and model vehicle (any year) from the awarded vendor from the lot, if available. Specifications and a price quote for these vehicles must be submitted to the Ocean County Purchasing Agent for review and approval before an order can be placed.

Assignment

This agreement shall not be assigned without the written consent of the County of Ocean.

NJ One Call

By presenting a bid, contractor declares that he is aware of and, if required, will comply with the requirements of the "Underground Facility Protection Act (Public Law 1994, Chapter 118)" prior to commencing any intended excavation. The telephone number to call is 1-800-272-1000.

Public Works Contractor Registration Act, N.J.S.A. 34:11-56.48 et seq

The bidder must comply with the provisions of "The Public Works Contractor Registration Act", if applicable.

- All named contractors must be registered with the Department of Labor and Workforce Development pursuant to the Public Works Contractor Registration Act at the time the proposal is received, or the proposal will be determined to be non-responsive.
- Any non-listed contractor must be registered with the Department of Labor and Workforce Development prior to physically starting work. It is the responsibility of the General Contractor to insure that all non-listed sub-contractors comply.
- Contractors are encouraged to submit their and all named sub-contractors' Public Works Contractor Registration Certificates with the bid.

Prevailing Wage & Labor Laws

The New Jersey Prevailing Wage Act (P.L. 1963, Chapter 150) and provisions of the State Labor Laws must be complied with by the successful bidder, if applicable. The current Prevailing Wage Rates can be found online at https://www.nj.gov/labor/wageandhour/prevailing-rates/public-works/currentprevailingwage.shtml

New Jersey Business Registration Requirements

Pursuant to N.J.S.A. 52:32-44, Ocean County ("Contracting Agency") is prohibited from entering into a contract with an entity unless the bidder/proposer/contractor, and each subcontractor that is required by law to be named in a bid/proposal/contract has a valid Business Registration Certificate on file with the Division of Revenue and Enterprise Services within the Department of the Treasury.

Prior to contract award or authorization, the contractor shall provide the Contracting Agency with its proof of business registration and that of any named subcontractor(s).

Subcontractors named in a bid or other proposal shall provide proof of business registration to the bidder, who in turn, shall provide it to the Contracting Agency prior to the time a contract, purchase order, or other contracting document is awarded or authorized.

During the course of contract performance:

- (1) the contractor shall not enter into a contract with a subcontractor unless the subcontractor first provides the contractor with a valid proof of business registration.
- (2) the contractor shall maintain and submit to the Contracting Agency a list of subcontractors and their addresses that may be updated from time to time.
- (3) the contractor and any subcontractor providing goods or performing services under the contract, and each of their affiliates, shall collect and remit to the Director of the Division of Taxation in the Department of the Treasury, the use tax due pursuant to the Sales and Use Tax Act, (N.J.S.A. 54:32B-1 et seq.) on all sales of tangible personal property delivered into the State. Any questions in this regard can be directed to the Division of Taxation at (609)292-6400. Form NJ-REG can be filed online at http://www.state.nj.usreasury/revenue/busregcert.shtml.

Before final payment is made under the contract, the contractor shall submit to the Contracting Agency a complete and accurate list of all subcontractors used and their addresses.

Pursuant to N.J.S.A. 54:49-4.1, a business organization that fails to provide a copy of a business registration as required, or that provides false business registration information, shall be liable for a penalty of \$25 for each day of violation, not to exceed \$50,000, for each proof of business registration not properly provided under a contract with a contracting agency.

Pay to Play Requirements

Starting in January 2007, all business entities are advised of their responsibility to file an annual disclosure statement of political contributions with the New Jersey Election Law Enforcement

Commission (ELEC) pursuant to N.J.S.A. 19:44A-20.27 if they receive contracts in excess of \$50,000 from public entities in a calendar year. Business entities are responsible for determining if filing is necessary. Additional information on this requirement is available from ELEC at 888-313-3532 or at www.elec.state.nj.us.

Statement of Ownership

The provisions of N.J.S.A. 52:25-24.2 applies to all forms of corporations and partnerships, including, but not limited to, limited partnerships, limited liability corporations, limited liability partnerships, and Subchapter S corporations.

Certification of Non-Involvement in Prohibited Activities in Iran

Certification of Non-Involvement in Prohibited Activities in Iran. Pursuant to N.J.S.A. 52:32-58, the proposer must certify that neither the proposer, nor one of its parents, subsidiaries, and/or affiliates (as defined in N.J.S.A. 52:32-56(e)(3)), is listed on the Department of the Treasury's List of Persons or Entities Engaging in Prohibited Investment Activities in Iran and that neither is involved in any of the investment activities set forth in N.J.S.A. 52:32-56(f). If the proposer is unable to so certify, the proposer shall provide a detailed and precise description of such activities. Prior to contract award or authorization, the contractor shall provide the Contracting Agency with a completed Certification on Non-Involvement in Prohibited Activities in Iran.

Certification of Non-Involvement In Prohibited Activities in Russia or Belarus

Pursuant to N.J.S.A. 52:32-60.1, the "person or entity" (as defined in N.J.S.A. 52:32-60.1, et seq) seeking to enter into or renew a contract for the provision of goods or services or the purchase of bonds or other obligations shall certify that it is not "engaging in prohibited activities in Russia or Belarus" (as such term is defined in as defined in N.J.S.A. 52:32-60.1, et seq. If the person or entity is unable to certify, the person or entity shall provide a detailed and precise description of such activities. The N.J.S.A. 52:32-60.1 certification form must be completed prior to contract award and is provided in the specification documents (DocuSign).

Vendors may view the Precluded Entities List Here: https://www.nj.govreasury/administration/pdf/RussiaBelarusEntityList.pdf

Insurance Requirements

The contractor shall maintain primary insurance to protect against all claims under Workmen's Compensation, Comprehensive General Liability and Automobile. Except for Workmen's Compensation, all coverage shall apply as primary coverage with respect to any other insurance or self-insurance program afforded to the County. There shall be no endorsement or modification of this coverage to make it excess over other available insurance/coverage; alternatively, if the CGL and umbrella, excess of reinsurance states that it is pro rata, it shall be endorsed to be primary with respect to the County. Primary Coverage shall be subject to approval for adequacy of protection as per the following limits:

Worker's Compensation

- 1. Limits according to Worker's compensation Laws of the State of New Jersey.
- 2. Contractor's Liability not less than \$100,000.

Comprehensive General Liability

- 1. Bodily Injury \$500,000 per person; \$1,000,000 per occurrence.
- 2. Property Damage \$1,000,000 per occurrence.

Comprehensive General Liability Details

Comprehensive Automobile Liability shall include the following:

Business auto liability insurance or its equivalent with a minimum limit of \$1,000,000 per accident and including coverage for all of the following:

- A. Liability arising out of the ownership, maintenance or use of any auto;
- B. Auto non-ownership and hired car coverage.
- C. Contractor's Worker's Compensation, Comprehensive General Liability and
- D. Comprehensive Automobile Liability arising out of subcontractor's operations shall be identical as that listed above.

Proof of Insurance

Copies of each insurance certificate shall be furnished to the County when requested.

County Cooperative Contract Purchasing System

The County has established a "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" pursuant to N.J.S.A. 40a:11-1 et seq...

The IDENTIFIER for this system is:

CK-02-OC

This system allows local government contracting entities located within the geographical boundaries of the County to purchase goods and services awarded as a result of this bid proposal if it is extended by the low bidder.

Goods and services must be made available without substitution or deviation from specifications, size, features, quality, price or availability as herein set forth. It is understood that orders, if any, will be placed directly by contracting units, subject to the overall terms of the contract to be awarded by the County of Ocean.

The estimated quantities listed in this specification reflect only the needs of the agencies under the direct control of the Ocean County Board of Commissioners. If the vendor chooses to extend the resulting contract to all other contracting units, the quantities could be higher.

Please check ($\sqrt{\ }$) the YES or NO box in the Vendor Questionnaire to indicate whether or not you will extend contract prices to all contracting units.

AWARD METHOD

Contract will be awarded on a lump sum by item basis.

MANDATORY EQUAL EMPLOYMENT OPPORTUNITY

N.J.S.A. 10:5-31 et seq. (P.L. 1975, C. 127)

N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.

The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union of the contractor's commitments under this chapter and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to meet targeted county employment goals established in accordance with N.J.A.C. 17:27-5.2.

The contractor or subcontractor agrees to inform in writing its appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, and labor unions, that it does not discriminate on the basis of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices.

The contractor or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions.

In conforming with the targeted employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:

- Letter of Federal Affirmative Action Plan Approval
- Certificate of Employee Information Report
- Employee Information Report Form AA302 (electronically provided by the Division and distributed to the public agency through the Division's website at www.state.nj.usreasury/contract_compliance)

The contractor and its subcontractors shall furnish such reports or other documents to the Division of Purchase & Property, CCAU, EEO Monitoring Program as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Purchase & Property, CCAU, EEO Monitoring Program for conducting a compliance investigation pursuant to **Subchapter 10 of the Administrative Code at N.J.A.C. 17:27**.

AMERICANS WITH DISABILITIES ACT

Equal Opportunity For Individuals With Disabilities

The CONTRACTOR and the COUNTY do hereby agree that the provisions of title II of the Americans with Disabilities Act of 1990 (the "Act") (42 U.S.C. 12101 et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs and activities provided or made available by public entities, and the rules and regulations promulgated pursuant thereunto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the COUNTY pursuant to this contract, the CONTRACTOR agrees that the performance shall be in strict compliance with the Act. In the event that the CONTRACTOR, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the CONTRACTOR shall defend the COUNTY in any action or administrative proceeding commenced pursuant to this Act. The CONTRACTOR shall indemnify, protect and save harmless the COUNTY, its agents, servants and employees from and against any and all suits, claims, losses, demands, or damages of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The CONTRACTOR shall, at its own expense, appear, defend and pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the COUNTY'S grievance procedure, the CONTRACTOR agrees to abide by any decision of the COUNTY which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the COUNTY or if the COUNTY incurs any expense to cure a violation of the ADA which has been brought pursuant to its grievance procedure, the CONTRACTOR shall satisfy and discharge the same at its own expense.

The COUNTY shall, as soon as practicable after a claim has been made against it, give written notice thereof to the CONTRACTOR along with full and complete particulars of the claim. If any action or administrative proceeding is brought against the COUNTY or any of its agents, servants and employees, the COUNTY shall expeditiously forward or have forwarded to the CONTRACTOR every demand, complaint, notice, summons, pleading, or other process received by the COUNTY or its representatives.

It is expressly agreed and understood that any approval by the COUNTY of the services provided by the CONTRACTOR pursuant to this contract will not relieve the CONTRACTOR of the obligation to comply with the Act and to defend, indemnify, protect and save harmless the COUNTY pursuant to this paragraph.

It is further agreed and understood that the COUNTY assumes no obligation to indemnify or save harmless the CONTRACTOR, its agents, servants, employees and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the CONTRACTOR expressly understands and agrees that the provision of this indemnification clause shall in no way limit the CONTRACTOR'S obligations assumed in this Agreement, nor shall they be construed to relieve the CONTRACTOR from any liability, nor preclude the COUNTY from taking any other actions available to it under any other provisions of this Agreement or otherwise at law.

MOTOR VEHICLE SPECIFIC SCOPE OF WORK

CONTRACT TERMS

Contract shall be one (1) year from date of award or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

SPECIFICATIONS

Detailed specifications for this bid are located in the Vendor Questionnaire under the question labeled "Compliance Pages for MOTOR VEHICLES: PICKUPS, SUVS, VANS AND WAGONS".

INTENT

The purpose of this bid package is to provide the County of Ocean with a contractor(s) who will supply current model year, or newer Motor Vehicles as specified herein.

NO ASSIGNMENT

This agreement shall not be assigned without the written consent of the County of Ocean which consent shall not be unreasonably withheld. Assignee shall promptly prepare and complete such documents as the County shall require.

AVAILABILITY AND DELIVERY

The bidder should indicate the number of days required for the delivery After Receipt of Order (A.R.O.). If not submitted with the bid proposal, the County reserves the right to request this information prior to the award of contract.

OWNERSHIP DISCLOSURE

All contractors shall comply with all laws governing the disclosure of all stockholders or partners, as included in N.J.S.A. 52:25-24.2.

BID REVIEW

Bids may be reviewed at the bid opening and results will be made available online through the County's procurement portal once the bid meeting has concluded. Additionally, bid results are available in the Ocean County Purchasing Department on the day following the bid openings for any interested party that may wish to review them.

MODIFICATIONS & WITHDRAWALS

Bids may be withdrawn based from the bidder prior to the time fixed for opening. No right for withdrawal exists after the bid has been opened. Written request shall be signed by the bidder or proper corporate officers.

EVALUATION

The quality of the equipment supplied, their conformity with the specifications, their suitability to requirements, delivery terms, guaranty clauses, price of the materials shall all be taken into consideration. Where equivalent equipment is offered, the County will determine if the proposed item is equal or better than that specified. The awards will be made on the basis of a comparison of prices of each vehicle listed with standard equipment plus the cost of optional equipment.

TRANSITIONAL PERIOD

In the event services are terminated by contract expiration or by voluntary termination by either the Contractor or the County of Ocean, the Contractor shall continue all terms and conditions of said contract for a period not to exceed one (1) month at the County's request.

AVAILABILITY OF FUNDS

The County's obligation hereunder is contingent upon the availability of appropriated funds from which payment for contract purposes can be made. No legal liability on the part of the County for payment of any money shall arise unless, and until funds are made available each year to the Ocean County Purchasing Agent.

MANUALS

Unless otherwise indicated, a minimum of three (3) complete sets of manuals, for each model year, MUST be provided with the first vehicle/equipment delivery as follows (thumb drive, CD/DVD/USB format preferred, if available):

- 1) Operator's Manual
- 2) Parts Book
- 3) Shop Service Manuals including wiring diagrams and trouble shooting guide
- 4) Hydraulic System Manual including parts book and service repair manual (if applicable)

TRAINING AND TECHNICAL SUPPORT

If requested, training shall be provided by the successful bidder for operators and mechanics at a County location with instructional materials as needed.

COOLING SYSTEM PROTECTION

All vehicles furnished must be protected to -20°F (-30°C) with permanent type anti-freeze and summer coolant.

AIR CONDITIONING

All air conditioning shall be factory installed, support system (cooling, electrical, etc.) shall be upgraded in accordance with factory recommendations.

FUEL & FLUIDS

All vehicles will be delivered with a minimum of one-half (½) tank of fuel. All other fluids will be filled in accordance with the manufacturer's recommended levels.

STANDARD EQUIPMENT

These specifications include all standard equipment provided for each vehicle unless specifically upgraded or deleted. In the event options are required, the contractor shall provide upgrading of all support systems affected, in accordance with factory recommendations.

DESIGN

Materials shall be of good commercial quality for the intended service and shall be produced by use of current manufacturing processes and treated to resist rust, corrosion and wear. The design of the mechanical member shall be such that the stress imposed through normal shock loads of maximum engine torque, shall not cause rupture or permanent deformation or undue wear on any member.

REPAIRS

All repairs are to be performed at the location the vehicle is stationed or at a service center within the County. All requests for repairs must be responded to within 24 hours.

DEMONSTRATION

Bidder shall be prepared to give, prior to bid award, a complete demonstration of the equipment proposed at a County facility or a mutually agreed to location and time within the State of New Jersey. The equipment so demonstrated shall be complete as offered by the bidder.

SERVICE

Contractor shall be able to service all equipment proposed. The contractor shall maintain a service facility staffed with qualified service personnel and a working inventory of parts.

WARRANTY

All warranty paperwork will be supplied with each unit at the time of delivery and shall be in typed form. The warranty commences with the final inspection and acceptance of the unit by the County. The authorized Dealer's Warranty shall be for a minimum of one (1) year period from date of final inspection and acceptance by the County for parts and labor on chassis, engine, transmission and all optional equipment. The vendor shall furnish for each vehicle delivered, all of the manufacturer's standard warranty against defects in material, workmanship and design in said vehicles. This agreement shall cover all warranty work, minor warranty and service work at

the successful bidder's location. When requested by the Director of Vehicle Services, this agreement shall also cover all warranty work, minor warranty and service work at a County facility. The successful bidder will be responsible for vehicle transportation for all warranty repairs and recall work for the complete vehicle and installed equipment during the standard or extended warranty period, when applicable. The vehicle must be picked up within five (5) working days of notification that work is required, and returned to the County within seven (7) working days. Bidder shall have full service facility stocked with parts capable of performing all warranty and non-warranty repairs, to ensure efficient and economic maintenance of the vehicles and to reduce down time. In the case of any unnecessary delays in repairing vehicles with warranty work because of parts availability or service scheduling, the Director of Vehicle Services shall be notified and, if requested, a replacement vehicle shall be provided.

DESCRIPTIVE LITERATURE AND TECHNICAL SPECIFICATIONS

Bidders are encouraged to submit descriptive literature and technical specifications with their bid. If not submitted with the bid, the County reserves the right to request this information, prior to contract award.

USE OF OTHER NAMES AND REFERENCES

Unless otherwise stated, the use of manufacturers' names and product numbers are for descriptive purposes, and establishing general quality levels only. They are not intended to be restrictive. Bidders are required to state exactly what they intend to furnish, otherwise it is fully understood that they shall furnish all items as stated.

MODEL INFORMATION REQUIRED

The manufacturer, make and exact models proposed as substitutes shall also be submitted on bidder's letterhead with any proposal contended to be "equivalent". The vehicles, equipment and accessories shall be new. The bidder shall specify the specific model being bid in each class or type of vehicle.

ROLL-OVER MODEL YEAR

The County will consider any request for a contract roll-over to the next model year after the passing of the vehicle manufacturer's cut-off date, at the same contract pricing, specifications, terms and conditions or better. If a roll-over is agreed upon between the awarded bidder and Vehicle Services Director and approved by the Purchasing Agent, the contract affected by the roll-over will be amended to the newest model year information.

CUT-OFF DATES FOR MODEL YEAR SPECIFIED

The bidder shall notify the County of Ocean Purchasing Department, c/o Jennifer Bowens, Purchasing Agent, P.O. Box 2191, Toms River, NJ 08754 in writing or by fax (732-288-7636) no less than thirty days prior to the factory cut-off date for any vehicle under contract. Successful bidder MUST provide written proof from manufacturer of factory cut-off dates and MUST confirm receipt of same by the County of Ocean Purchasing Department.

COMPLIANCE TO MINIMUM BID REQUIREMENTS EQUIVALENT PROPOSALS

It is the intent of these specifications to describe and govern the purchase of new and unused motor vehicles equipment with any and all accessories as noted herein. The units shall conform to the highest quality of manufacturing and design standards. Any item or items not specifically mentioned herein, but which would be required to produce a complete working unit, shall be supplied by the vendor. All bidders must answer compliance questions in full. A general exception cannot be taken for any paragraph or item. If a bidder is basing his proposal on equipment other than what is specified in these bid documents and wishes the equipment he proposes to be considered as an "approved equal", he shall submit on a separate sheet, in the exact format of the technical specifications contained herein, an item by item description of that which he proposes to substitute including any and all variations from or exceptions to the conditions and specifications of this bid. Failure to comply may result in rejection of bid.

KEYS

A minimum of six (6) sets of keys are required with each vehicle and piece of equipment ordered. This is a minimum requirement: if additional sets are required, it will be indicated in the detailed specification section.

BID PROPOSAL PRICE INCLUSIONS

The price quoted shall include all options specified and all transportation charges fully prepaid to Ocean County Department of Vehicle Services, Chestnut Street, Toms River, New Jersey.

FLEET NUMBER

For Ford Vendors: The County of Ocean Fleet number is QB504.

PRE-BUILD

A detailed vehicle production plan must be provided and approved prior to the start of any upfitting. The production plan detail must include exact mounting locations and configurations for all components.

TITLES

Each vehicle must be delivered with a New Jersey motor vehicle new vehicle inspection sticker in place as prescribed by law. Each vehicle must also be delivered with a New Jersey Motor Vehicle Commission title, registration, and plates. (Temporary plates are not acceptable) Deliver with title issued as follows: 610 234 000 08754 0 Ocean, County of PO Box 2191, Admin. Bldg. Toms River, NJ 08754

DELIVER WITH TITLE NOT CERTIFICATION OF ORIGIN

Notwithstanding the delivery of the title, the County reserves the right to inspect the vehicles and reject them if non-conforming to the specifications.

DELIVERY REQUIREMENTS

Please be advised that when delivering vehicles and/or equipment to the County of Ocean the following procedure must be strictly adhered to: 1. Three (3) days prior to delivery, the successful contractor is required to contact Vehicle Services at (732) 349-4579 and speak with one of the service writers for an approved delivery date. 2. Two (2) days prior to the vehicle delivery the successful bidder will provide via Electronic Delivery (E-mail) a completed and accurate Vehicle Data Sheet and Parts Listing Sheet in a Word Document format for each vehicle being delivered. 3. The successful bidder will have a representative available, and if requested, present during the check-in process. 4. ALL manuals and related materials, as requested in the specifications, MUST be presented to appropriate County personnel at time of delivery of said vehicles /equipment. 5. ALL parts, if requested in the specifications (i.e. belts, filters, hoses, etc.), MUST be presented at time of delivery. 6. The successful contractor shall provide, upon delivery, a list of all supplies (filters, hoses, belts, etc.) needed for the periodic maintenance for the first year. This list shall be complete with part numbers. 7. The successful contractor shall provide, upon delivery, an "As Built" list of all installed equipment and part numbers to cover the vehicle chassis and body. 8. The successful contractor will also be responsible to fill out any and all paperwork needed by the County prior to vehicle delivery. This will assure proper data entry of each vehicle to aide in any future warranty issues. 9. A letter of assurance, on the awarded bidder's company letter head, shall accompany each delivered vehicle, certifying that the vehicle meets or exceeds all specifications as ordered on the Purchase Order. 10. The vehicles furnished shall comply with all safety laws, rules and regulations of the State of New Jersey and with standards for automotive vehicles. A DOT (Department of Transportation) Safety Kit shall be delivered with each vehicle purchased and include a First Aid Kit, Fire Extinguisher, and Safety Triangles. 11. The vehicles, equipment and accessories shall be new and ready for immediate use upon delivery, all service and make-ready having been done prior to delivery. Any vehicle not in such condition will be rejected. All vehicles are to be delivered to the Ocean County Department of Vehicle Services, Chestnut Street, Toms River, New Jersey. 12. No advertising shall appear on any vehicle delivered under the terms of the contract. Further, the contractor will not affix the dealer name to the vehicle. Vehicles delivered to final destinations with dealer's advertising will be rejected. 13. No Vehicle will be accepted at the final delivery point without all supporting documentation and paperwork completed and delivered with the units, which include the vehicle title, warranty, odometer/engine hour statement (if applicable), specified manuals, any line set tickets, invoice and keys sets. No unit will be considered accepted until it has undergone final inspection. 14. All delivered vehicles must be clean both inside and outside. Manufacturer's standard items, such as hubcaps, floor mats, jack and lug wrench or the like, shall be provided, installed, by the contractor prior to delivery.

UPFITTING FOR CERTAIN MOTOR VEHICLE BIDS

VEHICLE UPFITTING:

PRE-BUILD

• A detailed vehicle production plan must be provided and approved prior to the start of any upfitting. The production plan detail must include exact mounting locations and configurations for all components.

INSTALLATION

- All vehicle upfits in the same class (i.e.: Patrol Package Interceptor) must be exactly the same throughout the fleet. Different class vehicles shall be done in the same capacity. This will allow for ease of use for operators when switching vehicles, as well as any maintenance, service or vehicle repurposing. If the vehicle type is already in service, the bidder must match the setup as close as possible to the existing vehicles.
- All single wires must be function labeled every 4 inches.
- All Wire connections must be soldered.
- Pass-through holes in the vehicle must be sealed with RTV Sealer.
- At any wire pass through a snap grommet must be installed.
- A minimum of two spare independently fused power, ground and ignition leads to be terminated in the console as well as the electronics area.
- Two spare data control leads, minimum of 10 amps each, are to be in the console area as well as the electronics area.

TRAINING AND SUPPORT

- A complete set of wiring diagrams must be supplied per vehicle type with delivery as a thumb drive or CD-ROM and e-mail. Wiring diagrams must detail every wire added to the vehicle including every connection point and connection type. Details are also to include where the wire starts, endpoint, purpose, color and label.
- It will be the responsibility of the successful bidder to provide an operating manual for every vehicle delivered. Onsite training must be provided with the delivery of the first of each vehicle type.
- Bidder must provide a contact name and number for support during regular business hours and two contact names and numbers for after business hours for emergency support.
- Software and software training must be provided for the vehicle control system.

WARRANTY

- All workmanship must be warrantied for the life of the vehicle. This warranty covers any and all issues with the aftermarket equipment or issues with the vehicle related to the aftermarket equipment.
- All warning lights and sirens components must have a 5 year no hassle warranty. Installed parts must maintain the full factory warranty. The successful bidder is responsible for handling all warranties, this includes replacing the part and returning the defective part to the manufacturer, at no cost the County. Bidder is responsible to use parts from their inventory to perform an advance exchange warranty to minimize downtime. Warranty shall include all parts, labor, supplies, transport and travel time costs.

REPAIRS

• All repairs are to be performed at the location the vehicle is stationed or at a service center within the County. All requests for repairs must be responded to within 24 hours.

VENDOR QUESTIONNAIRE

County Cooperative Contract Purchasing System*

| Vendor will extend contract prices to "County Cooperative Contract Purchasing System" |
|---|
| Participants as described in <u>Instruction to Bidders</u> . |
| |
| □ Yes |
| □ No |
| *Response required |
| |

BID DOCUMENTS TO BE EXECUTED*

Documents include:

- Signature Page
- Non Collusion Certification
- Affirmative Action Questionnaire
- Statement of Ownership (N.J.S.A. 52:25-24.2) (Mandatory Document)
- Prohibited Russia-Belarus Activities & Iran Investment Activities

FAILURE TO SUBMIT ANY OF THESE DOCUMENTSMAY BE CAUSE FOR REJECTION OF YOUR PROPOSAL.

All documents should be from this proposal package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising.

NOTE: For detailed instructions on how to complete the forms via DocuSign, please access the "Instructions for Completing Forms in DocuSign" document available in the Attachments.

Please note: The County's preferred method of submission is DocuSign.

Click here to go to the form

*Response required

Copy of Bidder's Certificate of Employee Information Report

Within seven (7) days after receipt of the notification of intent to award the contract or receipt of the contract, whichever is sooner, a Contractor should present one of the following to the County of Ocean:

- (a) An existing federally approved or sanctioned affirmative action program.
- (b) A New Jersey Certificate of Employee Information Report Approval.
- (c) If the Contractor cannot present "a" or "b", the Contractor is required to submit a completed Employee Information Report (Form AA302). This form will be made available to the Contractor by the County of Ocean.

QUESTIONS BELOW MUST BE ANSWERED BY ALL CONTRACTORS ON THE **AFFIRMATIVE ACTION DOCUMENT:**

1. Do you have a Federally approved or sanctioned Affirmative Action Program?

If yes, please upload a photocopy of such approval.

2. Do you have a State of New Jersey "Certificate of Employee Information Report" approval?

If yes, please upload a photocopy of such certificate.

Please note, the only acceptable file forms are as follows:

Documents (doc, docx, rtf, txt, xls, xlsx, pdf) Images (jpg, png, bmp, tif)

Copy of Bidder's New Jersey Business Registration Certificate

Please use this area to upload your company's BRC.

Use this link to verify your company's BRC:

https://www1.state.nj.us/TYTR BRC/jsp/BRCLoginJsp.jsp

Please note that a BRC is not required at the time of bid submission but shall be required prior to the award of a contract.

Documents (doc, docx, rtf, txt, xls, xlsx, pdf) Images (jpg, png, bmp, tif)

Mandatory Equal Employment Opportunity Statement*

| Americans with Disabilities Act Provisions* | |
|--|--------------|
| *Response required | |
| □ No | |
| □ Yes | |
| Does the BIDDER comply with the #Mandatory Equal Employment Opportunity Statemen | <u>ıt</u> '. |

| Does the BIDDER | comply v | vith the | #Americans | with | Disabilities | Act | Provision | <u>ns</u> ? |
|-----------------|----------|----------|------------|------|--------------|-----|-----------|-------------|
| □Yes | | | | | | | | |

 \square No *Response required

Descriptive Literature and Warranty Details*

Please supply all descriptive literature and warranty details for all items being bid as well as a list of all diagnostic tools and testing equipment, if applicable.

Please note, the only acceptable file forms are as follows:

Documents (doc, docx, rtf, txt, xls, xlsx, pdf) Images (jpg, png, bmp, tif)

COMPLIANCE PAGES FOR MOTOR VEHICLES: PICKUPS, SUVS, VANS AND WAGONS*

Please download the attached Compliance Pages. Complete each compliance line by placing a check mark in the box for yes or no. Once finished, upload the completed document. If you are taking any exceptions to any of the compliance lines, please list and explain each exception in detail on company letterhead. Please upload the exceptions letter with the completed compliance pages.

• COMPLIANCE PAGES - MOTOR VE...

YEAR, MAKE & MODEL INFORMATION*

Please download the below documents, complete, and upload. Insert the year, make and model for the items you are bidding. If you are not bidding all items, you may leave those blank.

• VEHICLE MODEL INFORMATION F...

ADDITIONAL VENDOR DOCUMENTATION

Please submit any additional information you wish to be considered as part of your bid package.

Please note, the only acceptable file forms are as follows:

Documents (doc, docx, rtf, txt, xls, xlsx, pdf) Images (jpg, png, bmp, tif)

Acknowledgement of Submission of Forms from Current Bid Package*

Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or executed prior to the date of advertising. Failure to follow these instructions is cause for rejection.

| ☐ Please co | onfirm |
|-------------|--------|
|-------------|--------|

^{*}Response required

^{*}Response required

^{*}Response required

^{*}Response required

Submission of Bid Package*

By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this solicitation must be submitted and that failure to do so may be cause for rejection.

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

☐ Please confirm

^{*}Response required

PRICING PROPOSAL

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICKUP TRUCK, AS SPECIFIED, OR EQUAL

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|---|----------|--------------------|-----------|-------|--------|-----------|
| 1 | Current Model Year, or Newer, Ford F250 4X4 Super Cab XLT Pickup Truck, As Specified, or Equal | 20 | EA | | | | |
| OPTIONS | | | | | | | |
| 1A | 8' Box for Super Cab 4X4 (164" Wheelbase), As Specified | 20 | EA | | | | |
| 1B | Tonneau Pickup Box Cover - Soft Folding (Pkg 21D), As Specified | 20 | EA | | | | |
| 1C | Tonneau Pickup Box Cover - Hard Folding (Pkg 21E), As Specified | 20 | EA | | | | |
| 1D | Tonneau Pickup Box Cover - Retractable (Pkg 21J), As Specified | 20 | EA | | | | |
| 1E | Weather Guard Premium Aluminum Crossbed Toolbox (Pkg 19K), As Specified | 20 | EA | | | | |
| 1F | Aluminum Crossbed Toolbox by Weatherguard (Defender Series) (Pkg 19J), As Specified | 20 | EA | | | | |
| 1G | Gen 3 Sync Multi-Media Interface Tester (MIT) Kit, As Specified | 20 | EA | | | | |
| 1H | Furnish and Install: Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 48"As Specified | 20 | EA | | | | |
| 1I | Light Color Option, As Specified | 20 | EA | | | | |
| 1J | Furnish and Install: One (1), four (4) head strobe light kit, As Specified | 20 | EA | | | | |
| 1K | Furnish and Install: Vent Shield on All Doors, As Specified | 20 | EA | | | | |
| 1L | Furnish and Install: Western 8 1/2' Ultra Mount Quick Connect Contractor Pro Plus Snow Plow, As Specified | 20 | EA | | | | |
| 1M | Road Department Color Scheme, As Specified | 20 | EA | | | | |
| 1N | Paint Colors Not Included in the Standard Color Chart, As Specified | 20 | EA | | | | |
| 10 | Liquid Transfer Tank for Diesel Fuel, As Specified | 20 | EA | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|--|----------|--------------------|-----------|-------|--------|-----------|
| 1P | Under-Cover Tonneau Cover Installed Part Number UC2176, As Specified | 20 | EA | | | | |
| 1Q | Prosecutors Lighting Package, As Specified | 20 | EA | | | | |
| 1R | Ford F250 Evidence Locking Storage Box, As Specified | 20 | EA | | | | |
| 1S | Ford F-Series Under-Seat Weapons Safe, As Specified | 20 | EA | | | | |
| 1T | Ford F250 Bed Locking Storage, As Specified | 20 | EA | | | | |
| 1U | Ford F-Series Bed Slide, As Specified | 20 | EA | | | | |
| 1V | Leer Cab-High Cap Model 100RCC for 6 3/4' Box, As Specified | 20 | EA | | | | |
| 1W | Leer Cab-High Cap Model 100RCC for 8' Box, As Specified | 20 | EA | | | | |
| 1X | Ford Protect ExtraCare Extended Service Plan, As Specified | 20 | EA | | | | |
| 1Y | Diagnostic Tools / Test Equipment, As Specified | 20 | EA | | | | |
| 1Z | Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified | 20 | EA | | | | |
| 1AA | Installation of County Supplied Two-Way Radio and Accessories, As Specified | 3 | SET | | | | |
| TOTAL | | | 1 | <u> </u> | | | 1 |

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 CREW CAB XLT PICKUP TRUCK, AS SPECIFIED, OR EQUAL

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: | |
|-----------|---|----------|--------------------|-----------|-------|--------|-----------|--|
| 2 | Current Model Year, or Newer, Ford F250 4X4 Crew Cab XLT Pickup Truck, As Specified, or Equal | 20 | EA | | | | | |
| OPTIONS | | | | | | | | |
| 2A | 8' Bed for Crew Cab 4X4 (176" Wheelbase), As Specified | 20 | EA | | | | | |
| 2B | Tonneau Pickup Box Cover - Soft Folding (Pkg 21D), As Specified | 20 | EA | | | | | |
| 2C | Tonneau Pickup Box Cover - Hard Folding (Pkg 21E), As Specified | 20 | EA | | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|--|----------|--------------------|-----------|-------|--------|-----------|
| 2D | Tonneau Pickup Box Cover - Retractable (Pkg 21J), As Specified | 20 | EA | | | | |
| 2E | Weather Guard Premium Aluminum Crossbed Toolbox Model 127-0-02 (Pkg 19J), As Specified | 20 | EA | | | | |
| 2F | Aluminum Crossbed Toolbox by Weatherguard (Defender Series) (Pkg 19K), As Specified | 20 | EA | | | | |
| 2G | Gen 3 Sync Multi-Media Interface Tester (MIT) Kit, As Specified | 20 | EA | | | | |
| 2Н | Furnish and Install: Whelen IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar - 48", As Specified | 20 | EA | | | | |
| 2I | Light Color Option, As Specified | 20 | EA | | | | |
| 2Ј | Furnish and Install: One (1) Four (4) Head Strobe Light Kit, As Specified | 20 | EA | | | | |
| 2K | Vent Shield on All Doors, As Specified | 20 | EA | | | | |
| 2L | Furnish and Install: Western 8 1/2' Ultra Mount Quick Connect Contractor Pro Plus Snow Plow, As Specified | 20 | EA | | | | |
| 2M | Road Department Color Scheme, As Specified | 20 | EA | | | | |
| 2N | Paint Colors Not Included in the Standard Color Chart, As Specified | 20 | EA | | | | |
| 20 | Liquid Transfer Tank for Diesel Fuel, As Specified | 20 | EA | | | | |
| 2P | Leer Cab-High Cap Model 100RCC for 6 3/4' Box, As Specified | 20 | EA | | | | |
| 2Q | Leer Cab-High Cap Model 100RCC for 8' Box, As Specified | 20 | EA | | | | |
| 2R | Under-Cover Tonneau Cover Installed Part Number UC2176, As Specified | 20 | EA | | | | |
| 2S | Prosecutors Lighting Package, As Specified | 20 | EA | | | | |
| 2T | Ford F250 Evidence Locking Storage Box, As Specified | 20 | EA | | | | |
| 2U | Ford F-Series Under-Seat Weapons Safe, As Specified | 20 | EA | | | | |
| 2V | Ford F250 Bed Locking Storage, As Specified | 20 | EA | | | | |
| 2W | Ford F-Series Bed Slide, As Specified | 20 | EA | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|--|----------|--------------------|-----------|-------|--------|-----------|
| 2X | Ford Protect ExtraCare Extended Service Plan, As Specified | 20 | EA | | | | |
| 2Y | Diagnostic Tools / Test Equipment, As Specified | 20 | EA | | | | |
| 2Z | Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified | 3 | SET | | | | |
| 2AA | Installation of County Supplied Two-Way Radio and Accessories, As Specified | 20 | EA | | | | |
| TOTAL | 1 | 1 | | 1 | | | 1 |

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICKUP TRUCK, AS SPECIFIED, OR EQUAL

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|---|----------|--------------------|-----------|-------|--------|-----------|
| 3 | Current Model Year, or Newer, Ford F250 4X4 Standard Cab XLT Pickup Truck, As Specified, or Equal | 20 | EA | | | | |
| OPTIONS | , | 1 | 1 | | | 1 | |
| 3A | Tonneau Pickup Box Cover - Soft Folding (Pkg 21D), As Specified | 20 | EA | | | | |
| 3В | Tonneau Pickup Box Cover - Hard Folding (Pkg 21E), As Specified | 20 | EA | | | | |
| 3C | Tonneau Pickup Box Cover - Retractable (Pkg 21J), As Specified | 20 | EA | | | | |
| 3D | Gen 3 Sync Multi-Media Interface Tester (MIT) Kit , As Specified | 20 | EA | | | | |
| 3E | Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 48" As Specified | 20 | EA | | | | |
| 3F | One Four (4) Head Strobe Light Kit, As Specified | 20 | EA | | | | |
| 3G | Vent Shield on All Doors, As Specified | 20 | EA | | | | |
| 3Н | Furnish and Install: One (1) Four (4) Head Strobe Light Kit, As Specified | 20 | EA | | | | |
| 31 | Weather Guard Aluminum Toolbox, As Specified | 20 | EA | | | | |
| 3Ј | Road Department Color Scheme, As Specified | 20 | EA | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|--|----------|--------------------|-----------|-------|--------|-----------|
| 3K | Paint Colors Not Included in the Standard Color Chart, As Specified | 20 | EA | | | | |
| 3L | Liquid Transfer Tank for Diesel Fuel, As Specified | 20 | EA | | | | |
| 3M | Ford Protect ExtraCare Extended Service Plan, As Specified | 20 | EA | | | | |
| 3N | Diagnostic Tools / Test Equipment, As Specified | 20 | EA | | | | |
| 30 | Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified | 3 | SET | | | | |
| 3P | Installation of County Supplied Two-Way Radio and Accessories, As Specified | 20 | EA | | | | |
| TOTAL | 1 | <u>l</u> | 1 | 1 | | 1 | |

ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|---|----------|--------------------|-----------|-------|--------|-----------|
| 4 | Current Model Year, or Newer, Ford Explorer 4WD, As Specified or Equal | 20 | EA | | | | |
| OPTIONS | | | | ' | | | ' |
| 4A | Mini Liberty II IT9 Series Light Bar, As Specified | 20 | EA | | | | |
| 4B | Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54", As Specified | 20 | EA | | | | |
| 4C | Light Color Option , As Specified | 20 | EA | | | | |
| 4D | Vehicle Specific Dual Color Light Bar, As Specified | 20 | EA | | | | |
| 4E | Single Deck/Grille Mount 12 LED Lights, As Specified | 20 | EA | | | | |
| 4F | Solid State Headlight Flasher, As Specified | 20 | EA | | | | |
| 4G | Universal UnderCover Screw-In LED Insert Single Light Kit, As Specified | 20 | EA | | | | |
| 4H | Single 12LED Recess Mount Lights, As Specified | 20 | EA | | | | |
| 4I | Rear Lightbar Single Color - Ford Utility, As Specified | 20 | EA | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments |
|-----------|--|----------|--------------------|-----------|-------|--------|----------|
| 4J | 200 Watt Remote Siren, As Specified | 20 | EA | | | | |
| 4K | 15 Programmable Button Controller, As Specified | 20 | EA | | | | |
| 4L | 100 Watt Professional Siren Speaker, As Specified | 20 | EA | | | | |
| 4M | Vehicle Specific Bumper Mount Siren Speaker Bracket, As Specified | 20 | EA | | | | |
| 4N | 100 Amp Central Controller, As Specified | 20 | EA | | | | |
| 4O | Central Controller Harness Kit, As Specified | 20 | EA | | | | |
| 4P | NotePad V Universal Computer Cradle, As Specified | 20 | EA | | | | |
| 4Q | Aluminum Push Bumper, As Specified | 20 | EA | | | | |
| 4R | Dual Color LED Light Bar, As Specified | 20 | EA | | | | |
| 4S | Harness, As Specified | 20 | EA | | | | |
| 4T | Dual Color Warning Light, As Specified | 20 | EA | | | | |
| 4U | Ford Protect ExtraCare Extended Service Plan, As Specified | 20 | EA | | | | |
| 4V | Diagnostic Tools / Test Equipment, As Specified | 3 | SET | | | | |
| 4W | Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified | 20 | EA | | | | |
| 4X | Installation of County Supplied Two-Way Radio and Accessories, As Specified | 20 | EA | | | | |

ITEM #4Y - FORD FACTORY INSTALLED OPTIONS - MUST BID ON THIS ITEM TO BE CONSIDERED FOR AWARD OF ITEM #4.

(Must include options list with bid)

| Line Item | Description | Unit of Measure | Percentage | No Bid |
|-----------|---|------------------------|------------|--------|
| 4Y | Ford Factory Installed Options, Must Include Options List with bid | % | | |

ITEM #5 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER XLT 4WD, AS SPECIFIED, OR EQUAL

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|---|----------|--------------------|-----------|-------|--------|-----------|
| 5 | Current Model Year, or Newer, Ford Explorer XLT 4WD, As Specified or Equal | 20 | EA | | | | |
| OPTIONS | | | | | | | |
| 5A | Mini Liberty II IT9 Series Light Bar, As | 20 | EA | | | | |
| | Specified | | | | | | |
| 5B | Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54", As Specified | 20 | EA | | | | |
| 5C | Light Color Option , As Specified | 20 | EA | | | | |
| 5D | Paint Colors, As Specified | 20 | EA | | | | |
| 5E | Vehicle Specific Dual Color Light Bar, As Specified | 20 | EA | | | | |
| 5F | Single Deck/Grille Mount 12 LED Lights, As Specified | 20 | EA | | | | |
| 5G | Solid State Headlight Flasher, As Specified | 20 | EA | | | | |
| 5H | Universal UnderCover Screw-In LED Insert Single Light Kit, As Specified | 20 | EA | | | | |
| 51 | Single 12LED Recess Mount Lights, As Specified | 20 | EA | | | | |
| 5J | Rear Lightbar Single Color - Ford Utility, As Specified | 20 | EA | | | | |
| 5K | 200 Watt Remote Siren, As Specified | 20 | EA | | | | |
| 5L | 8 Programmable Button Controller, As Specified | 20 | EA | | | | |
| 5M | 100 Watt Professional Siren Speaker, As Specified | 20 | EA | | | | |
| 5N | Vehicle Specific Bumper Mount Siren Speaker Bracket, As Specified | 20 | EA | | | | |
| 5O | 100 Amp Central Controller, As Specified | 20 | EA | | | | |
| 5P | Central Controller Harness Kit, As Specified | 20 | EA | | | | |
| 5Q | Panasonic Toughbook CF 30/31 Docking Station, As Specified | 20 | EA | | | | |
| 5R | Ford Police Interceptor Sedan/Utility (2012+) Pedestal System Kit, As Specified | 20 | EA | | | | |
| 5S | NotePad V Universal Compuer Cradle, As Specified | 20 | EA | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|--|----------|--------------------|-----------|-------|--------|-----------|
| 5T | Aluminum Push Bumper, As Specified | 20 | EA | | | | |
| 5U | Dual Color LED Light Bar, As Specified | 20 | EA | | | | |
| 5V | Connect-n-Go, Hand-Held Controller, As Specified | 20 | EA | | | | |
| 5W | Dual Color Warning Light, As Specified | 20 | EA | | | | |
| 5X | Ford Protect Extra Care Extended Service Plan, As Specified | 20 | EA | | | | |
| 5Y | Diagnostic Tools/Test Equipment, As Specified | 3 | SET | | | | |
| 5Z | Two-Way Radio Power and Wiring Requirements for New Vehicles | 20 | EA | | | | |
| 5AA | Installation of County Supplied Two Way Radio and Accessories | 20 | EA | | | | |
| TOTAL | | | | | | | |

ITEM #5BB - FORD FACTORY INSTALLED OPTIONS - MUST BID ON THIS ITEM IN ORDER TO BE CONSIDERED FOR AWARD OF ITEM 5

(Must include options list with bid)

| Line Item | Description | Unit of Measure | Percentage | No Bid |
|-----------|---|------------------------|------------|--------|
| 5BB | Ford Factory Installed Options, Must Include Options List with bid | % | | |

ITEM #6 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED, OR EQUAL

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | Comments: | No Bid |
|-----------|--|----------|--------------------|-----------|-------|-----------|--------|
| 6 | Current Model Year, or Newer, Transit Cargo Van 250, As Specified, or Equal | 10 | EA | | | | |
| OPTIONS | | I | l | I | | 1 | |
| 6A | All Wheel Drive, As Specified | 10 | EA | | | | |
| 6B | SYNC 4 with SiriusXM®, As Specified | 10 | EA | | | | |
| 6C | Running Boards, Factory Installed, 68H, As Specified | 10 | EA | | | | |
| 6D | Paint Colors Not Specified on the Standard Color Chart, As Specified | 10 | EA | | | | |
| 6E | Metallic Paint Colors, As Specified | 10 | EA | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | Comments: | No Bid |
|-----------|---|----------|--------------------|-----------|-------|-----------|--------|
| 6F | High Capacity Upfitter Switches (67C), As Specified | 10 | EA | | | | |
| 6G | Vinyl Floor Covering, Front and Rear (16E), As Specified | 10 | EA | | | | |
| 6Н | Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar - 48", As Specified | 10 | EA | | | | |
| 6I | Medium Roof Electrical Contractor Package - for Transit 130" Wheelbase Medium Roof, As Specified | 10 | EA | | | | |
| 6J | Medium Roof Electrical General Service Package - for Transit 130" Wheelbase Medium Roof, As Specified | 10 | EA | | | | |
| 6K | Medium Roof HVAC Repair Package - for Transit 130" Wheel Base Medium Roof, As Specified | 10 | EA | | | | |
| 6L | LoadsRite Single, Curbside, Drop-Down Ladder Rack for Ford Transit Medium Roof Vans, As Specified | 10 | EA | | | | |
| 6M | Install White Vinyl Wrapping on Roof of Vehicle from Front to Rear, As Specified | 10 | EA | | | | |
| 6N | Ford Protect ExtraCare Extended Service Plan, As Specified | 10 | EA | | | | |
| 6O | Liftgate, As Specified | 10 | EA | | | | |
| 6P | Diagnostic Tools/Test Equipment, As Specified | 3 | SET | | | | |
| 6Q | Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified | 10 | EA | | | | |
| 6R | Installation of County Supplied Two-Way Radio and Accessories, As Specified | 10 | EA | | | | |

ITEM #7 - CURRENT MODEL YEAR, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED, OR EQUAL

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|---|----------|--------------------|-----------|-------|--------|-----------|
| 7 | Current Model Year, or Newer, Transit Passenger Van XLT 350 Medium Roof, As Specified, or Equal | 10 | EA | | | | |
| OPTIONS | | | | | | | |
| 7A | All Wheel Drive, As Specified | 10 | EA | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|--|----------|--------------------|-----------|-------|--------|-----------|
| 7B | SYNC 4 with SiriusXM, As Specified | 10 | EA | | | | |
| 7C | Paint Colors Not Specified on the Standard Color Chart, As Specified | 10 | EA | | | | |
| 7D | Metallic Paint ColorsAs Specified | 10 | EA | | | | |
| 7E | High Capacity Upfitter Switches (67C), As Specified | 10 | EA | | | | |
| 7F | Rear Interior Door Handles Inoperable/Lock Operable, As Specified | 10 | EA | | | | |
| 7G | Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar - 48", As Specified | 10 | EA | | | | |
| 7H | Light Color Option, As Specified | 10 | EA | | | | |
| 71 | Installation of Dome Light (Interior), As Specified | 10 | EA | | | | |
| 7J | Console Equipment, As Specified | 10 | EA | | | | |
| 7K | Installation of Lighting Package #1, As Specified | 10 | EA | | | | |
| 7L | Installation of Lighting Package #2, As Specified | 10 | EA | | | | |
| 7M | Getec A140 Tablet Docking Station, As Specified | 10 | EA | | | | |
| 7N | HiNT Mounts Tablet Modular Mount, As Specified | 10 | EA | | | | |
| 70 | iKey Keyboard, As Specified | 10 | EA | | | | |
| 7P | Lind Power Supply, As Specified | 10 | EA | | | | |
| 7Q | Panasonic Laptop Docking Station, As Specified | 10 | EA | | | | |
| 7R | Panasonic Vehicle DC Power Adapter, As Specified | 10 | EA | | | | |
| 78 | Panasonic Detachable Premium Keyboard, As Specified | 10 | EA | | | | |
| 7T | Panasonic Premium Rotation Strap with Pen Holder and Stand, As Specified | 10 | EA | | | | |
| 7U | Ford Protect ExtraCare Extended Service Plan, As Specified | 10 | EA | | | | |
| 7V | Diagnostic Tools / Test Equipment, As Specified | 3 | SET | | | | |

| Line Item | Description | Quantity | Unit of Measure | Unit Cost | Total | No Bid | Comments: |
|-----------|--|----------|--------------------|-----------|-------|--------|-----------|
| 7W | Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified | 10 | EA | | | | |
| 7X | Installation of County Supplied Two Way Radio and Accessories, As Specified | 10 | EA | | | | |
| TOTAL | | | | | | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 1 of 44

<u>ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED</u>

| | COMPI | LIANCE |
|---|--------------|--------|
| <u>DESCRIPTION</u> | YES | NO |
| Model Year 2023 or newer, Ford F250 4X4 Super Cab XLT Pick Up Truck | | |
| 7.3L 2V Gas DEVCT PFI NA V8 | | |
| TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul | | |
| Axle | | |
| Mono-beam front axle w/coil spring suspensionRear- Non-Limited Slip | | |
| Manual locking front hub | | |
| Battery – 750- CCA, 78-AH Single | | |
| Shock absorbers – Heavy Duty Gas | | |
| Tires – | | |
| - LT275/65R18 | | |
| - Spare Tire, Wheel & Frame mounted carrier | | |
| Wheels – 18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/Center Ornaments | | |
| Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed) | | |
| Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control | | |
| Headlamps/Taillamps/Lamps - Quad Beam Halogen Jewel Effect - Halogen fog lamps - AutoLamp (Auto On/Off Headlamps) | | |
| Automatic High BeamCenter High-mounted stop lamp | | |
| Mirrors | | |
| Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal Rearview mirror – Electrochromic self-dimming | | |
| Windows and Glass | | |
| - 1st row – power w/one touch up/down | | |
| 2nd row – power Rear (backlight) – fixed | | |
| - Privacy Glass (rear backlight on all cabs; 2 nd row (rear-seat) windows) | | |
| Air Conditioning – Manual, Single Zone | | |
| Sync 4 | | |
| - 8" LCD Capactive Touchscreen with swipe capability | | |
| Wireless phone connectionApple CarPlay and Android Auto Capability | П | П |
| Instrument Cluster – 4.2" Productivity Screen display includes menus for Gauge | ш | |
| Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 2 of 44

<u>ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | COMPI | LIANCE |
|---|--------------|---------------|
| <u>DESCRIPTION</u> (CONT'D) | YES | NO NO |
| Rear View Camera – Display in center-stack screen | | |
| Seats (Front) Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar) | | |
| Two-way adjustable driver/passenger headrestsFront center-seat-integrated restraints | | |
| Seat (Rear) - Cloth, 60/40 Fold-up bench seat | | |
| Steering Wheel - Urethane – Black w/redundant audio and SYNC controls - Cruise Control - Tilt and telescoping steering wheel/Column (Manual) | П | П |
| Safety/ Security - AdvanceTrac with RSC - Autolock, Auto unlock rainlamp wiper active headlamps - Driver and frontal and side airbag/curtain - Remote keyless-entry | _ | |
| - Trailer sway control and hill start assist 250 Amp Alternator (67E) Snow Plow Prep package (473) | | |
| Carpet Delete – Factory Fleet Option (166) | | |
| Trailer Tow package – seven (7) wire harness w/relays and 7/4 pin connector | | |
| Trailer Brake Controller Platform Running Boards (18B) | | |
| Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S) | | |
| Interior work surface (52S) | | |
| Upfitter switched six (6) located in overhead console (66S) | | |
| Wheel Well Liner, Front/Rear (61N) | | |
| Splash Guards/Mud Flaps Front (61S) | | |
| Splash Guards/Mud Flaps Rear (62S) | | |
| 6-ton Combination Hitch: 2-inch ball and pintle Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball. Locking hitch pin with key Hitch is to fit tightly into the receiver In the event the hitch, does not fit tightly, then a sleeve shall be provided. | | |
| (Ford Part Number: HC3Z-19H282-A) | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 3 of 44

<u>ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| DESCRIPTION (CONTYD) | COMPL | |
|--|-------|-----------|
| DESCRIPTION (CONT'D) | YES | <u>NO</u> |
| 2.5" Hitch Receiver | | |
| Interior color: Medium Dark Slate | | |
| Paint: | | |
| Color to be specified from Standard color chart on Purchase order when ordering | | |
| Undercoating | | |
| Entire Chassis and underside of cab to be coated with Tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating. | П | |
| Warranty: | Ш | |
| Bumper to Bumper: three (3) years/36,000 miles | | |
| Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations | | |
| OPTIONS: | | |
| 1A. <u>8' Box for Supercab 4X4</u> - (164" Wheelbase) | | |
| 1B. Tonneau Pickup Box Cover – Soft Folding - (PKG 21D) (Not available with the crossbed toolbox or drop in bedliner) | | |
| 1C. Tonneau Pickup Box Cover – Hard folding - (PKG 21E) (Not available with the crossbed toolbox or drop in bedliner) | | |
| 1D . <u>Tonneau Pickup Box Cover – Retractable</u> - (PKG 21J) (Not available with the crossbed toolbox or drop in bedliner) | | |
| 1E . Weather Guard Premium Aluminum Crossbed Toolbox - Model 127-0-02 (PKG 19K) with six (6) set of keys. | | |
| 1F . <u>Aluminum Crossbed Toolbox</u> - by Weather Guard (Defender Series) (PKG 19J) with six (6) sets of keys. | | |
| 1G. <u>Gen 3 Sync Multi-Media Interface Tester (MIT) Kit</u> (Rotunda Part Number: 105-00120-GEN3) | | |
| 1H . <u>Furnish and Install</u> : Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 48", Fully loaded with all Amber, LED's which includes four (4) corners, four (4) front facing and six (6) rear facing and bar also includes two (2) white take down lights in Front, two (2) White Alley Light, Corner light wired on a Separate switch. | | |
| 1I. <u>Light Color Option</u> - Red and blue modules in lieu of amber for Sheriff Depart or | _ | _ |
| OEM, keeping the amber rear arrow stick | | |
| 1J. Furnish and Install : One (1) four (4) head strobe light kit with two (2) front and two (2) rear to be installed in the parking light lens area with the front and rear being on separate switches. | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 4 of 44

<u>ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | <u>COMPI</u> | LIANCE |
|--|--------------|---------------|
| OPTIONS: (CONT'D) | YES | <u>NO</u> |
| 1K. Furnish and Install: Vent Shield on all doors | | |
| 1L . <u>Furnish and Install</u> : One (1) Western 8-1/2' Ultra Mount Quick Connect contractor pro plus snow plow with hand held controller and snow shield complete with electric, hydraulics and light kit installed on vehicle. | | |
| 1M . Road Department Colors – Dupont 4357A – School bus yellow from the bottom of the windows down. Academy blue # 5240 from the bottom of the windows up to and including cab roof and back, on hood from bottom of windshield to a point on the hood to make a "V" and match the road department fleet. (Note: Not all Vehicles will be painted this way) | | |
| 1N. <u>Paint Colors</u> - not included in the standard color chart: i.e. – School bus yellow, Green Gem | | |
| 10. <u>Liquid Transfer Tank For Diesel Fuel</u> – Weather Guard Transfer Tank, L Shape, 75 gal, Part number 352-3-01 Approx. Height 26 in, Approx. Width 30 in, approx. length 43 in. Fill-Rite Standard Duty DC Rotary Vane Pump 15GPM – Fill-Rite Part Number – FR1210GA Fill-Rite Particulate Filter – Fill Rite Part Number – 1200KTF7018 Fill-Rite Heavy Duty Flow Meter – 3-Wheel Mechanical Flow Meter up to 20 GPM at 50 PSI Pressure rating – Fill-Rite Part Number FR807C. | | |
| Installed with a switch wired in the cab of the truck. | | |
| 1P. <u>UnderCover Tonneau Cover Installed</u> - Part Number UC2176 | | |
| (for the 6-3/4' Cargo box only) | | |
| 1Q. <u>Prosecutors Lighting Package:</u> (Colors to be determined at the time of order) | | |
| - Electrical System | | |
| QTY 1 - Central Control system, solid state (Soundoff Signal part number ENGCC01243 or equal) | | |
| QTY 1 - Central Control Harness (Soundoff Signal part number | | |

- QTY 1 Central Control Harness (Soundoff Signal part number ENGHNK01 or equal)
- QTY 1 100 Watt Siren amp output module (Soundoff Signal part number ETSA461HPP or equal)
- QTY 1 Vehicle Data control module (Soundoff Signal part number ENGLNK002 or equal)

All installed aftermarket electronic equipment must be wired to the control system. Every Component must be wired to its own output to allow for easy diagnosing and updating. The system must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. All warning lights and sirens must be able to be controlled and programed through the system. This system must have capability of adjustable timed shutdown for all outputs independently to allow the equipment to stay on after vehicle ignition is turned off. It must have self-diagnostics capability with a fault log and use OBD data module for inputs from the vehicle. The system must be wired into the vehicle ignition system to provide ignition security system.

ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED (CONT'D)

| COMPL | IANCE |
|--------------|--------------|
| YES | NO |

П

OPTIONS: (CONT'D)

1Q. Prosecutors Lighting Package: (Cont'd)

(Colors to be determined at the time of order)

- **Lighting and Siren**
 - QTY 1 Interior 12 LED eight module light bar with dual color heads. (Soundoff Signal Part Number: ENFWBF or equal) – Manual dimming capability for nighttime use and Cruise mode. Comes with a Windows PC software application for ease of programming.
 - QTY 1 100 Watt Siren Speaker and bracket. (Soundoff Signal Part Number: ETSS100N or equal) Mounted on Vehicle Specific bracket.
 - QTY 4 Single Deck/Grille mount light SAE Class 1, 10-16V 12 LED. (Soundoff Signal Part Number: ENFSGS3 or equal) Mounted behind Grille. (Light head must be able to interchange mount, including deck, recess, surface and windshield mounts for easy repairs and repurposing.)
 - QTY 1 Select-a-pattern headlight flasher, solid state, 12V isolation module. (Soundoff Signal Part Number: ETHFSS-SP-ISO or equal) headlight flasher does not feedback into any factory wiring.
 - QTY 10 Multicolored light with silicon molded one-piece housing and Optic. (Soundoff Signal Part Number: EMPS2STS4 or equal) Side intersection Warning lights two (2) on Ford Logo in Fender, two (2) per running board and two (2) under rear taillights. There should also be two (2) mounted under rear tailgate wired to flash S/T/T and white in reverse.
 - QTY 4 LED insert with cruise mode (Soundoff Signal Part Number ELUC3S025W or equal) Installed in reverse light housing.
 - QTY 2 Dual Deck/Grille Mount Light, SAE Class 1, 10-16v, Black Housing, 9 LED, multicolored. (Soundoff Signal Part Number: ENFDGS2 or equal)
 - QTY 1 Dash Bracket, Vehicle Specific bracket no holes drilled (Panvise bracket number 75107-510 or equal)
 - Window Tint All windows and windshield 20% utilizing 3M or Johnson window film.
 - Install County supplied Radio with GPS antenna & TriPlexer

1R. Ford F250 Evidence Locking Storage Box

Dual locking drawer system. Dual Key Lock & Digital Combo Lock. Full bed depth. Powder coated aluminum. Bedliner coating on top. Drawers: 1/8 aluminum, 18 inch Drawer depth. Heavy 500lb Duty locking slides.

Exterior latch for evidence seal

1S. Ford F-Series Under Seat Weapons Safe

Full under seat width weapons vault. Forty-six (46) inches Long, Ten (10) inches High. Simplex lock with metal latch. ¾ inch MDO Plywood with bedliner coating. There are to be metal reinforcements around opening for extra security and Hi density foam cut to weapon size. Secures with no holes drilled into vehicle.

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 6 of 44

<u>ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | COMP | LIANCE |
|--|------------|-----------|
| OPTIONS: (CONT'D) | YES | <u>NO</u> |
| 1T. <u>Ford F250 Bed Locking Storage</u> Dual locking drawer system. Key Lock Full bed depth. ¾ inch plywood sealed with waterproof bedliner coating. Drawers: 1/8 aluminum, 12 inch Drawer depth. Doors: Manufactured from 3/4" HDP composite material. Heavy 500lb Duty locking slides. | | |
| 1U. <u>Ford F-Series Bed Slide</u> Powder coated Steel 3 Rail 1500LB Bed Slide. 100% extension with a spring lock. 3/16" aluminum Tray mounted to slide. Tray to have a 2" lip on three (3) sides, with no lip on the operator end. Includes tailgate extension bracket to allow tailgate lays flat when open so bedslide is not required to be raised off the floor. | | |
| 1V. <u>Leer Cab-High Cap Model 100RCC for 6-3/4' Box</u> – Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck. | | |
| 1W. <u>Leer Cab-High Cap Model 100RCC for 8' Box</u> – Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tricoat painted to match the color of the truck. | | |
| 1X . Ford Protect ExtraCare - extended service plan covering 113 components. Eight (8) years/125,000 miles with \$0.00 deductible. | | |
| 1Y. <u>Diagnostic Tools / Test Equipment</u> | | |
| Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment. | | |
| 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link | | |
| 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. | | |
| 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. | | |
| 4. All software installations and activations will be completed by the successful bidder at no cost to the County. | | |
| 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 7 of 44

<u>ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | COMPI | IANCE |
|---|--------------|--------------|
| OPTIONS: (CONT'D) | YES | <u>NO</u> |
| 1Y. <u>Diagnostic Tools / Test Equipment</u> (Cont'd) 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. | | |
| | _ | _ |
| 1Z. <u>Two-Way Radio Power and Wiring Requirements for New Vehicles</u> For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: | | |
| 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. | | |
| 2. #12 AWG BLACK wire connected to chassis ground. | | |
| 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. | | |
| These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces. | | |
| 1AA. Installation of County Supplied Two Way Radio and Accessories | | |
| Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: | | |
| 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. | | |
| 2. #12 AWG BLACK wire connected to chassis ground. | | |
| 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. | | |
| These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal | | |
| surfaces. | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 8 of 44

<u>ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED</u>

| | COMPL | |
|--|--------------|-----------|
| DESCRIPTION | <u>YES</u> | <u>NO</u> |
| Model Year 2023 or newer, Ford F250 4X4 Crew Cab XLT Pick Up Truck | | |
| 7.3L 2V Gas DEVCT PFI NA V8 | | |
| TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul | | |
| Axle | | |
| Mono-beam front axle w/coil spring suspensionRear- Non-Limited Slip | | |
| Manual locking front hub | | |
| Battery – 750- CCA, 78-AH Single | | |
| Shock absorbers – Heavy Duty Gas | | |
| Tires – | | |
| LT275/65R18Spare Tire, Wheel & Frame mounted carrier | | |
| $Wheels-18"\ Sparkle\ Silver\ Painted\ Cast\ Aluminum\ w/bright\ hub\ covers/Center\ Ornaments$ | | |
| Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed) | | |
| Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control | | |
| Headlamps/Taillamps/Lamps - Quad Beam Halogen Jewel Effect - Halogen fog lamps - AutoLamp (Auto On/Off Headlamps) - Automatic High Beam | | |
| - Center High-mounted stop lamp | | |
| Mirrors Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal Rearview mirror – Electrochromic self-dimming | | |
| Windows and Glass | | |
| 1st row – power w/one touch up/down 2nd row – power Rear (backlight) – fixed Privacy Glass (rear backlight on all cabs; 2nd row (rear-seat) windows) | | |
| Air Conditioning – Manual, Single Zone | | |
| Sync 4 | | |
| 8" LCD Capactive Touchscreen with swipe capability Wireless phone connection Apple CarPlay and Android Auto Capability | | |
| Instrument Cluster – 4.2" Productivity Screen display includes menus for Gauge | _ | |
| Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 9 of 44

<u>ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| (COLLEGE (COLLEGE) | COMPL | IANCE |
|---|--------------|-------|
| <u>DESCRIPTION</u> (CONT'D) | YES | NO |
| Rear View Camera – Display in center-stack screen | | |
| Seats (Front) Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar) Two-way adjustable driver/passenger headrests Front center-seat-integrated restraints | | |
| Seat (Rear) | | |
| - Cloth, 60/40 Fold-up bench seat | | |
| Steering Wheel Urethane – Black w/redundant audio and SYNC controls Cruise Control Tilt and telescoping steering wheel/Column (Manual) | | |
| Safety/ Security - AdvanceTrac with RSC - Autolock, Auto unlock rainlamp wiper active headlamps - Driver and frontal and side airbag/curtain - Remote keyless-entry - Trailer sway control and hill start assist | | |
| 250 Amp Alternator (67E) | | |
| Snow Plow Prep package (473) | | |
| Carpet Delete – Factory Fleet Option (166) | | |
| Trailer Tow package – Seven (7) wire harness w/relays and 7/4 pin connector | | |
| Trailer Brake Controller | | |
| Platform Running Boards (18B) | | |
| Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S) | | |
| Interior work surface (52S) | | |
| Upfitter switched six (6) located in overhead console (66S) | | |
| Wheel Well Liner, Front/Rear (61N) | | |
| Splash Guards/Mud Flaps Front (61S) | | |
| 6-ton Combination Hitch: 2-inch ball and pintle Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball. Locking hitch pin with key Hitch is to fit tightly into the receiver In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A) | | |
| 2.5" Hitch receiver | | |
| Interior color: Medium Dark Slate | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 10 of 44

<u>ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | COMPI | <u>LIANCE</u> |
|---|-------|---------------|
| DESCRIPTION (CONT'D) Paint: | YES | NO |
| Color to be specified from Standard color chart on Purchase order when ordering | | |
| <u>Undercoating</u> Entire Chassis and underside of cab to be coated with Tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating. | | |
| Warranty: | | |
| Bumper to Bumper: 3 years/36,000 miles Valida Equipment Must be Bustone afad and Warrantiad by the Manufacturer | | |
| Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations | | |
| OPTIONS: | _ | _ |
| 2A. 8' Bed for Crew Cab 4X4 (176" Wheelbase) | | |
| 2B. <u>Tonneau Pickup Box Cover – Soft Folding</u> - (PKG 21D) (Not available with the crossbed toolbox, stowable loading ramps, or drop in bedliner) | | |
| 2 C. <u>Tonneau Pickup box cover – Hard folding</u> - (PKG 21E) (Not available with the crossbed toolbox, stowable loading ramps, or drop in bedliner) | | |
| 2D . <u>Tonneau Pickup box cover – Retractable</u> - (PKG 21J) (Not available with the crossbed toolbox, stowable loading ramps, or drop in bedliner) | | |
| 2E . Weather Guard Premium Aluminum Crossbed Toolbox - Model 127-0-02 (PKG 19J) with six (6) sets of keys. | | |
| 2F . <u>Aluminum Crossbed Toolbox by Weather Guard</u> - (Defender Series) (PKG 19K) with six (6) sets of keys. | | |
| 2G. Gen 3 Sync Multi-Media Interface Tester (MIT) Kit - (Rotunda Part Number: 105-00120-GEN3) | | |
| 2H. Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 48", Fully loaded with all Amber, LED's which includes four (4) corners, four (4) front facing and six (6) rear facing and bar also includes two (2) white take down lights in Front, two (2) White Alley Light, Corner light wired on a Separate switch. | | |
| 2I. <u>Light Color Option</u> - Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick | | |
| 2J . One (1) Four (4) Head Strobe Light Kit - with two (2) front and two (2) rear to be installed in the parking light lens area with the front and rear being on separate switches. | | |
| 2K. <u>Vent Shield</u> - on all doors | | |
| 2L. One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus Snow Plow - with hand held controller and snow shield complete with electric, hydraulics and light kit installed on vehicle. | | |

COMPLIANCE PAGES - MOTOR VEHICLES - PICKUPS, SUVS, VANS AND WAGONS Page 11 of 44

ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED (CONT'D)

| | <u>COMPI</u> | LIANCE |
|---|--------------|---------------|
| OPTIONS: (CONT'D) | YES | <u>NO</u> |
| 2M. Road Department Colors – Dupont 4357A – School bus yellow from the bottom of the windows down. Academy blue # 5240 from the bottom of the windows up to and including cab roof and back, on hood from bottom of windshield to a point on the hood to make a "V" and match the road department fleet. (Note: Not all Vehicles will be painted this way) | | |
| 2N. <u>Paint Colors</u> - not included in the standard color chart: i.e. – School bus yellow, Green Gem | | |
| 2O. Liquid Transfer Tank For Diesel Fuel — Weather Guard Transfer Tank, L Shape, 75 gal, Part number 352-3-01 Approx. Height 26 in, Approx. Width 30 in, Approx. length 43 in. Fill-Rite Standard Duty DC Rotary Vane Pump 15GPM — Fill-Rite Part Number — FR1210GA Fill-Rite Particulate Filter — Fill Rite Part Number — 1200KTF7018 Fill-Rite Heavy Duty Flow Meter — 3 Wheel Mechanical Flow Meter up to 20 GPM at 50 PSI Pressure rating — Fill-Rite Part Number FR807C. Installed with a switch wired in the cab of the truck. | | |
| 2P . <u>Leer Cab-High Cap Model 100RCC for 6-3/4' Box</u> – Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tri-coat painted to match the color of the truck. | | |
| 2Q . <u>Leer Cab-High Cap Model 100RCC for 8' Box</u> – Leer fiberglass Construction, Interior headliner, Commercial cap structural reinforcement, Interior dome light, fiberglass base rails, recessed third brake light, radius fixed front window, fiberglass painted access side doors, recessed dark tint rear door with screen. Cap must be tricoat painted to match the color of the truck. | | |
| 2R . <u>UnderCover Tonneau Cover Installed</u> - Part Number UC2176 (Only available with 6-3/4' box) | | |
| 2S. Prosecutors Lighting Package: (Colors to be determined at the time of order) Electrical System QTY 1 - Central Control system, solid state (Soundoff Signal part number ENGCC01243 or equal) | | |

- QTY 1 Central Control Harness (Soundoff Signal part number ENGHNK01 or equal)
- QTY 1 100 Watt Siren amp output module (Soundoff Signal part number ETSA461HPP or equal)
- QTY 1 Vehicle Data control module (Soundoff Signal part number ENGLNK002 or equal)

<u>ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

OPTIONS: (CONT'D)

COMPLIANCE YES NO

2S. Prosecutors Lighting Package: (Cont'd)

- Electrical System (Cont'd)

All installed aftermarket electronic equipment must be wired to the control system. Every Component must be wired to its own output to allow for easy diagnosing and updating. The system must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. All warning lights and sirens must be able to be controlled and programed through the system. This system must have capability of adjustable timed shutdown for all outputs independently to allow the equipment to stay on after vehicle ignition is turned off. It must have self-diagnostics capability with a fault log and use OBD data module for inputs from the vehicle. The system must be wired into the vehicle ignition system to provide ignition security system.

- Lighting and Siren

- QTY 1 Interior 12 LED eight module light bar with dual color heads.
 (Soundoff Signal Part Number: ENFWBF or equal) Manual dimming capability for nighttime use and Cruise mode. Comes with a Windows PC software application for ease of programming.
- QTY 1 100 Watt Siren Speaker and bracket. (Soundoff Signal Part Number: ETSS100N or equal) Mounted on Vehicle Specific bracket.
- QTY 4 Single Deck/Grille mount light SAE Class 1, 10-16V 12 LED. (Soundoff Signal Part Number: ENFSGS3 or equal) Mounted behind Grille. (Light head must be able to interchange mount, including deck, recess, surface and windshield mounts for easy repairs and repurposing.)
- QTY 1 Select-a-pattern headlight flasher, solid state, 12V isolation module. (Soundoff Signal Part Number: ETHFSS-SP-ISO or equal) headlight flasher does not feedback into any factory wiring.
- QTY 10 Multicolored light with silicon molded one-piece housing and Optic. (Soundoff Signal Part Number: EMPS2STS4 or equal) Side intersection Warning lights two (2) on Ford Logo in Fender, two (2) per running board and two (2) under rear taillights. There should also be two (2) mounted under rear tailgate wired to flash S/T/T and white in reverse.
- QTY 4 LED insert with cruise mode (Soundoff Signal Part Number ELUC3S025W or equal) Installed in reverse light housing.
- QTY 2 Dual Deck/Grille Mount Light, SAE Class 1, 10-16v, Black Housing, 9 LED, multicolored. (Soundoff Signal Part Number: ENFDGS2 or equal)
- QTY 1 Dash Bracket, Vehicle Specific bracket no holes drilled (Panvise bracket number 75107-510 or equal)
- Window Tint All windows and windshield 20% utilizing 3M or Johnson window film.
- Install County supplied Radio with GPS antenna & TriPlexer.

| | 2T. | Ford | F250 | Evidence | Locking | Storage | Box |
|--|-----|-------------|------|-----------------|---------|---------|-----|
|--|-----|-------------|------|-----------------|---------|---------|-----|

Dual locking drawer system. Dual Key Lock & Digital Combo Lock. Full bed depth. Powder coated aluminum. Bedliner coating on top. Drawers: 1/8 aluminum, 18 inch Drawer depth. Heavy 500 lb Duty locking slides. Exterior latch for evidence seal.

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 13 of 44

<u>ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| AS SP | ECIFIED (CONT ² D) | COMPI | IANCE |
|-------------------------------|--|-------|--------------|
| <u>OPTI</u> | ONS: (CONT'D) | YES | NO |
| Full unwith m | nder seat width weapons vault. 46 inches Long 10 inches High. Simplex lock netal latch. 3/4 inch MDO Plywood with bedliner coating. There are to be metal recements around opening for extra security and Hi density foam cut to weapon ecures with no holes drilled into vehicle. | | |
| Dual lo waterp | ord F250 Bed Locking Storage ocking drawer system. Key Lock Full bed depth. ¾ inch plywood sealed with proof bedliner coating. Drawers: 1/8 aluminum, 12 inch Drawer depth. Doors: actured from 3/4" HDP composite 12. | | |
| Powde 3/16" no lip of flat wh | ord F-Series Bed Slide or coated Steel 3 Rail 1500LB Bed Slide. 100% extension with a spring lock. aluminum Tray mounted to slide. Tray to have a 2" lip on three (3) sides, with on the operator end. Includes tailgate extension bracket to allow tailgate to lay ten open so bed slide is not required to be raised off the floor. | | |
| | 8) years/125,000 miles with \$0.00 deductible. | | |
| Cumm | agnostic Tools / Test Equipment ins Quickserv Unlimited Service plan, with renewals, shall be provided at no the county for a period of five (5) years from the acceptance of the equipment. | | |
| 1. | Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link. | | |
| 2. | All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. | | |
| 3. | Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. | | |
| 4. | All software installations and activations will be completed by the successful bidder at no cost to the County. | | |
| 5. | All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |
| 6. | All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |
| 7. | Training shall be provided on all items in this section at a County location. | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 14 of 44

<u>ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

OPTIONS: (CONT'D)

2Z. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

2AA. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

COMPLIANCE

NO

YES

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 15 of 44

<u>ITEM #3 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED</u>

| | COMPL | IANCE |
|---|--------------|--------------|
| <u>DESCRIPTION</u> | YES | <u>NO</u> |
| Model Year 2023 or newer, Ford F250 4X4 Standard Cab XLT Pick Up Truck | | |
| 7.3L 2V Gas DEVCT PFI NA V8 | | |
| TorqShift ten speed automatic w/selectable Drive Modes: Normal, Eco, Slippery Roads, Tow/Haul Axle | | |
| Mono-beam front axle w/coil spring suspension Rear- Non-Limited Slip | | |
| Manual locking front hub | | |
| Battery – 750- CCA, 78-AH Single | | |
| Shock absorbers – Heavy Duty Gas | | |
| Tires – - LT275/65R18 - Spare Tire, Wheel & Frame mounted carrier | | |
| Wheels – 18" Sparkle Silver Painted Cast Aluminum w/bright hub covers/Center Ornaments | | |
| Full sized spare tire (LT 275/65R18) not mounted on rim (Rim not needed) | | |
| Four-wheel Disc Anti-lock Brake system – Roll Stability Control (RSC)/Traction Control/Trailer Sway Control | | |
| Headlamps/Taillamps/Lamps - Quad Beam Halogen Jewel Effect - Halogen fog lamps - AutoLamp (Auto On/Off Headlamps) - Automatic High Beam - Center High-mounted stop lamp | | |
| Mirrors | _ | _ |
| Manually telescoping/folding trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamps/turn signal Rearview mirror – Electrochromic self-dimming | | |
| Windows and Glass - 1st row – power w/one touch up/down - 2 nd row – power - Rear (backlight) – fixed | П | |
| , , , , , , , , , , , , , , , , , , , | | |
| Air Conditioning – Manual, Single Zone | | |
| Sync 4 - 8" LCD Capactive Touchscreen with swipe capability - Wireless phone connection - Apple CarPlay and Android Auto Capability | | |
| Instrument Cluster – 4.2" Productivity Screen display includes menus for Gauge Setup, Trip Computer, Fuel Economy and Towing/Off-road applications; five (5) button message control on steering wheel | | |
| Rear View Camera – Display in center-stack screen | | |
| 1 🗸 | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 16 of 44

<u>ITEM #3 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | COMPL | IANCE |
|---|--------------|--------------|
| <u>DESCRIPTION</u> (CONT'D) | YES | NO |
| Seats (Front) | | |
| - Cloth 40/20/40 split bench, 20% center locking under-seat storage, w/center armrest, cup holder and storage | | |
| - 8-way power driver seat (four-way power adjustable track, two-way power recline and two-way power lumbar) | | |
| - Two-way adjustable driver/passenger headrests | | |
| - Front center-seat-integrated restraints | | |
| Steering Wheel | | |
| Urethane – Black w/redundant audio and SYNC controls Cruise Control | | |
| - Tilt and telescoping steering wheel/Column (Manual) | | |
| Safety/ Security | | |
| - AdvanceTrac with RSC | | |
| Autolock, Auto unlock rainlamp wiper active headlamps Driver and frontal and side airbag/curtain | | |
| - Remote keyless-entry | | |
| - Trailer sway control and hill start assist | | |
| 250 Amp Alternator (67E) | | |
| Snow Plow Prep package (473) | | |
| Carpet Delete – Factory Fleet Option (166) | | |
| Trailer Tow package – Seven (7) wire harness w/relays and 7/4 pin connector | | |
| Trailer Brake Controller | | |
| Platform Running Boards (18B) | | |
| Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-down hooks and black bed attachment bolts (85S) | | |
| Interior work surface (52S) | | |
| Upfitter switched (6) located in overhead console (66S) | | |
| Wheel Well Liner, Front/Rear (61N) | | |
| Splash Guards/Mud Flaps Front (61S) | | |
| 6-ton combination hitch: | | |
| 2-inch ball and pintle | | |
| Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball. Locking hitch pin with key | | |
| Hitch is to fit tightly into the receiver | | |
| In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A) | | |
| 2.5" Hitch Receiver | | |
| Interior color: Medium Dark Slate | | |
| Paint: | | |
| Color to be specified from Standard color chart on Purchase order when ordering. | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 17 of 44

<u>ITEM #3 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | COMPL | JANCE |
|---|-------|-------|
| DESCRIPTION (CONT'D) Undercoating: | YES | NO |
| Entire Chassis and underside of cab to be coated with Tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating. | | |
| Warranty: Bumper to Bumper: Three (3) years/36,000 miles | | |
| Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations | | |
| OPTIONS: | | |
| 3A . <u>Tonneau Pickup Box Cover – Soft Folding</u> - (PKG 21D) (Not available with the crossbed toolbox, stowable loading ramps, or drop in bedliner) | | |
| 3B . Tonneau Pickup box cover – Hard folding - (PKG 21E) (Not available with the crossbed toolbox, stowable loading ramps, or drop in bedliner) | | |
| 3C . <u>Tonneau Pickup box cover – Retractable</u> - (PKG 21J) (Not available with the crossbed toolbox, stowable loading ramps, or drop in bedliner) | | |
| 3D. <u>Gen 3 Sync Multi-Media Interface Tester (MIT) Kit</u> – (Rotunda Part Number: 105-00120-GEN3) | | |
| 3E . Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 48", Fully loaded with all Amber, LED's which includes four (4) corners, four (4) front facing and six (6) rear facing and bar also includes two (2) white take down lights in Front, two (2) White Alley Light, Corner light wired on a Separate switch. | | |
| 3F . One Four (4) Head Strobe Light Kit - with two (2) front and two (2) rear to be installed in the parking light lens area with the front and rear being on separate switches. | П | П |
| 3G. Vent Shield - on all doors | | |
| 3H. One (1) Western 8-1/2' Ultra Mount Quick Connect Contractor Pro Plus | | |
| Snow Plow - with hand held controller and snow shield complete with electric, hydraulics and light kit installed on vehicle. | | |
| 3I. One Weather Guard Aluminum Toolbox - Model 127-0-02 with six (6) sets of keys. | | |
| 3J . Road Department Colors – Dupont 4357A – School bus yellow from the bottom of the windows down. Academy blue #5240 from the bottom of the windows up to and including cab roof and back, on hood from bottom of windshield to a point on the hood to make a "V" and match the road department fleet. (Note: Not all Vehicles will be | _ | |
| painted this way) | | |
| 3K . <u>Paint Colors</u> - not included in the standard color chart: i.e. – School bus yellow, Green Gem | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 18 of 44

<u>ITEM #3 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

| | COM | <u>IPLIANCE</u> |
|---|----------------------|-----------------|
| OPTIONS: (CONT'D) | YE | S NO |
| 3L. <u>Liquid Transfer Tank for Diesel Fuel</u> – | | |
| Weather Guard Transfer Tank, L Shape, 75 gal, Part number 352-3-01 Appro Height 26 in, Approx. Width 30 in, Approx. Length 43 in. Fill-Rite Standard Duty DC Rotary Vane Pump 15GPM – Fill-Rite Part Num – FR1210GA | | |
| Fill-Rite Particulate Filter – Fill Rite Part Number – 1200KTF7018 Fill-Rite Heavy Duty Flow Meter – 3 Wheel Mechanical Flow Meter up to 20 GPM at 50 PSI Pressure rating – Fill-Rite Part Number FR807C. |) | |
| Installed with a switch wired in the cab of the truck. | | |
| 3M . Ford Protect ExtraCare extended service plan - covering 113 components. Eight (8) years/125,000 miles with \$0.00 deductible. | | |
| 3N. <u>Diagnostic Tools / Test Equipment</u> | | |
| Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipme | | |
| 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Serv Advisor, Freightliner Diagnostic Link | and ment d all | |
| 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. | | |
| 3. Provide a list of all test/diagnostic/programming equipment and special too being supplied at the time of bid. | ols \Box | |
| 4. All software installations and activations will be completed by the successful bidder at no cost to the County. | ful \qed | |
| 5. All software updates and renewal will be provided at no cost to the County a period of five (5) years from the acceptance of the equipment. | for | |
| 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the Corfor a period of five (5) years from the acceptance of the equipment. | | |
| 7. Training shall be provided on all items in this section at a County location. | | |

COMPLIANCE PAGES - MOTOR VEHICLES - PICKUPS, SUVS, VANS AND WAGONS Page 19 of 44

<u>ITEM #3 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED</u> (CONT'D)

COMPLIANCE YES NO

30. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

3P. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

| 1 | - 1 | |
|---|-----|--|
| | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 20 of 44

| | COMPL | IANCE |
|--|--------------|--------------|
| <u>DESCRIPTION</u> | YES | <u>NO</u> |
| Model Year 2023 or Newer Ford Explorer (Pkg 100A) | | |
| 2.3L Ecoboost I-4 Engine with Auto Start-Stop Technology (99H) | | |
| Transmission – 10 speed automatic | | |
| Four wheel drive | | |
| Standard-Duty Front and rear brake calipers | | |
| Configurable daytime running lamps | | |
| LED Taillamps with Amber turn signals | | |
| Tires – | | |
| P255/65R18 All Season (A/S) BSWMini Spare | | |
| Full sized spare tire (P255/65R18) not mounted on rim (Rim not needed) | | |
| Wheels – 18" Five Spoke Sparkle Silver-Painted Aluminum | | |
| Wiper – | | |
| - Windshield – Variable Intermittent/Continuous | | |
| - Rear Window – Single-speed Intermittent/continuous | | Ш |
| Climate Control – - Tri-zone Electronic Temperature control | | |
| - Cabin Particulate Air Filter | | |
| - Rear Auxiliary | | |
| Instrument Panel Cluster – | | |
| - 4.2" Color LCD Productivity screen | | |
| Message CenterOutside Temperature Display | | |
| - Trip Computer | | |
| Rotary Gear Shift Dial | | |
| Seats – | | |
| - Cloth | | |
| - Front Row Captain's Chairs | | |
| 8-way Power Driver's Seat4-way manual front passenger | | |
| - Second Row – 35/30/35 Split-fold flat and reclining outboard seats with E-Z | | |
| entry | | |
| - Third Row – 50/50 split | | Ш |
| Steering Column – Manual Tilt/Telescoping | | |
| Steering Wheel with Mounted Features | | |
| - 5-way cruise control | | |
| Audio ControlsCruise Controls | | |
| Windows – | _ | _ |
| - Power – Front and Rear | | |
| - Front Row one-touch-up/Down Feature (door Mounted Controls) | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 21 of 44

| EQUAL (CONT D) | COMPL | IANCE |
|---|-------|-------|
| <u>DESCRIPTION</u> (CONT'D) | YES | NO |
| Airbags – - First Row: Driver and passenger Dual Stage Front, Front –seat side and | | |
| Driver/Passenger knee | | |
| - All Rows: Safety Canopy Side-curtain with rollover sensor | | |
| Center High-mounted stop lamp | | |
| Door locks, Power | | |
| - Auto Lock/Auto unlock | П | |
| - Child Safety rear Headlamps | Ш | Ш |
| - LED low and High beams with courtesy delay | | |
| - Wiper-activated | | |
| Safety Belts | | |
| - Front Row – Belt-minder | | |
| Front Row – adjustable height Second Row – Outboard and Center Seat shoulder | | |
| - Third row – outboard | | |
| Ford Co-pilot 360 | | |
| - Auto High-beam headlamps | | |
| - BLIS (blind spot information system) with cross-traffic alert | | |
| Lane Keeping System – Lane-keeping alert | | |
| Lane-keeping assist | | |
| o Driver alert | | |
| - Pre-Collision Assist with Automatic Emergency braking | | |
| o Pedestrian Detection | | |
| Forward Collision WarningDynamic Brake support | | |
| Dynamic Brake support Rear view camera | | |
| Front and rear Stabilizer bars | | |
| Independent Front and rear suspension | | |
| Sync 3 | | |
| - Enhanced voice recognition communications and entertainment system | | |
| - 8" LCD capacitive touchscreen in center stack with swipe capability | | |
| - Applink | | |
| - Apple CarPlay and Android Auto Compatibility | | |
| Interior Color: Sandstone | Ш | Ш |
| PAINT | | |
| Color to be Specified from Standard Color Chart on Purchase Order When Ordering | | Ш |
| WARRANTY | | |
| Bumper to Bumper: Three (3) Years/36,000 Miles | | Ш |
| Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must | | |
| Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and | | |
| Regulations | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 22 of 44

| | COMPL | <u> IANCE</u> |
|--|-------|---------------|
| OPTIONS: | YES | <u>NO</u> |
| 4A. Mini Liberty II IT9 Series Light Bar- Permanent Mount with 15' Cable, fully lit Amber with Two Super-LED White Alley Lights installed 4B. Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54", | | |
| Fully loaded with all Amber, LED's which includes four (4) corners, four (4) front facing and sic (6) rear facing and bar also includes two (2) white take down lights in Front, two (2) White Alley Light, Corner light wired on a Separate switch. | | |
| 4C . <u>Light Color Option</u> - Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick | | |
| 4D . <u>Vehicle Specific Dual Color Light Bar</u> - w/ TD 12LED (Soundoff Signal Part Number: ENFWBF) (Qty 1) | | |
| 4E. <u>Single Deck/Grille Mount 12 LED Lights</u> – (Soundoff Signal Part Number: ENFSGS3) (Qty 4) | | |
| 4F . <u>Solid State Headlight Flasher</u> – (Soundoff Signal Part Number: ETHFSS-SPFL) (Qty 1) | | |
| 4G . <u>Universal UnderCover Screw-In LED Insert Single Light Kit</u> – (Soundoff Signal Part Number: ELUC3H025) (Qty 8) | | |
| 4H. <u>Single 12LED Recess Mount Lights</u> – (Soundoff Signal Part Number: ENFSRS3) (Qty 2) | | |
| 4I. <u>Rear Lightbar Single Color - Ford Utility</u> – (Soundoff Signal Part Number: ENFWBRF) (Qty 1) | | |
| 4J . 200 Watt Remote Siren - (Soundoff Signal Part Number: ENGSA07152) (Qty 1) | | |
| 4K . <u>15 Programmable Button</u> - w/ 3 Position Slide Switch Controller (Soundoff Signal Part Number: ENGCP18001) (Qty 1) | | |
| 4L. <u>100 Watt Professional Siren Speaker</u> – (Soundoff Signal Part Number: ETSS100N) (Qty 2) | | |
| 4M. <u>Vehicle Specific Bumper Mount Siren Speaker Bracket</u> – (Soundoff Signal Part Number: ETSS1ØØCBKFV-BP) (Qty 2) | | |
| 4N. <u>100 Amp Central Controller</u> – (Soundoff Signal Part Number: ENGCC01241) (Qty 1) | | |
| 40. <u>Central Controller Harness Kit</u> – (Soundoff Signal Part Number: ENGHNK01)(Qty 1) | | |
| 4P. NotePad V Universal Computer Cradle – (Installed) (Gamber Johnson Part Number: 7160-0250) | | |
| 4Q. <u>Aluminum Push Bumper</u> -with Integrated Dual Color Lights (Installed) (Setina Part Number: BK2044ITU20) | | |
| 4R . <u>Dual Color LED Light Bar</u> - with vehicle specific mounts (Installed) (Soundoff Signal Part Number: ENFWBRF) | | |
| 4S. <u>Harness</u> - (Installed)(Soundoff Signal Part Number: PCPNRCNG1) | | |

| | COMPL | <u>JIANCI</u> |
|--|------------|---------------|
| OPTIONS: (CONT'D) | YES | <u>NO</u> |
| 4T . <u>Dual Color Warning Light</u> – Color to be specified at time of order (Installed) (Soundoff Signal Part Number: EMPS2STS4) | | |
| 4U . <u>Ford Protect ExtraCare</u> - extended service plan covering 113 components. Eight (8) years/125,000 miles with \$0.00 deductible. | | |
| 4V. <u>Diagnostic Tools / Test Equipment</u> | | |
| Cummins Quickserv Unlimited Service plan, with renewals, shall be provided at no cost to the county for a period of five (5) years from the acceptance of the equipment. | | |
| 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link | | П |
| All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. | | |
| 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. | | |
| 4. All software installations and activations will be completed by the successful bidder at no cost to the County. | | |
| 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |
| 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |
| 7. Training shall be provided on all items in this section at a County location. | | |
| 4W. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. | | |
| These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces. | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 24 of 44

| | COMPL | IANCE |
|--|--------------|--------------|
| OPTIONS: (CONT'D) | YES | <u>NO</u> |
| 4X. Installation of County Supplied Two Way Radio and Accessories | | |
| Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: | | |
| 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. | | |
| 2. #12 AWG BLACK wire connected to chassis ground. | | |
| 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. | | |
| These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". | | |
| The 12VDC sources shall be protected from making contact with grounded metal surfaces. | | |
| 4Y . Ford Factory Installed Options – percentage discount from Manufacturer's Suggested Retail Price (List Price). | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 25 of 44

| | COMPI | LIANCE |
|--|--------------|-----------|
| <u>DESCRIPTION</u> | YES | <u>NO</u> |
| Model Year 2023 or Newer Ford Explorer XLT(Pkg 200A) | | |
| 2.3L Ecoboost I-4 Engine with Auto Start-Stop Technology (99H) | | |
| Transmission – 10 speed automatic | | |
| Four wheel drive | | |
| Standard-Duty Front and rear brake calipers | | |
| Configurable daytime running lamps | | |
| LED Taillamps with Amber turn signals | | |
| Tires – - P255/65R18 All Season (A/S) BSW - Mini Spare | | |
| Full sized spare tire (P255/65R18) not mounted on rim (Rim not needed) | | |
| Wheels – 18" Five Spoke Sparkle Silver-Painted Aluminum | | |
| Wiper – - Windshield – Variable Intermittent/Continuous - Rear Window – Single-speed Intermittent/continuous | | |
| Climate Control – - Tri-zone Electronic Temperature control - Cabin Particulate Air Filter - Rear Auxiliary | | |
| Instrument Panel Cluster – - 6.5" Color LCD Productivity screen - Message Center - Outside Temperature Display - Trip Computer | | |
| Rotary Gear Shift Dial | | |
| Seats – - Unique Cloth - Front Row Captain's Chairs - 10-way Power Driver's Seat - 4-way power front passenger - Second Row – Captain's Chairs with E-Z entry - Third Row – 50/50 split | | |
| Steering Column – Manual Tilt/Telescoping | | |
| Steering Wheel with Mounted Features - Leather wrapped - 5-way cruise control - Audio Controls | | |
| - Cruise Controls | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 26 of 44

| | COMPL | <u> IANCE</u> |
|---|------------|---------------|
| <u>DESCRIPTION</u> (CONT'D) | YES | <u>NO</u> |
| Windows – | | |
| - Power – Front and Rear | _ | |
| - Front Row one-touch-up/Down Feature (door Mounted Controls) | Ш | |
| Airbags – | | |
| - First Row: Driver and passenger Dual Stage Front, Front –seat side and | | |
| Driver/Passenger knee | | |
| - All Rows: Safety Canopy Side-curtain with rollover sensor | | Ш |
| Center High-mounted stop lamp | | |
| Door locks, Power | | |
| - Auto Lock/Auto unlock | | |
| - Child Safety rear | | |
| Headlamps | | |
| - LED low and High beams with courtesy delay | _ | |
| - Wiper-activated | | |
| Safety Belts | | |
| - Front Row – Belt-minder | | |
| - Front Row – adjustable height | | |
| - Second Row – Outboard and Center Seat shoulder | | |
| - Third row – outboard | Ш | Ш |
| Ford Co-pilot 360 | | |
| - Auto High-beam headlamps | | |
| - BLIS (blind spot information system) with cross-traffic alert | | |
| - Lane Keeping System – | | |
| Lane-keeping alertLane-keeping assist | | |
| Driver alert | | |
| - Pre-Collision Assist with Automatic Emergency braking | | |
| Pedestrian Detection | | |
| Forward Collision Warning | | |
| o Dynamic Brake support | | |
| - Rear view camera | | |
| Front and rear Stabilizer bars | | |
| Independent Front and rear suspension | | |
| Sync 3 | | |
| - Enhanced voice recognition communications and entertainment system | | |
| - 8" LCD capacitive touchscreen in center stack with swipe capability | | |
| - Applink | | |
| - Apple CarPlay and Android Auto Compatibility | | |
| Interior color – Sandstone or Ebony | | |
| <u>PAINT</u> | | |
| Color to be Specified from Standard Color Chart on Purchase Order When Ordering | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 27 of 44

| <u> </u> | COMPL | IANCE |
|---|------------|-----------|
| | YES | <u>NO</u> |
| WARRANTY | | |
| Bumper to Bumper: Three (3) Years/36,000 Miles Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must | | |
| Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations | | |
| OPTIONS: | | |
| 5A . Mini Liberty II IT9 Series Light Bar-Permanent Mount with 15' Cable, Amber with Two Super-LED White Alley Lights | | |
| 5B. Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light Bar- 54", Fully loaded with all Amber, LED's which includes four (4) corners, four (4) front facing and six (6) rear facing and bar also includes two (2) white take down lights in | | |
| Front, two (2) White Alley Light, Corner light wired on a Separate switch. | | |
| 5 C. <u>Light Color Option</u> - Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick. | | |
| 5D . <u>Paint Colors</u> - not included in the standard color chart: ie – Star White Metallic Tri-coat, Infinite Blue Metallic Tinted clearcoat, Rapid Red Metallic Tinted clearcoat. | | |
| 5E . <u>Vehicle Specific Dual Color Light Bar</u> - w/ TD 12LED (Soundoff Signal Part Number: ENFWBF) (Qty 1) | | |
| 5F . Single Deck/Grille Mount 12 LED Lights – (Soundoff Signal Part Number: ENFSGS3) (Qty 4) | | |
| 5G . <u>Solid State Headlight Flasher</u> – (Soundoff Signal Part Number: ETHFSS-SPFL) (Qty 1) | | |
| 5H . <u>Universal UnderCover Screw-In LED Insert Single Light Kit</u> – (Soundoff Signal Part Number: ELUC3H025) (Qty 8) | | |
| 5I. <u>Single 12LED Recess Mount Lights</u> – (Soundoff Signal Part Number: ENFSRS3) (Qty 2) | | |
| 5J. Rear Lightbar Single Color - Ford Utility – (Soundoff Signal Part Number: ENFWBRF) (Qty 1) | | |
| 5K . 200 Watt Remote Siren - (Soundoff Signal Part Number: ENGSA07152) (Qty 1) | | |
| 5L . 8-Programmable Button w/ 3-Position Slide Switch Controller – (Soundoff Signal Part Number: ENGCP18001) (Qty 1) | | |
| 5M. <u>100 Watt Professional Siren Speaker</u> (Soundoff Signal Part Number: ETSS100N) (Qty 2) | | |
| 5N. <u>Vehicle Specific Bumper Mount Siren Speaker Bracket</u> – (Soundoff Signal Part Number: ETSS1ØØCBKFV-BP) (Qty 2) | | |
| 50 . <u>100 Amp Central Controller</u> – (Soundoff Signal Part Number: ENGCC01241) (Qty 1) | | |

| | <u>(</u> | COMPL | IANCE |
|--|--|------------|-------|
| <u>OPTIONS:</u> (CONT'D) | | YES | NO |
| 5P. <u>Central Controller Harness Kit</u> – (Soundoff Signal Part Number: ENGHNK01)(Qty 1) | | | |
| 5Q . <u>Panasonic Toughbook CF-30/31 Docking Station</u> - with Integrated Power Su RF, Standard Lock) (Installed)(Gamber-Johnson Part Number: 7160-0318-06) | ipply (Dual | | |
| 5R . Ford Police Interceptor Sedan/Utility (2012+) Pedestal System Kit - (Installed)(Gamber-Johnson Part Number: 7170-0148) | | | |
| 5S . NotePad V Universal Computer Cradle - (Installed) (Gamber Johnson Part Number: 7160-0250) | | | |
| 5T . <u>Aluminum Push Bumper</u> - with Integrated Dual Color Lights (Installed (Setina Part Number: BK2044ITU20) |) | | |
| 5 U. <u>Dual Color LED Light Bar</u> - with vehicle specific mounts (Installed) (Soundoff Signal Part Number: ENFWBRF) | | | |
| 5V . <u>Connect-n-Go Hand-held Controller</u> - (Installed) (Soundoff Signal Part Number: PCPNRCNG1) | | | |
| 5W . <u>Dual color warning light</u> – Color to be specified at time of order (Instal (Soundoff Signal Part Number: EMPS2STS4) | lled) | | |
| 5X . Ford Protect ExtraCare Extended Service Plan - covering 113 compo Eight (8) years/125,000 miles with \$0.00 deductible. | onents. | | |
| 5Y. <u>Diagnostic Tools / Test Equipment</u> | | | |
| Cummins Quickserv Unlimited Service plan, with renewals, shall be provided cost to the county for a period of five (5) years from the acceptance of the equ | | | |
| 1. Successful bidder may be required to supply between one (1) to three complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling adapters) and special tools required to perform the full range of diagn maintenance actions necessary to maintain vehicle operability. This e will cover the vehicle chassis, engine, transmission, brakes, hydraulic additional equipment (if applicable). Examples of OEM diagnostics a follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deer Advisor, Freightliner Diagnostic Link | g, and nostic and equipment cs, and all are as | | |
| 2. All laptop computers will be of the newest available technology and sufficient storage and memory to operate all required software. | have | | |
| 3. Provide a list of all test/diagnostic/programming equipment and specibeing supplied at the time of bid. | ial tools | | |
| 4. All software installations and activations will be completed by the su bidder at no cost to the County. | eccessful | | |
| 5. All software updates and renewal will be provided at no cost to the C a period of five (5) years from the acceptance of the equipment. | County for | | |

| EQUAL (CONT D) | COMPL | <u>IANCE</u> |
|--|-------|--------------|
| OPTIONS: (CONT'D) | YES | <u>NO</u> |
| 5Y. <u>Diagnostic Tools / Test Equipment</u> (Cont'd) | | |
| 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |
| 7. Training shall be provided on all items in this section at a County location. | | |
| 5Z. Two-Way Radio Power and Wiring Requirements for New Vehicles | | |
| For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: | | |
| 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. | | |
| 2. #12 AWG BLACK wire connected to chassis ground. | | |
| 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. | | |
| These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces. | | |
| 5AA. Installation of County Supplied Two Way Radio and Accessories | | |
| Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: | | |
| 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. | | |
| 2. #12 AWG BLACK wire connected to chassis ground. | | |
| 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. | | |
| These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". | | |
| The 12VDC sources shall be protected from making contact with grounded metal surfaces. | | |
| 5BB . <u>Ford Factory Installed Options</u> – percentage discount from Manufacturer's Suggested Retail Price (List Price) | | |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 30 of 44

ITEM # 6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

| | <u>COMPL</u> | <u> IANCE</u> |
|--|--------------|---------------|
| <u>DESCRIPTION</u> | YES | <u>NO</u> |
| 2023 Transit Cargo Van 250, 130" Wheelbase, Medium Roof (100.8") Height, | _ | _ |
| Rear wheel Drive | | |
| 3.5L PFDI V6 | | |
| 10-Speed Automatic Overdrive with Select Shift | | |
| Alternator – 250 Amp | | |
| Single Battery 70 amp hours | | |
| Brakes – 4-wheel anti-lock disc brakes | | |
| Steering – Power Rack and Pinion, Tilt & telescoping | | |
| Suspension, Front – Independent MacPherson-strut, stabilizer bar | | |
| Suspension, Rear – Leaf Springs, heavy duty gas shock absorbers | | |
| 235/65R16C Steel Wheel with black hubcaps | | |
| Full Size Spare Tire & Wheel | | |
| Sliding Passenger side-door | | |
| Halogen Head lamps | | |
| Center High Mount Stop Light | | |
| Short-Arm, Power Adjusting Mirror, Manual Folding | | |
| Windshield Wipers – Automatic Rain Sensing | | |
| Air Conditioning – Front Only | | |
| AM/FM stereo and 4" display, Bluetooth, Dual USB ports | | |
| Cargo area tie down hooks (17P) | | |
| Medium Center Console with integrated shifter | | |
| Autolocking Drive Away with Crash Unlocking | | |
| Instrumentation – Tachometer, fuel level and coolant temperature | | |
| Front dome lamp with map lights and theater dimming | | |
| Partial Rear Compartment Lighting | | |
| Dark Palazzo Grey – Vinyl – 2 Passenger | | |
| Headliner – Cloth, Front only | | |
| Driver and Passenger air bags | | |
| Safety belts – 3 point all positions | | |
| Rearview Camera with trailer hitch assist | | |
| 50/50 Hinged Rear Door, 180 degree opening | | |
| Power Point 12V (87A) | | |
| Fixed Rear-Door glass with fixed passenger-side cargo-door glass (17B) | | |
| Vinyl Floor covering – Front | | |
| Front License Plate Bracket | | |
| Daytime Running Lights (942) | | |
| Cruise Control (60C) | | |
| Back up Alarm (43B) | | |

<u>ITEM # 6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL</u> (CONT'D)

| | <u>COMPL</u> | <u>IANCE</u> |
|--|--------------|--------------|
| <u>DESCRIPTION</u> (CONT'D) | YES | NO |
| Heavy-Duty Trailer Tow Package (53B) – Including: | | |
| - Tow/Haul Mode with Trailer wiring provisions | | |
| - 4-pin/7-pin connector assembly and rear jumper | | |
| - Relay system for backup/B+/running lights | | |
| - Frame mounted hitch receiver | | |
| Trailer Brake controller (67D) | | |
| 6-ton combination hitch: | | |
| 2 inch ball and pintle | | |
| Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball. | | |
| Locking hitch pin with key | | |
| Hitch is to fit tightly into the receiver | | |
| In the event the hitch, does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A) | | |
| <u>PAINT</u> | | |
| Color to be specified from standard color chart on purchase order when ordering | | |
| <u>UNDERCOATING</u> | | |
| Entire chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating. | | |
| WARRANTY | | |
| Bumper to Bumper: 3 years/36,000 miles | | |
| Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA | | |
| Laws and Regulations | | |
| OPTIONS: | | |
| 6A. All Wheel Drive | | |
| 6B. SYNC 4 with SiriusXM® | | |
| 360L, HD Radio TM and 12" multi-function display, AM/FM stereo, Bluetooth, Dual | | |
| USB ports, Embedded Voice Recognition and Connected Navigation. Includes Electronic Air Temperature Control. (58C) | П | |
| 6C. Running boards – Factory Installed (68H) | | |
| 6D. Paint Colors Not Found on Standard Color Chart | | |
| i.e.: W3029N | | |

ITEM # 6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

ITEM # 6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

OPTIONS (CONT'D)

(1) Literature Rack

(1) 5-Bar Spool Holder

(2) Door Kit with Open Back

(2) Four Drawer Unit with Lock

COMPLIANCE VES NO

| 6J. <u>Medium Roof General Service Package</u> – for Transit 130" Wheel Base Medium Roof (Adrian Steel Part Number – 4317TM130) Installed | | |
|--|----------|----|
| Kit Includes: | | |
| (3) Hybrid 4-Shelf Unit | | |
| (1) Rail Kit 130" | | |
| (1) Steel Partition Panel Kit with Visibility and Door Kit | | |
| (1) Steel Partition Mounting Kit | | |
| (1) End Panel Mounting Bracket | | |
| (1) Bin Set for Adjustable Shelving | | |
| (1) 3-Drawer Unit | | |
| (1) 14" Shelf Dividers | | |
| (1) 4-hook bar w/adapter | | |
| (2) Utility hook | | |
| (1) 3-Drawer Unit w/Lock | | |
| (1) 4-Drawer Unit w/Lock | П | П |
| | _ | _ |
| 6K. Medium Roof HVAC Repair Package for Transit 130" Wheel base Medium Roof (Adrian Steel Part Number – 4318TM130) Installed Kit | | |
| Kit Includes: | | |
| (3) Hybrid 4-Shelf Unit | | |
| (1) Rail Kit 130" | | |
| (1) Partition Panel Kit with Visibility & Door Kit | | |
| (1) Steel Partition Mounting Kit | | |
| (2) End Panel Mounting Bracket | | |
| (1) 3-Drawer Unit | | |
| (1) 14" Shelf Dividers | | |
| (1) Welded Tank Rack | | |
| (1) 5-slot literature Rack | | |
| (1) Door Kit with Open Back | | |
| (1) Welded Tank Rack Rail Adapter | | |
| (1) Bin Set for Adjustable Shelving | | |
| (1) 4-Hook Bar with Adapter | | |
| (2) Two Drawer Unit w/Lock | | |
| 6L. <u>LoadsRite Single, Curbside, Drop-Down Ladder Rack for Ford Transit</u> Medium Roof Vans. (Adrian Steel Part Number – PLM61TM) Installed | | |
| Kit Includes: | | |
| (1) Profile Mounting Roof Rail Kit | | |
| (1) Profile Mounting Bracket Kit – Four (4) Pack | | |
| (1) Profile Series 2 – Crossbar Kit – 58" | | |
| (1) Max Drop Ladder Rack | | |
| ITEM # 6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS S | PECIFIED | |
| OR EQUAL (CONT'D) | _ | |
| OPENONG (CONTEN) | COMPLIA | |
| OPTIONS (CONT'D) | YES | NO |

| COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS | Page 34 of 44 |
|--|---------------|
| 6M. Install White Vinyl Wrapping on Roof of Vehicle from front to rear | |
| 6N . Ford Protect ExtraCare Extended Service Plan covering 113 components. 8 years/125,000 miles with \$0.00 deductible. □ | |
| 60. <u>Liftgate</u> Model: CVL-AF-1330 EF52 | |
| Application: Cargo Van | |
| Capacity: 1330 lbs. | |
| Platform Detail: Aluminum: - Two Piece - Laterally Folding - Extruded Aluminum with 40" loading space | |
| Drive System: - Direct lift hydraulic cylinder - Direct Platform folding hydraulic cylinder | |
| Hydraulic System: Enclosed Unit: All critical components are factory enclosed in pump box of gate providing protection from elements and damage Easy access for servicing Pressure relief valve – presents operator from overloading the platform Cylinder mounted flow control Valves – Prevents uncontrolled descent on platform | |
| Electrical System: Control Unit: Moisture resistant toggle switch deactivates 90 seconds after last operation, helps prevent unauthorized use, timer reset and on-off button permanently and conveniently located on control unit and positioned under logo and bulls eye respectively. | |
| Power Ground Cable: | |
| - Factory supplies 4 AWG ground cable molded with power cable | |
| - Providing a direct connection from the liftgate to the truck battery | |

<u>ITEM # 6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED</u> OR EQUAL (CONT'D)

Insulation rated for -40 degrees C to 105 degrees C

COMPLIANCE YES NO

OPTIONS (CONT'D)

6O. Liftgate (Cont'd)

| Electr | rical System: (Cont'd) | | |
|--------------|--|----------|------------|
| Circui | t Breaker: | | |
| - 1: | 50 amp continuous | | |
| - 30 | 000 Amp interrupt | | |
| - 30 | 0 VDC | | |
| - W | Vatertight | | |
| - N | Ianual reset | | |
| | Iounted inline with 4 AWG positive battery cable, protects vehicle in the event f an electrical short | | |
| | Train: | | |
| | el Arm Pins: | | |
| - 3/2 | "OD and 1-1/4" OD hard chrome plated steel | | |
| Paralle | el Arm Pin Bushings: | | |
| - S | elf lubricating composite | | |
| 6P. 1 | Diagnostic Tools / Test Equipment | | |
| _ | Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). | | |
| 2. | All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. | | |
| 3. | Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. | | |
| 4. | All software installations and activations will be completed by the successful bidder at no cost to the County | | |
| 5. | All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |
| 6. | All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | |
| 7. | Training shall be provided on all items in this section at a County location. | | |
| | I#6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS | SPECIFIE | E D |
| <u>OR E</u> | QUAL (CONT'D) | COMPL | JANCE |
| <u>OPT</u> I | ONS (CONT'D) | YES | NO |

COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 36 of 44

П

6Q. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

6R. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

<u>ITEM # 7 – MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL</u> (CONT'D)

| | <u>COMPI</u> | <u>LIANCE</u> |
|---|--------------|---------------|
| DESCRIPTION | YES | <u>NO</u> |
| 2023 Transit Passenger Van XLT 350 Long Wheelbase, Medium Roof Height 148" | | |
| Wheel base, Rear Wheel Drive | | |
| 3.5L PFDi V6 | | |
| 10 Speed Automatic Overdrive with Selectshift | | |
| 15 Passenger seating – Dark palazzo Grey Cloth | | |
| Daytime running lamps (942) | | |
| Sliding passenger side cargo door | | |
| Alternator - 250-Amp | | |
| Battery – Single Battery 70 amp-hours | | |
| Brakes- 4-wheel anti-lock disc brakes | | |
| Running Boards – Factory Installed (68H) | | |
| Horn – Dual-Note (85D) | | |
| Steering – Power Rack & Pinion | | |
| Suspension, Front – Independent MacPherson-Strut, Stabilizer bar | | |
| Suspension, Rear – Leaf Springs, heavy-duty gas shock absorbers | | |
| 235/65R16C BSW all-Season (SRW) | | |
| 16" Steel wheel with full silver wheel cover | | |
| Full-size spare tire & Wheel | | |
| Center High Mount Stop Lamp | | |
| Short Arm, power adjustment, power folding heated with turn signals | | |
| Privacy Glass (Includes Rear window defroster) (92E) | | |
| Windshield Wipers – Rain Sensing Automatic | | |
| Air Conditioning Front/Rear | | |
| SYNC 4 with AM/FM stereo and 12" display, Bluetooth, Dual USB ports, Embedded Voice Recognition and Connected Navigation. (58C) | П | П |
| Large Center Console with integrated shifter | П | |
| Back up alarm (43B) | | |
| Front License plate bracket | | |
| Vinyl Front and Rear floor covering (16E) | | |
| Windows-all-around, fixed | | |
| Step Well pads – black | | |
| Advance Trac with Roll Stability Control | | |
| Tire Pressure Monitoring System | | |
| Tachometer, fuel level & Coolant temp | | |
| Safety Belts – 3 point, all position | | |
| Reverse Sensing and Side Sensing System | | |
| High Resolution Digital Camera. | | |
| Cruise Control (60C) | | |

COMPLIANCE PAGES - MOTOR VEHICLES - PICKUPS, SUVS, VANS AND WAGONS Page 38 of 44

<u>ITEM # 7 – MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL</u> (CONT'D)

| | COMPI YES | |
|---|------------------|--------------|
| DESCRIPTION (CONT'D) | | <u>NO</u> |
| Heavy-Duty Trailer Tow Package (53B) – Including: | | |
| Tow/haul mode Trailer wiring provisions 4-pin/7-pin connector assembly and rear jumper | | |
| - Frame Mounted hitch receiver | | |
| - Relay system for backup/B+/Running lights | | |
| Trailer Brake Controller (67D) | | |
| 6-ton combination hitch: | | |
| 2 inch ball and pintle | | |
| Adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball. | | |
| Locking hitch pin with key | | |
| Hitch is to fit tightly into the receiver | | |
| In the event the hitch does not fit tightly, then a sleeve shall be provided. (Ford | | |
| Part Number: HC3Z-19H282-A) | | |
| <u>PAINT</u> | | |
| Color to be specified from standard color chart on purchase order when ordering | | |
| UNDERCOATING | | |
| Entire chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, | | |
| or equal. This is a low VOC, high solids, emulsion corrosion preventative coating. | | |
| WARRANTY | | |
| Bumper to Bumper: 3 years/36,000 miles | | |
| Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer | | |
| Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This | | |
| Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations | П | |
| Laws and Regulations | ш | |
| OPTIONS | | |
| 7A. All Wheel Drive | | |
| 7B. SYNC 4 with SiriusXM | | |
| with 360L, HD Radio™ and 12" multi-function display, AM/FM stereo, Bluetooth, | | |
| Dual USB ports, Embedded Voice Recognition and Connected Navigation. (58C) | | |
| 7C. Paint Colors Not Found on Standard Color Chart | | |
| i.e.: W3029N | | |
| | | |
| 7D. Metallic Paint Colors | | |
| ITEM # 7 – MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN X | <u>LT 350 MI</u> | <u>edium</u> |
| ROOF, AS SPECIFIED OR EQUAL (CONT'D) | | |

| | <u>COMPL</u> | <u> JANCE</u> |
|--|--------------|---------------|
| | YES | <u>NO</u> |
| OPTIONS (CONT'D) | | |
| 7E. <u>High Capacity Upfitter switches (67C)</u> Includes large Center Console with Integrated Shifter (67E) and Auxiliary Fuse panel with High Spec Interface Connector (87E) (package 87E is an Auxiliary Fuse panel with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and Modified Value Wiring System (52V) | П | П |
| Modified Vehicle Wiring System (53K)). | | |
| 7F. Rear Interior Door Handles Inoperable/Lock Operable | | |
| 7G. Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 48" Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch | | |
| 7H. <u>Light Color Option</u> Red and blue modules in lieu of amber for Sheriff's Department or OEM, keeping the amber rear arrow stick | | |
| 71. <u>Installation of Dome Light (Interior)</u> (Soundoff Signal Part Number: ECVDMLTAL00) | | |
| 7J. Console Equipment | | |
| Qty. 1 - Gamber Johnson 7170-0579-01 Low Profile, No-Drill Console Box, Constructed Of Heavy Gauge Steel, Fully Welded Construction For Long-Term Durability. Black Powder Coated Finish For Maximum Corrosion Resistance (meets FS-010 specs) Motion Attachment Must Be Mounted On Top Of The Console Box For Front Passenger Safety And Comfort. Qty. 1 - Gamber Johnson 7160-0552 Vehicle Specific No Holes drilled Leg Kit. | | |
| Qty. 1 - Gamber Johnson 7160-0085 MCS Top Plate Provides three (3) options for computer mount placement. (Limited Lifetime Warranty) Qty. 2 - Gamber Johnson MCS-EPICMIC Mic Clip Attaches To Pre-Drilled Holes For Edge Rail Mounting. Qty. 1 - Gamber Johnson 17133 Faceplate for SoundOff Signal, nERGY 400 Series Full Siren | | |
| Qty. 1 - Gamber Johnson 7160-0322 Faceplate For Motorola APX Full Radio. Qty. 1 - Soundoff Signal ECVDMLTAL00 Dual Color Dome Lights With Built In Switch Mounted centered over console | П | |

COMPLIANCE YES NO

OPTIONS (CONT'D)

7K. <u>Installation of Lighting Package #1</u> (color to be selected at time of order) –

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County maintains the use of SoundOff Signal BluePrint Control System for lightbars and lighting

Electrical System

- Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State
- Qty. 1- Soundoff Signal ENGHNK01 Central Control Harness
- Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module
- Qty. 1- Soundoff Signal ENGLNK003 Vehicle Data Control Module

All installed aftermarket electronic equipment must be wired to the 'control system'. Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off.

The system must have self-diagnostics capabilities with fault log. System to be wired into the vehicle ignition system to provide Ignition security system.

Front

Qty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker

Mounted on vehicle specific bracket.

Qty. 4 Soundoff Signal EMPS2STS4 Multi Colored Light With Silicon Molded One-Piece Housing And Optic (Color to be determined at the time of order)

Mounted in grill.

Qty. 1 Soundoff Signal ETHFFUT-16 Plug-in headlight flasher does not require cutting of any factory wiring.

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Qty. 1 Soundoff Signal ENFWBF Interior LED Lightbar 8 Module Dual Color Lightheads

Manual dimming capability for nighttime use and Cruise mode. Comes with a Windows PC software application for ease of programming. Modular Lighthead design for easy maintenance Vehicle specific bracket.

<u>ITEM # 7 – MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL</u> (CONT'D)

YES NO

П

OPTIONS (CONT'D)

7K. <u>Installation of Lighting Package #1</u> (color to be selected at time of order) (Cont'd)

Roof

Qty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount With 30 Ft. Cable

Rear

Qty. 4 Soundoff Signal ELUC3H010 LED Insert

Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Mutli Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Mounted to rear doors

Mounted in rear windows of vehicle.

Qty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

7L. <u>Installation of Lighting Package #2</u> (Color to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting

Electrical System

- Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State
- Qty. 1- Soundoff Signal ENGHNK01 Central Control Harness
- Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module
- Qty. 1- Soundoff Signal ENGLNK003 Vehicle data control module

All installed aftermarket electronic equipment must be wired to the 'control system'. Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off.

The system must have self-diagnostics capabilities with fault log.

System to be wired into the vehicle ignition system to provide Ignition security system.

<u>ITEM # 7 – MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM</u> ROOF, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE

YES NO

OPTIONS (CONT'D)

7L. <u>Installation of Lighting Package #2 (Color to be determined at time of order)</u> (Cont'd)

Front

Qty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker

Mounted on vehicle specific bracket.

Qty. 4 Soundoff Signal EMPS2STS4 Multi Colored Light with Silicon Molded One-Piece Housing and Optic (Color to be determined at the time of order)

Mounted in grill.

Qty. 1 Soundoff Signal ETHFFUT-16 Plug-in headlight flasher does not require cutting of any factory wiring.

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Roof

Qty. 1 Soundoff Signal ENFLB 48" LED Lightbar 7 Dual Color Lightheads Forward Facing 7 Dual Color Lightheads Rear Facing 4 Dual Color Corner Modules 2 Alley Lights, Built In Photo Cell, Low Profile Mounting feet with Vehicle Specific strap kit. Modular Lighthead and Lens design for easy maintenance. Aluminum Base, Polycarbonate Outer Lenses, ASA/PC Top Cover. With Solar Panel

Qty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount with 30 Ft. Cable

Rear

Qty. 4 Soundoff Signal ELUC3H010 LED Insert

Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Mutli Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Mounted to rear doors

Mounted in rear windows of vehicle.

Qty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able to Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

<u>ITEM # 7 – MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL</u> (CONT'D)

| COMPLIANCE PAGES – MOTOR VEHICLES – PICKUPS, SUVS, VANS ANI | O WAGONS Pag | ge 43 of 44 |
|---|--------------|-------------|
| | YES | <u>NO</u> |
| OPTIONS (CONT'D) 7M. Getac A140 Tablet Docking Station (Gamber Johnson Part Number: 7160-1246-00) | | |
| 7N. <u>HiNT Mounts Tablet Modular Mount</u> with double telescopic post for display/tablet and keyboard (HiNT Mount Part Number: TM-5502-SMP | | |
| 70. <u>iKey Keyboard</u> (iKey Part Number: IK-77-FSR) | | |
| 7P. <u>Lind Power Supply</u> (Part Number: GE1950-3709) | | |
| 7Q. <u>Panasonic Laptop Docking Station</u> (Gamber CF-33)Dual Pass – USB 2.0, Serial (2), Ethernet, Lock (Part Number 204397) | | |
| 7R. <u>Panasonic Vehicle DC Power Adapter</u> (Lind CF-33) (Part Number PA1555-655) | | |
| 78. <u>Panasonic Detachable Premium Keyboard</u> (CF-33) (Part Number CF-VEK331LMP) | | |
| 7T. <u>Panasonic Premium Rotation Strap with Pen Holder and Stand</u> (CF-33) (Part Number CF-VST332U) | | |
| 7U. Ford Protect ExtraCare Extended Service Plan covering 113 components. 8 years/125,000 miles with \$0.00 deductible. | | |
| 7V. <u>Diagnostic Tools / Test Equipment</u> 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission brakes, hydraulics, and all additional equipment (if applicable). | | П |
| 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. | | |
| 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. | | |

<u>ITEM # 7 – MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL</u> (CONT'D)

COMPLIANCE

| $COMPLIANCE\ PAGES-MOTOR\ VEHICLES-PICKUPS,\ SUVS,\ VANS\ AND\ WAGONS\ \ Page\ 44\ of\ 44$ | | | |
|--|------------|-----------|--|
| OPTIONS (CONT'D) | YES | <u>NO</u> | |
| 7V. <u>Diagnostic Tools / Test Equipment</u> (Cont'd) 4. All software installations and activations will be completed by the successful bidder at no cost to the County 5. All software updates and renewal will be provided at no cost to the County for a | | | |
| period of five (5) years from the acceptance of the equipment. | | | |
| 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. | | | |
| 7. Training shall be provided on all items in this section at a County location. | | | |
| 7W. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces. | | | |
| 7X. <u>Installation of County Supplied Two Way Radio and Accessories</u> Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: | | | |
| #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. #12 AWG BLACK wire connected to chassis ground. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. | | | |
| These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces. | | | |

VEHICLE MODEL INFORMATION – MOTOR VEHICLES – PICKUPS, SUVS, VANS AND WAGONS Page 1 of 2 For each Item bid, please enter the following information about the model of vehicle your company will be providing:

<u>ITEM # 1 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED</u>

Manufacturer: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

Remarks: Click or tap here to enter text.

Click or tap here to enter text.

<u>ITEM #2 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED</u>

Manufacturer: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

Remarks: Click or tap here to enter text.

Click or tap here to enter text.

<u>ITEM #3 - MODEL YEAR 2023, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP</u> TRUCK, AS SPECIFIED

Manufacturer: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

Remarks: Click or tap here to enter text.

Click or tap here to enter text.

ITEM #4 - MODEL YEAR 2023, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL

Manufacturer: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

Remarks: Click or tap here to enter text.

Click or tap here to enter text.

ITEM # 5 - MODEL YEAR 2023, OR NEWER, FORD EXPLORER XLT 4WD, AS SPECIFIED, OR EQUAL

Manufacturer: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

Remarks: Click or tap here to enter text.

Click or tap here to enter text.

<u>ITEM # 6 - MODEL YEAR 2023, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED, OR EQUAL</u>

Manufacturer: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

Remarks: Click or tap here to enter text.

Click or tap here to enter text.

<u>ITEM # 7 - MODEL YEAR 2023, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED, OR EQUAL</u>

Manufacturer: Click or tap here to enter text.

Warranty: Click or tap here to enter text.

Delivery, A.R.O.: Click or tap here to enter text.

Remarks: Click or tap here to enter text.

Click or tap here to enter text.