



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director Joseph H. Vicari
Deputy Director Gary Quinn
Commissioner Barbara Jo Crea
Commissioner Virginia E. Haines
Commissioner John P. Kelly

101 Hooper Avenue
Toms River, New Jersey
08754-2191
Tel: (732)929-2005
Fax: (732)505-1918

Board Meeting Agenda

Date: May 17, 2023 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding a Contract for the furnishing and delivery of TRACTOR MOWER WITH FLAIL AND BUCKET to Central Jersey Equipment, LLC, the lowest qualified bidder. (B2023-83)

Official Resolution#	2023000692						
Meeting Date	05/17/2023						
Introduced Date	05/17/2023						
Adopted Date	05/17/2023						
Agenda Item	I-6						
CAF #							
Purchase Req. #	B2023-83						
Result	Adopted						
COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Vicari	<				<		
Quinn	<			<	<		
Crea	<				<		
Haines	<				<		
Kelly	<		<		<		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board

CONTRACT NO. MUST BE ON ALL
PAPERS, DOCUMENTS, INVOICES, VOUCHERS
No. B2023-83

RESOLUTION

May 17, 2023

WHEREAS, on April 11, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of TRACTOR MOWER WITH FLAIL AND BUCKET for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Central Jersey Equipment, LLC
670 Rt. 40
Elmer, NJ 08318
(856) 358-2880

Name and Address of Bidder

Cherry Valley Tractor Sales, Inc.
35 Route 70 West
Marlton, NJ 08053
(856) 983-0111

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, CENTRAL JERSEY EQUIPMENT, LLC, be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Tractor Mower with Flail and Bucket for the County of Ocean, for the contract period from date of award through May 16, 2024, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

CENTRAL JERSEY EQUIPMENT LLC for seven (7) items, to wit:

ITEMS NO. 1, 1a, 1b, 1c, 1d, 1e and 1f.

For a Total Lump Sum Award (Item #'s 1 - 1f) of \$956,560.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. Funds for the equipment and services shall be available within the following funding Source: Vehicle Services O.E.

4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-83.

5. **BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Vehicle Services and Central Jersey Equipment LLC, the successful bidder.

Bid No. TBD

TRACTOR MOWER WITH FLAIL AND BUCKET

Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response. Submitting a manual response in addition to the electronic response is cause for rejection of your bid.

Confirmed

PRICE TABLES

TRACTOR MOWER WITH FLAIL AND BUCKET

Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total
✓ 1	Model Year 2023, Or Newer John Deere 4066RLV 4WD Mower with Flail and Bucket, As Specified or Equal	10	EA	\$55,700.00	\$557,000.00
✓ 1a	Sickle Bar, As Specified	10	EA	\$7,326.00	\$73,260.00
✓ 1b	Flail, As Specified	10	EA	\$9,940.00	\$99,400.00
✓ 1c	Loader, As Specified	10	EA	\$9,426.00	\$94,260.00
✓ 1d	Extended Warranty, As Specified	10	EA	\$3,304.00	\$33,040.00
✓ 1e	Diagnostic Tools/Test Equipment, As Specified	3	SET	\$24,800.00	\$74,400.00
✓ 1f	Technical Support, As Specified	180	HOUR	\$140.00	\$25,200.00
TOTAL					\$956,560.00

Introduced on: May 17, 2023

Adopted PROPOSAL May 17, 2023 REPORT

Official Resolution#: 2023000692

Bid - TRACTOR MOWER WITH FLAIL AND BUCKET

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL

Manufacturer/Model: John Deere 4066R

Central Jersey Equipment

Engine: EYDXL2.09HDAFYDXL2.09HDAGYDXL2.09HDA

COMPLIANCE
YES **NO**

GENERAL SPECIFICATIONS

Manufacturer/Model: John Deere 4066RLV, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Family: EYDXL2.09HDA, FYDXL2.09HDA, GYDXL2.09HDA, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Manufacture: Yanmar, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Power Take-Off Power (PTO): PRT – 40.4kW, 54.2HP; eHST-38.7 kW 51.9HP; Per SAE J1995	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rated Engine Speed: 2600 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Diesel Powered	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Injection Pump Type: High pressure Common Rail Direct Injection	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Aspiration: Turbocharged and charge air-cooled	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Emissions compliance: Final Tier 4	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinders/Displacement: 4/2.091 L; 4/127.6 Cu. In.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Number of Cylinders: Four (4)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cylinder Liners: Cast-in-Block	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Bore and Stroke: 86 X 90mm; 3.4 X 3.54 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Compression Ratio: 19.1:1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Lubrication: Pressurized	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cooling system: Liquid	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Cleaner: Dual element with electronic restriction indicator	<input checked="" type="checkbox"/>	<input type="checkbox"/>
FT4 Regeneration:		
• Regeneration of tractor will not require any addition of DEF fluid or any operator input for completion; passive regeneration		
• Active of Parked Regeneration will also be an option with a toggle switch inside cab	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full set of filters and fluids for initial service – oil, air, fuel and fluids and HY-Gard		
Low Visc Fluid; five (5) gallons of manufacturer recommended hydraulic fluid	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Engine Torque at Rated Speed: 178 Nm, 131.3 lb.-ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fuel Tank Capacity: Cab-52.2L; 13.8 U.S. Gallons	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ELECTRICAL

Battery size: 770 CCA	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Alternator – 12V: 75 amp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Starter Size: 2 kW; 2.68 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Lighting both forward and rear facing work lights on all four (4) corners of cab	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Light: Beacon Light	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: May 17, 2023
Adopted on: May 17, 2023
Official Resolution #: 2023090692

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

FUEL SYSTEM

Type: High Pressure Common Rail Direction Injection

TRANSMISSION

Standard Transmission; Forward/Reverse: eHydro Transmission (eHST)

Creep Forward and Reverse:

- Tractor shall have the ability to creep forward and reverse from a panel outside the cab when safety conditions are met
 - Assists in attaching and detaching various 3-point implements without assistance
-

Transmission Gear Ranges: eHydro-Ininitely variable 3-range

Final Drive: Planetary

Brakes: Multi-Plate Wet Disc

Steering: Hydrostatic Power Steering

Clutch, Wet/Dry: Wet

Clutch Disk Diameter Wet Clutch: 129 mm; 5.08 in.

Axle Capacity:

- Front: 1600 kg; 3,528 lb.
 - Rear: 2400 kg; 5,292 lb.
-

Creep: Speedmatch Standard- Tractor shall be able to throttle along with the forward or reverse pedals in correlation to pressure

Cruise Control: Standard

Differential Lock: Yes

Rollout Adjustment: Tractor shall be equipped with a rollout adjustment knob on the right hand console; operator shall be able to adjust the automatic stopping distance of the tractor on the fly

HYDRAULICS

Type: Open center

Pump Rated Output: 65.8 L/min; 17.4 gpm

Steering: 23.5 L/min; 6.2 gpm

Implement: 42.3 L/min; 11.2 gpm

Pump Type: Single Gear

Draft Control Sensing: Position Control

3-POINT HITCH

Type: Category 1

Operation: Shall be able to operate from the operator's seat and from a handle on the rear of the tractor to aid in attaching and detaching implements safely.

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
<u>POWER TAKE-OFF (PTO)</u>		
Standard: Independent 540 rpm at 2600 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Control: Independent	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Clutch: Wet Disc	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>FLUID CAPACITIES</u>		
Crankcase with Filter: 5.3L; 1.4 qt.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission and Hydraulic System: 47.3 L; 12.5 gal.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>FINAL DRIVE</u>		
Type: Planetary	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shall have Differential Lock	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPERATOR'S STATION</u>		
Shall be equipped with a rollover protective structure	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shall be a CAB type	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shall have a flat platform	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>CAB</u>		
Shall be in compliance with OSHA, SAE and ASAE	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cab Trim: Deluxe Factory Cab with Heat/Air 360° Visibility Noise Reduction		
Speakers and Radio	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Visibility: 360° angle	<input checked="" type="checkbox"/>	<input type="checkbox"/>
A/C Temperature Differential: 14.4 & #176;C / 58 & #176;F	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Doors: Two (2) both left and right sides open for safety	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Noise Rating: 78 dBA	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Horn: Equipped with electrical horn on dashboard	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Seat Equipment: deluxe air suspension with swivel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Radio: Factory Installed Radio with Bluetooth Capability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Alarms: Equipped with Backup Alarm	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>DIMENSIONS</u>		
Wheelbase: 185.5 cm; 73 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Axle Clearance: 35.1 cm; 13.8 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Turning Radius with Brakes: 2.8 m; 9.19 ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Turning Radius without Brakes: 3.0 m; 9.84 ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Approximate Weight: cab – 2,120 kg; 4,675 lb.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Introduced on: May 17, 2023		
Adopted on: May 17, 2023		
Official Resolution#: 2023000692		

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

TIRES

Front: Industrial 10-16.5	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear: Industrial 16.9L x 24	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Tread Range: 148.1 cm; 58.3 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front Tread Spacing: 137.2 cm; 54 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
One (1) spare front tire with rim and one (1) spare rear tire with rim shall be included	<input checked="" type="checkbox"/>	<input type="checkbox"/>

WARRANTY

Comprehensive - Two (2) year/2,000 Hours, whichever comes first	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powertrain - Six (6) years/2,000 Hours, whichever comes first	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OPTIONS

1A. Sickle Bar

Manufacturer/Model: Frontier SB3106

Engine: N/A

Manufacturer: Frontier PCI Model SB31 XF, Model SB3106, or equal	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

DIMENSIONS

Working Width: 175 cm; 68.9 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Minimum cutting height: 2.5 cm; 1 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maximum cutting height: 7.6 cm; 3 in.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Weight: Shipping – 277.6 kg; 612 lb.; Operational – 230 kg; 507 lb.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

HITCH

<ul style="list-style-type: none"> • Type: 3-point category 1 • iMatch Compatible: Yes • Quick-coupler compatible: Yes 	<input checked="" type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------

COMPATIBILITY

PTO Minimum HP: 18.6 kW; 25 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
PTO Maximum HP: 37.3 kW; 50 HP	<input checked="" type="checkbox"/>	<input type="checkbox"/>
PTO RPM: 540 rpm	<input checked="" type="checkbox"/>	<input type="checkbox"/>

WARRANTY

Frontier Implements and Attachments – Twelve (12) Months	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

Introduced on: May 17, 2023
Adopted on: May 17, 2023
Official Resolution#: 2023000692

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES NO

OPTIONS (Cont'd)

1B. Flail

Manufacturer/Model: John Deere 390

Engine: N/A

John Deere PCI Model 0390XP, or equal

☒ ☐

GENERAL

Cutting width: 2.3 m; 90.5 in.

☒ ☐

Offset: 26 in.

☒ ☐

Cutting height: 13-127 mm; 0.5 in. to 5 in.

☒ ☐

Hood thickness: 4.8 mm; 0.19 in.

☒ ☐

BLADES

Number: 168 Blades (84 Pairs)

☒ ☐

Type: Heat-treated reversible slide-slice

☒ ☐

Full set (84 pairs) of blades, hangers and hardware for replacement shall be provided

☒ ☐

ROTOR

Speed: 1,850 rpm

☒ ☐

Diameter: 114 mm; 4.5 in.

☒ ☐

DRIVES

PTO: 540 rpm

☒ ☐

Belts: 2-section 5VX-2 notched

☒ ☐

Gauge roller: 140 mm; 5.5 in.

☒ ☐

TRACTOR HP REQUIRED

Minimum: 22 kW; 30 HP

☒ ☐

Maximum: 56 kW; 75 HP

☒ ☐

3-POINT HITCH

Shall be quick coupler compatible – Category 1 or 2

☒ ☐

DIMENSIONS

Overall Width: 2.5 m; 99 in.

☒ ☐

Overall Height: 0.99 m; 39 in.

☒ ☐

Overall Length: 1.95 m; 64 in.

☒ ☐

Weight: 495 kg; 1,100 lb.

☒ ☐

Overall Resolutions: 202300092

Adopted on: May 17, 2023
Original Resolution: 202300092

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES NO

OPTIONS (Cont'd)

1B. Flail (Cont'd)

WARRANTY

Two (2) years; standard coverage

1C. Loader

Manufacturer/Model: John Deere 440R

Engine: N/A

John Deere PCI Model 440RXP/440R NSL/on 4066R Tractors, or equal

SPECIFICATIONS

Base Weight: 302 kg; 665.8 lb.

Levelling Configuration: Non-self-Leveling

Bucket shall use materials with replaceable cutting edge

Additional cutting edge and hardware shall be provided

Lift Capacity at full height:

- Measured at pivot: 1,154 kg; 2,539 lb.
- Measured at 500 mm ahead of pivot: 857 kg; 1,885 lb.

Lift Capacity at 59 in. (1500 mm):

- Measured at pivot: 1,374 kg; 3,023 lb.
- Measured at 500 mm ahead of pivot: 1,097 kg; 2,413 lb.

Boom Breakout Force:

- Measured at pivot: 1,826 kg; 4,017 lb.
- Measured at 500 mm ahead of pivot: 1,377 kg; 3,029 lb.

Bucket Rollback Force Capacity:

- At Max Height: 940 kg; 2,068 lb.
- At 59-in. (1500-mm) lift height: 1,491 kg; 3,280 lb.
- At ground-level line: 1,554 kg; 3,419 lb.

Dimensions:

- Max. Lift Height: 2798.7 mm; 110 in.
- At full height – bucket level: 2593 mm; 102 in.
- At full height – bucket dumped: 2195 mm; 86 in.
- Overall length: 3.5 m; 11.67 ft.

Overall height in carry position: 1.53 m; 5 ft.

Official Resolution: 2023004929 mm; 5 in.

Introduced on: May 17, 2023
Adopted on: May 17, 2023
Resolution #: 2023004929

TRACTOR MOWER WITH FLAIL AND BUCKET

✓ **ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)**

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

✓ **1C. Loader (Cont'd)**

SPECIFICATIONS (Cont'd)

Reach:

- At Max Height: 753 mm; 30 in.
- At ground level – bucket level: 1703 mm; 67 in.

Bucket Angle:

- Dump Angle – 47.47°
- Rollback Angle – 33.42°
- Dump Angle – Ground – 129.54°

Cycle Times:

- Loader Raise: 2.6 seconds
- Loader Lower: 1.75 seconds
- Bucket Dump: 1.96 seconds
- Bucket Rollback: 1.16 seconds

WARRANTY

Two (2) years; standard coverage

✓ **1D. Extended Warranty**

6 Year/5,000 Hour Comprehensive Warranty

✓ **1E. Diagnostic Tools / Test Equipment**

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).
2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.
4. All software installations and activations will be completed by the successful bidder at no cost to the County.

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES NO

OPTIONS (Cont'd)

✓ 1E. Diagnostic Tools / Test Equipment (Cont'd)

- 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 7. Training shall be provided on all items in this section at a County location.

✓ 1F. Technical Support

Technical Support is to be provided by factory authorized technical representatives and is to be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.

The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.

Technical support may be requested in the following areas:

- 1. Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.
- 2. Transmission – 1 day at each location
- 3. Electrical – 1 day at each location
- 4. Brakes – 1 day at each location
- 5. Hydraulic system (dump body, spreader, snow plow) – 1 day at each location
- 6. Upfitter (dump body, sweeper, etc.) – 1 day at each location

A technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be allowed only with consent of Vehicle Services. The total training hours will be required to be provided and no additional compensation will be considered. The actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder.

For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel. Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled.

TRACTOR MOWER WITH FLAIL AND BUCKET

ITEM #1 – MODEL YEAR 2023, OR NEWER JOHN DEERE 4066RLV 4WD MOWER WITH FLAIL AND BUCKET, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

1F. Technical Support (Cont'd)

Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper coverage.

Technical Support for Vehicle Services may be provided at the following fleet maintenance facility location as scheduled by a Vehicle Services Department representative:

a. Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm)

b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050

Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location.

Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only.

Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service.