



Ocean County Board of Commissioners

OFFICE OF THE
OCEAN COUNTY COMMISSIONERS

Director John P. Kelly
Deputy Director Frank Sadeghi
Commissioner Robert S. Arace
Commissioner Jennifer Bacchione
Commissioner Virginia E. Haines

101 Hooper Avenue
Toms River, New Jersey
08754-2191
(732)929-2005
(732)505-1918

Board Meeting Agenda

Date: December 3, 2025 - 4:00 PM
Location: Administration Building
Room 119
101 Hooper Avenue
Toms River, NJ 08754

Agenda: Awarding a Contract for the furnishing and delivery of MOTOR VEHICLES: SUVS AND VANS to All American Ford, Inc. dba Paramus Ford, the lowest qualified bidder. (B2025-179)

Official Resolution#	2025001694
Meeting Date	12/03/2025
Introduced Date	12/03/2025
Adopted Date	12/03/2025
Agenda Item	i-2
CAF #	
Purchase Req. #	B2025-179
Result	Adopted

COUNTY COMMISSIONER	PRES.	ABS.	MOVE	SEC	AYE	NAY	ABST.
Kelly	✓				✓		
Sadeghi	✓			✓	✓		
Arace	✓				✓		
Bacchione	✓				✓		
Haines	✓		✓		✓		

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE, COMPLETE AND ACCURATE COPY OF THIS RESOLUTION, ADOPTED BY OCEAN COUNTY BOARD OF COMMISSIONERS, NJ AT THE MEETING REFERENCED THEREON

Michelle I. Gunther

Clerk Of The Board

No. B2025-179

RESOLUTION

December 3, 2025

WHEREAS, on October 28, 2025, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLES: SUVS AND VANS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

<u>Name and Address of Bidder</u>	<u>Name and Address of Bidder</u>
All American Ford, Inc., dba Paramus Ford 375 Route 17 South Paramus, NJ 07652 (856) 816-5494	Able Ford of New Jersey 3698 Route 9 South Old Bridge, NJ 08857 (732) 672-1917

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, ALL AMERICAN FORD, INC., DBA PARAMUS FORD be accepted.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract for the furnishing and delivery of Motor Vehicles: SUVs and Vans for the County of Ocean, for the contract period of one (1) year from December 3, 2025 through December 2, 2026, or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

A. ALL AMERICAN FORD DBA PARAMUS FORD for forty-five (45) items, to wit:

ITEM NOS. 1, 1A, 1B, 1C, 1D, 1E, 1F, 1G, 1H, 1I, 2, 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 3, 3A, 3B, 3C, 3D, 3E, 3F, 3G, 3H, 3I, 3J, 3K, 3L, 3M, 3N, 4, 4A, 4B, 4C, 4D, 4E, 4F, 4G, 4H, 4I AND 4J.

For a Total Lump Sum Award (Item Nos.1-1H) of \$1,069,380.00.

For a Total Lump Sum Award (Item Nos. 2-2G) of \$1,102,920.00.

For a Total Lump Sum Award (Item Nos. 3-3M) of \$1,043,600.00.

For a Total Lump Sum Award (Item Nos. 4-4I) of \$736,900.00.

This vendor has extended this contract to County Cooperative Contract System Participants, Identifier CK-02-OC.

2. Funds for the materials or services described herein shall be made available through operating and expense (O&E) accounts, trust accounts, grant accounts, or capital accounts maintained by, but not limited to, the following departments: Vehicle Services.

3. Payments for the materials and services to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2025-179.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, Purchasing Department, Finance Department, Vehicle Services and All American Ford, Inc., dba Paramus Ford, the successful bidder.

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVS AND VANS

Confirmed

PRICE TABLES

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 1	Current Model Year, or Newer, Ford Explorer Active (Pkg 200A), As Specified, or Equal	20	EA	\$41,094.00	\$821,880.00	2026 Ford Explorer Active	Approximately 4 Months	See Attached Brochure	
OPTIONS									
✓ 1a	Ford Protect ExtraCare Extended Service Plan, As Specified	20	EA	\$2,825.00	\$56,500.00				
✓ 1b	Mini Liberty II IT9 Series Light Bar, As Specified, or Equal	20	EA	\$2,000.00	\$40,000.00				
✓ 1c	Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light Bar, As Specified, or Equal	20	EA	\$3,500.00	\$70,000.00				

Introduced on: December 3, 2025

Adopted by: [PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694

BID - MOTOR VEHICLES: SUVS AND VANS

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVS AND VANS

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 1d	Light Color Option, As Specified	20	EA	\$0.00	\$0.00				
✓ 1e	Diagnostic Tools / Test Equipment, As Specified	3	SET	\$6,000.00	\$18,000.00				
✓ 1f	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified	20	EA	\$350.00	\$7,000.00				
✓ 1g	Installation of County Supplied Two Way Radio and Accessories, As Specified	20	EA	\$1,000.00	\$20,000.00				
✓ 1h	Technical Support, As Specified, or Equal	180	HR	\$200.00	\$36,000.00				
TOTAL					\$1,069,380.00				

ITEM #1I. - FORD FACTORY INSTALLED OPTIONS DISCOUNT PERCENTAGE

Supply the Ford Factory Options List with Bid

Introduced on: December 3, 2025

Adopted by: PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVS AND VANS

Line Item	Description	Unit of Measure	Percentage
✓ 1i	Ford Factory Installed Options Discount Percentage (Supply the Ford Factory Options List with Bid. Vendors MUST bid on this item in order to be considered for Item 1.)	%	6%

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 2	Current Model Year, or Newer, Police Interceptor Utility, As Specified, or Equal	20	EA	\$44,771.00	\$895,420.00	2026 Ford Police Interceptor	Approximately 4 Months	See attached Brochure	
OPTIONS									
✓ 2a	Whelen: IX2AAAA (Installed) - Liberty II, Solo IX Low Current Series Light Bar, As Specified, or Equal	20	EA	\$3,500.00	\$70,000.00				
✓ 2b	Light Color Option, As Specified	20	EA	\$0.00	\$0.00				
✓ 2c	Ford Protect ExtraCare Extended Service Plan, As Specified	20	EA	\$2,825.00	\$56,500.00				

Introduced on: December 3, 2025

Adopted by: [PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution #: 2025001694

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVs AND VANS

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 2d	Diagnostic Tools / Test Equipment, As Specified	3	SET	\$6,000.00	\$18,000.00				
✓ 2e	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified	20	EA	\$350.00	\$7,000.00				
✓ 2f	Installation of County Supplied Two Way Radio and Accessories, As Specified	20	EA	\$1,000.00	\$20,000.00				
✓ 2g	Technical Support, As Specified	180	HR	\$200.00	\$36,000.00				
TOTAL					\$1,102,920.00				

ITEM #2H. - FORD FACTORY INSTALLED OPTIONS DISCOUNT PERCENTAGE

Supply the Ford Factory Options List with Bid

Line Item	Description	Unit of Measure	Percentage
✓ 2h	Ford Factory Installed Options Discount Percentage (Supply the Ford Factory Options List with Bid. Vendors MUST bid on this item in order to be considered for Item 2.)	%	6%

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL

Introduced on: December 3, 2025

Adopted for [PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVS AND VANS

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
3	Current Model Year, or Newer, Transit Cargo Van 250, 148" Wheelbase, Medium Roof Height, Rear Wheel Drive, As Specified, or Equal	10	EA	\$49,777.00	\$497,770.00	2026 Ford Transit Van	Approximately 4 Months	See Attached Brochure	
OPTIONS									
3a	Metallic Paint Colors, As Specified, or Equal	10	EA	\$280.00	\$2,800.00				
3b	Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar, As Specified, or Equal	10	EA	\$3,000.00	\$30,000.00				
3c	Medium Roof Electrical Starter Package, As Specified, or Equal	10	EA	\$5,744.00	\$57,440.00				
3d	Medium Roof General Service Package, As Specified, or Equal	10	EA	\$5,927.00	\$59,270.00				

Introduced on: December 3, 2025

Adopted by: PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694
 BID MOTOR VEHICLES: SUVS AND VANS

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVS AND VANS

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 3e	Medium Roof HVAC Starter Package, As Specified, or Equal	10	EA	\$7,442.00	\$74,420.00				
✓ 3f	Passenger Side Max-Drop Prolift Ladder Rack, As Specified, or Equal	10	EA	\$1,985.00	\$19,850.00				
✓ 3g	White Vinyl Wrapping on Roof of Vehicle, As Specified, or Equal	180	EA	\$600.00	\$108,000.00				
✓ 3h	Ford Protect ExtraCare Extended Service Plan, As Specified	10	EA	\$2,655.00	\$26,550.00				
✓ 3i	Liftgate, As Specified, or Equal	10	EA	\$10,000.00	\$100,000.00				
✓ 3j	Diagnostic Tools / Test Equipment, As Specified	3	SET	\$6,000.00	\$18,000.00				

Introduced on: December 3, 2025

Adopted for [PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694

Bid - MOTOR VEHICLES: SUVS AND VANS

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid.No. TBD

MOTOR VEHICLES: SUVS AND VANS

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 3k	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified	10	EA	\$350.00	\$3,500.00				
✓ 3l	Installation of County Supplied Two Way Radio and Accessories, As Specified	10	EA	\$1,000.00	\$10,000.00				
✓ 3m	Technical Support, As Specified	180	HR	\$200.00	\$36,000.00				
TOTAL					\$1,043,600.00				

ITEM #3N. - FORD FACTORY INSTALLED OPTIONS DISCOUNT PERCENTAGE

Supply the Ford Factory Options List with Bid

Line Item	Description	Unit of Measure	Percentage
✓ 3n	Ford Factory Installed Options Discount Percentage (Supply the Ford Factory Options List with Bid. Vendors MUST bid on this item in order to be considered for Item 3.)	%	6%

ITEM #4 – CURRENT MODEL YEAR, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED, OR EQUAL

Introduced on: December 3, 2025

Adopted on: December 3, 2025 [PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694
 BID MOTOR VEHICLES: SUVS AND VANS

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVS AND VANS

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 4	Current Model Year, or Newer, Van XLT 350 Medium Roof Height, 148" Wheel Base, Rear Wheel Drive, As Specified, or Equal	10	EA	\$60,855.00	\$608,550.00	2026 Ford 15 Passenger Van	Approximately 4 Months	See Attached Brochure	
OPTIONS									
✓ 4a	Metallic Paint Colors, As Specified, or Equal	10	EA	\$280.00	\$2,800.00				
✓ 4b	Rear Interior Door Handles Inoperable/Lock Operable, As Specified, or Equal	10	EA	\$150.00	\$1,500.00				
✓ 4c	Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar, As Specified, or Equal	10	EA	\$3,000.00	\$30,000.00				
✓ 4d	Light Color Option, As Specified, or Equal	10	EA	\$0.00	\$0.00				

Introduced on: December 3, 2025

Adopted by: PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694

BID MOTOR VEHICLES: SUVS AND VANS

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVs AND VANS

Line Item	Description	Est. Qty.	Unit of Measure	Unit Price	Total Price	Year/Mfr./Make/Model	Delivery, A.R.O.	Warranty Details	Comments
✓ 4e	Ford Protect ExtraCare Extended Service Plan, As Specified	10	EA	\$2,655.00	\$26,550.00				
✓ 4f	Diagnostic Tools / Test Equipment, As Specified	3	SET	\$6,000.00	\$18,000.00				
✓ 4g	Two-Way-Radio Power and Wiring Requirements for New Vehicles, As Specified	10	EA	\$350.00	\$3,500.00				
✓ 4h	Installation of County Supplied Two Way Radio and Accessories, As Specified	10	EA	\$1,000.00	\$10,000.00				
✓ 4i	Technical Support, As Specified	180	HR	\$200.00	\$36,000.00				
TOTAL					\$736,900.00				

ITEM #4J. - FORD FACTORY INSTALLED OPTIONS DISCOUNT PERCENTAGE

Supply the Ford Factory Options List with Bid

Introduced on: December 3, 2025

Adopted by: [PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution#: 2025001694

Bid - MOTOR VEHICLES: SUVs AND VANS

[PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: SUVS AND VANS

Line Item	Description	Unit of Measure	Percentage
✓ 4j	Ford Factory Installed Options Discount Percentage (Supply the Ford Factory Options List with Bid. Vendors MUST bid on this item in order to be considered for Item 4.)	%	6%

Introduced on: December 3, 2025

Adopted on: December 3, 2025 [PARAMUS FORD INC DBA ALL AMERICAN FORD OF PARAMUS] RESPONSE DOCUMENT REPORT

Official Resolution #: 2025001694
 Bid - MOTOR VEHICLES: SUVS AND VANS

COMPLIANCE PAGES – MOTOR VEHICLES: SUVs AND VANS

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year, or Newer, Ford Explorer Active (Pkg 200A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2.3L EcoBoost I-4 Engine with Auto Start-Stop Technology (99H)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Transmission – 10 speed automatic (44T)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Four-wheel drive (K8D)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Standard-Duty Front and rear brake calipers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Configurable daytime running lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/>
LED Taillamps	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tires –		
- P255/65R18 All Season (A/S) BSW		
- 18” Spare Wheel and Jack (76U)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full sized spare tire (P255/65R18) not mounted on rim (Rim not needed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels – 18” Sparkle Silver-Painted Aluminum	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wiper –		
- Windshield – Variable Intermittent/Continuous		
- Rear Window – Single-speed Intermittent/continuous	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Climate Control –		
- Tri-zone Electronic Temperature control		
- Cabin Particulate Air Filter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Instrument Panel Cluster –		
- 12.3” Color LCD Productivity screen		
- Message Center		
- Outside Temperature Display		
- Trip Computer	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rotary Gear Shift Dial	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Seats –		
- Unique Cloth		
- Front Row Captain’s Chairs		
- 10-way Power Driver’s Seat		
- 4-way manual front passenger		
- Second Row – 35/30/35 Split-fold flat and reclining outboard seats with E-Z entry and arm rests (17U)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering Column – Manual Tilt/Telescoping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering Wheel with Mounted Features		
- 5-way controls		
- Audio Controls		
- Cruise Controls	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Windows –		
Power – Power Windows (door mounted controls)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES – MOTOR VEHICLES: SUVs AND VANS

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL (CONT'D)

<u>DESCRIPTION (CONT'D)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Airbags –		
- First Row: Driver and passenger Dual Stage Front, Front –seat side and Driver/Passenger knee		
- All Rows: Safety Canopy Side-curtain with rollover sensor	☒	☐
Center High-mounted stop lamp	☒	☐
Door locks, Power		
- Auto Lock/Auto unlock		
- Child Safety rear	☒	☐
Headlamps		
- LED low and High beams with courtesy delay		
- Wiper-activated	☒	☐
Safety Belts		
- Front Row – Belt-minder		
- Front Row – adjustable height		
- Second Row – Outboard and Center Seat shoulder		
- Third row – outboard	☒	☐
Ford Co-pilot 360 Assist+		
- Auto High-beam headlamps		
- BLIS (blind spot information system) with cross-traffic alert		
- Lane Keeping System –		
o Lane-keeping alert		
o Lane-keeping assist		
o Driver alert		
- Pre-Collision Assist with Automatic Emergency braking		
o Pedestrian Detection		
o Forward Collision Warning		
o Dynamic Brake support		
- Rear view camera	☒	☐
Front and rear Stabilizer bars	☒	☐
Independent Front and rear suspension	☒	☐
Digital Experience		
- 13.2” Color LCD Touchscreen in IP Center-stack		
- Google Assistant, Google Maps, Google Play store		
- Pinch-to-Zoom capability		
- 911 Assist		
- Apple CarPlay and Android Auto Wireless capability	☒	☐
Interior Color: Dark Space Gray	☒	☐
<u>PAINT</u>		
Introduced on: December 3, 2025 Adopted on: December 3, 2025 Official Resolution#: 2025001694	☒	☐

Color to be Specified from Standard Color Chart on Purchase Order When Ordering

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

UNDERCOATING

Entire Chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating.

WARRANTY

Bumper to Bumper: 3 Years/36,000 Miles

Vehicle equipment MUST be rustproofed and warrantied by the manufacturer against rust for five (5) years or 50,000 miles, whichever comes last. This equipment MUST also meet or exceed all applicable state, federal and PEOSHA laws and regulations.

OPTIONS

1a. Ford Protect ExtraCare Extended Service Plan - covering 113 components, eight (8) years/125,000 miles with \$0.00 deductible.

1b. Mini Liberty II IT9 Series Light Bar - Permanent Mount with 15' Cable, fully lit Amber with Two Super-LED white Alley Lights installed.

1c. Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light Bar - 54", Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch.

1d. Light Color Option - Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick.

1e. Diagnostic Tools / Test Equipment

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

4. All software installations and activations will be completed by the successful bidder at no cost to the County.

5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE

OPTIONS (CONT'D)

YES **NO**

1e. Diagnostic Tools / Test Equipment (Cont'd)

6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.

7. Training shall be provided on all items in this section at a County location.

1f. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

1g. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

1h. Technical Support

Technical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.

The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.

COMPLIANCE PAGES – MOTOR VEHICLES: SUVs AND VANS

ITEM #1 - CURRENT MODEL YEAR, OR NEWER, FORD EXPLORER 4WD, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (CONT'D)

1h. Technical Support (Cont'd)

Technical support may be requested in the following areas:

- Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.
- Transmission – 1 day at each location
- Electrical – 1 day at each location
- Brakes – 1 day at each location

Technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks)

Shorter training days shall be allowed only with consent of Vehicle Services

Total training hours shall be provided and no additional compensation will be considered

Actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder

For the purpose of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled

Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper education

Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:

- Toms River, 152 Chestnut Street, Toms River, N.J. 08753
(Two (2) sessions will be provided at this location: One beginning at 7 am and another beginning at 1:30 pm)
- Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050

Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting Department

Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only

Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service

1i. Ford Factory Installed Options Discount Percentage

~~Supply the Ford Factory Options List with Bid~~

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year, or Newer, Police Interceptor Utility	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AWD 3.3L V6 Direct-Injection with 10-speed automatic transmission (99B/44U)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
250- Amp Alternator	<input checked="" type="checkbox"/>	<input type="checkbox"/>
H8 AGM Battery (850 CCA/92-amp)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension – Independent front & rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brakes		
- 4-Wheel heavy duty disc w/heavy duty front and rear calipers		
- Police calibrated high-performance regenerative braking system		
- Anti-lock brakes with Traction Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Class III Trailer hitch receiver with 5,000 lbs. towing capacity and 2 recovery hooks (Included Class III Trailer Tow Lighting Package)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Column Shifter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Headlamps		
- Automatic, LED Low-and-High-Beam (Includes front headlamp/Police Interceptor Housing)		
- Pre-Drilled hole for side marker police use, does not include LED strobe, but includes LED wig-wag functionality		
- Pre-molded side warning LED holes with standard sealed capability (does not include LED installed lights)		
- Wig-wag default is traditional ping-pong pattern; can be programmed to triple burst pattern or ping-pong/triple burst.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheels		
- 18" x 8.0 painted black steel with polished stainless steel hub cover		
- Full size 18" spare tire with TPMS (Same speed rating as original tire)		
- Tire – 255/60R18 A/S BSW	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Seats –		
- Front – Police Grade cloth Trim, dual front buckets with reduced bolsters		
- 1 st row –Driver 6-way power track with 2 way power lumbar.		
- 1 st row – Passenger 8 Power-way power track with 2-way power recline and 2-way power lumbar.		
- Built-in steel intrusion plate in both front-seatbacks		
- 2 nd row- vinyl, 35/30/35 split bench seat	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Flooring – Heavy Duty Thermoplastic Elastomer	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Speedometer – New LCD 12.3 display calibrated (includes digital readout)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hidden Door-lock Plunger w/rear door controls inoperable (locks, handles and windows) (Pkg. 52P)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior Lighting –		
Overhead console	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Red/White/Blue Lighting in Overhead Console	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL (CONT'D)

<u>DESCRIPTION (CONT'D)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Speed (Cruise) Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
AdvanceTrac with Roll Stability	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rearview Camera viewable in 8" center stack	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Audio		
- AM/FM		
- Sync Phoenix		
- 8" Color LCD Screen Center-stack "Smart Display"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Interior Color – Charcoal Black	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Color to be specified from standard color chart on Purchase Order when ordering	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>WARRANTY</u>		
3 year/36,000 miles bumper to bumper	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5 year/100,000 miles power train CARE Extended service plan (zero deductible)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OPTIONS</u>		
<u>2a. Whelen: IX2AAAA (Installed) - Liberty II, Solo IX Low Current Series Light Bar - 54"</u> , Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>2b. Light Color Option</u> - Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>2c. Ford Protect ExtraCare Extended Service Plan</u> - covering 113 components, eight (8) years/125,000 miles with \$0.00 deductible.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>2d. Diagnostic Tools / Test Equipment</u>		
1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: December 3, 2025
 Adopted on: December 3, 2025
 Approved at the: 12/20/2025 bid.

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL (CONT'D)

OPTIONS (CONT'D)

<u>COMPLIANCE</u>	
<u>YES</u>	<u>NO</u>

2d. Diagnostic Tools / Test Equipment (Cont'd)

- | | | |
|--|---|---|
| 4. All software installations and activations will be completed by the successful bidder at no cost to the County. | ☒ | ☐ |
| 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. | ☒ | ☐ |
| 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. | ☒ | ☐ |
| 7. Training shall be provided on all items in this section at a County location. | ☒ | ☐ |

2e. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

2. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

	☒	☐
--	---	---

2f. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

3. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
4. #12 AWG BLACK wire connected to chassis ground.
4. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

	☒	☐
--	---	---

2g. Technical Support

Technical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.

	☒	☐
--	---	---

The support provided shall be at the journeyman/equipment technician level and should address limited factory fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.

	☒	☐
--	---	---

Introduced on: December 3, 2025.
 Adopted on: December 3, 2025.
 City of Paramus, New York

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (CONT'D)

2g. Technical Support (Cont'd)

Technical support may be requested in the following areas:

- Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.
- Transmission – 1 day at each location
- Electrical – 1 day at each location
- Brakes – 1 day at each location

Technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks)

Shorter training days shall be allowed only with consent of Vehicle Services

Total training hours shall be provided and no additional compensation will be considered.

Actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder

For the purpose of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled

Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper education

Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:

- Toms River, 152 Chestnut Street, Toms River, N.J. 08753
(Two (2) sessions will be provided at this location: One beginning at 7 am and another beginning at 1:30 pm)
- Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050

Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting Department

Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only

Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service

2h. Ford Factory Installed Options Discount Percentage

Supply the Ford Factory Options List with Bid

COMPLIANCE PAGES – MOTOR VEHICLES: SUVs AND VANS

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL

<u>DESCRIPTION</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year, or Newer, Transit Cargo Van 250, 148" Wheelbase, Medium Roof Height, Rear Wheel Drive	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3.5L PFDI V6	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10-Speed Automatic Overdrive with Select Shift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Alternator – 250 Amp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Single AGM Battery 70 amp hours	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brakes – 4-wheel anti-lock disc brakes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering – Power Rack and Pinion, Tilt & telescoping	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension, Front – Independent MacPherson-strut, stabilizer bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension, Rear – Leaf Springs, heavy duty gas shock absorbers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
235/65R16C Silver Steel Wheel with black hubcaps	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full Size Spare Tire & Wheel (51D)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sliding Passenger side-door	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Halogen Head lamps	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Center High Mount Stop Light	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Short-Arm, Power Adjusting Mirror, Manual Folding	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Conditioning – Front Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sync 4 with 12" center display, AM/FM stereo, and Bluetooth	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cargo area tie down hooks (17P)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Medium Center Console with integrated shifter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Autolocking Drive Away with Crash Unlocking	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Instrumentation – Tachometer, fuel level and coolant temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front dome lamp with map lights and theater dimming	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Partial Rear Compartment Lighting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dark Palazzo Grey – Vinyl – 2 Passenger	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Headliner – Cloth, Front only	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Driver and Passenger air bags	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety belts – 3 point all positions	<input checked="" type="checkbox"/>	<input type="checkbox"/>
In Rearview Camera	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Adopted on: December 3, 2025	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Official Resolution # 2025061694	<input checked="" type="checkbox"/>	<input type="checkbox"/>
50/50 Hinged Rear Door, 253 degree opening	<input checked="" type="checkbox"/>	<input type="checkbox"/>

COMPLIANCE PAGES – MOTOR VEHICLES: SUVs AND VANS

Page 11A of 22

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

<u>DESCRIPTION (CONT'D)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Power Point 12V	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Fixed Rear-Door glass with fixed passenger-side cargo-door glass (17B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vinyl Floor covering – Front	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front License Plate Bracket	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Daytime Running Lights (942)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cruise Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Back up Alarm (43B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Heavy-Duty Trailer Tow Package (53B) – Including:		
- Tow/Haul Mode with Trailer wiring provisions		
- 4/7-pin connector assembly and rear jumper		
- Relay system for backup/B+/running lights		
- Frame mounted hitch receiver	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer Brake controller (67D)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6-ton combination hitch:		
- 2 inch ball and pintle		
- adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.		
- locking hitch pin with key		
- hitch is to fit tightly into the receiver		
In the event the hitch does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>PAINT</u>		
Color to be specified from standard color chart on purchase order when ordering.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>UNDERCOATING</u>		
Entire chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>WARRANTY</u>		
Bumper to Bumper: 3 years/36,000 miles	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vehicle equipment MUST be rustproofed and warrantied by the manufacturer against rust for five (5) years or 50,000 miles, whichever comes last. This equipment MUST also meet or exceed all applicable state, federal and PEOSHA laws and regulations.	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS:

3a. Metallic Paint Colors

3b. Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar - 48", Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Lights, Corner Lights Wired on Separate Switch

3c. Medium Roof Electrical Starter Package – for Transit 148" Wheel Base Medium Roof (Adrian Steel Part Number – ELE-FT-MR148) Installed

Kit Includes:

- (1) Steel Partition Panel Kit w/Visibility
- (1) Steel Partition Mounting Kit
- (1) Mounting Rail Kit, Driver and Passenger side, Transit Mid Roof 148
- (1) 4-Shelf Unit 14 x 60
- (1) 4-Shelf Unit 14 x 108
- (1) 14" Shelf Divider, 8-pack
- (1) 3- Drawer Unit w/Risers, 14 x 18
- (1) 4-Drawer Unit w/Risers. 14 x 18
- (1) 2 Drawer Unit w/Risers, 14 x 24
- (1) 5-Bar Spool Holder
- (4) 5" Utility Hook
- (6) 12" Portable Bin
- (6) 6" Portable Bin
- (1) Shelf door Kit 10 x 60

3d. Medium Roof General Service Package – for Transit 148" Wheel Base Medium Roof (Adrian Steel Part Number – GEN-FT-MR148) Installed

Kit Includes:

- (1) Steel Partition Panel Kit w/Visibility
- (2) Steel Partition Mounting Kit
- (1) Mounting rail kit, Driver & Passenger Side, Transit Mid Roof 148
- (1) 4-Shlef Unit 14 x 60
- (1) 4-Shelf Unit 14 x 108
- (1) 14" Shelf Divider, 8-pack
- (1) 3-Drawer Unit w/Risers 14 x 18
- (1) 4-Drawer Unit w/Risers 14 x 18
- (1) 2-Drawer Unit w/Risers 14 x 24
- (2) Shelf Door Kit 10 x 60
- (1) 4-Hook Bar
- (1) Interior Ladder holder

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS: (CONT'D)

3e. Medium Roof HVAC Starter Package – for Transit 148” Wheel base Medium Roof (Adrian Steel Part Number – HVAC – FT – MR148) Installed

Kit Includes:

- (1) Steel Partition Panel Kit w/ Visibility
- (1) Steel Partition Mounting Kit
- (1) Mounting Rail Kit, Driver & Passenger Side, Transit Mid roof 148
- (1) 4-Shelf Unit 14 x 54
- (1) 4-Shelf Unit 14 x 96
- (1) 3- Drawer Unit w/Risers 14 x 24
- (1) 4-Drawer Unit w/Risers 14 x 24
- (1) 3-Drawer Unit w/Riser 14 x 18
- (1) 4-Drawer Unit w/Riser 14 x 18
- (1) 2-Drawer Unit w/Riser 14 x 18
- (1) Shelf Door Kit 10 x 54
- (9) 6” Portable Bin
- (2) 14” Shelf Divider, 8 pack
- (1) EZLoad Tank Rack, 30lb. (4)
- (1) EZLoad Tank Rack, 50lb. (1)
- (1) EZLoad Tank Rack, 30lb. (2), 50lb. (1)
- (1) Tank Rack Shelf, 30lb.
- (1) Tank Rack Shelf Bracket
- (1) 5” Utility Hook
- (1) Vacuum Pump Holder
- (2) HVAC Gauge Cover
- (1) Hose Holder

3f. Passenger Side Max-Drop Prolift Ladder Rack - for Ford Transit Medium Roof Vans. (Adrian Steel Part Number – PLM61TM) Installed

Kit Includes:

- (1) Roof Rail Kit
- (1) Mounting bracket kit
- (1) Cross bar kit
- (1) Ladder Rack

3g. White Vinyl Wrapping on Roof of Vehicle - installed from front to rear

3h. Ford Protect ExtraCare Extended Service Plan - covering 113 components, eight (8) years/ 125,000 miles with \$0.00 deductible.

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS: (CONT'D)

3i. Liftgate: CVL-AF-1330 EF52

Application: Cargo Van

Capacity: 1330 lbs.

Platform Detail:

Aluminum:

- Two Piece, Laterally Folding
- Extruded Aluminum with 40" loading space

Drive System:

- Direct lift hydraulic cylinder
- Direct Platform folding hydraulic cylinder

Hydraulic System:

Enclosed Unit:

- All critical components are factory enclosed in pump box of gate providing protection from elements and damage
- Easy access for servicing
- Pressure relief valve – presents operator from overloading the platform
- Cylinder mounted flow control
- Valves – Prevents uncontrolled descent on platform

Electrical System:

Control Unit:

- Moisture resistant toggle switch deactivates 90 seconds after last operation, helps prevent unauthorized use, timer reset and on-off button permanently and conveniently located on control unit and positioned under logo and bulls eye respectively.

Circuit Breaker:

- 150 amp continuous
- 3000 Amp interrupt
- 30 VDC
- Watertight
- Manual reset
- Mounted inline with 4 AWG positive battery cable, protects vehicle in the event of an electrical short

Power Ground Cable:

- Factory supplies 4 AWG ground cable molded with power cable
- Providing a direct connection from the liftgate to the truck battery
- Insulation rated for -40 degrees C to 105 degrees C

Drive Train:

Parallel Arm Pins:

- 3/4" OD and 1-1/4" OD hard chrome plated steel



ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE

OPTIONS: (CONT'D)

YES **NO**

3j. Diagnostic Tools / Test Equipment

- | | | |
|---|-------------------------------------|--------------------------|
| <p>1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link</p> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <p>2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</p> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <p>3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.</p> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <p>4. All software installations and activations will be completed by the successful bidder at no cost to the County.</p> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <p>5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.</p> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <p>6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.</p> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| <p>7. Training shall be provided on all items in this section at a County location.</p> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

3k. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

3l. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

3m. Technical Support

Technical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.

The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.

Technical support may be requested in the following areas

- Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.
- Transmission – 1 day at each location
- Electrical – 1 day at each location
- Brakes – 1 day at each location

Technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks)

Shorter training days shall be allowed only with consent of Vehicle Services

Total training hours shall be provided and no additional compensation will be considered

Actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder

For the purpose of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled.

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, TRANSIT CARGO VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE

YES **NO**

OPTIONS (Cont'd)

3m. Technical Support (Cont'd)

For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled

Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper education

Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:

- Toms River, 152 Chestnut Street, Toms River, N.J. 08753
(Two (2) sessions will be provided at this location: One beginning at 7 am and another beginning at 1:30 pm)
- Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050

Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting Department

Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only

Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service

3n. Ford Factory Installed Options Discount Percentage

Supply the Ford Factory Options List with Bid

COMPLIANCE PAGES – MOTOR VEHICLES: SUVs AND VANS

ITEM #4 – CURRENT MODEL YEAR, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL

<u>DESCRIPTION (CONT'D)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Current Model Year, or Newer, Van XLT 350 Medium Roof Height, 148” Wheel Base, Rear Wheel Drive	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3.5L PFDi V6	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10 Speed Automatic Overdrive with Selectshift	<input checked="" type="checkbox"/>	<input type="checkbox"/>
15 Passenger seating – Dark palazzo Grey Cloth	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Daytime running lamps (942)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Sliding passenger side cargo door	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Alternator - 250-Amp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Battery – Single AGM Battery 70 amp-hours	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Brakes- 4-wheel anti-lock disc brakes	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Running Boards – Factory Installed (68H)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Steering – Power Rack & Pinion	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension, Front – Independent MacPherson-Strut, Stabilizer bar	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Suspension, Rear – Leaf Springs, heavy-duty gas shock absorbers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
235/65R16C BSW all-Season (SRW)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
16” Steel wheel with full silver wheel cover	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Full-size spare tire & Wheel	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Center High Mount Stop Lamp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Short Arm, power adjustment, power folding heated with turn signals	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Privacy Glass (Includes Rear window defroster) (92E)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Windshield Wipers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air Conditioning Front/Rear	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SYNC 4 with AM/FM stereo and 12” display, Bluetooth, Dual USB ports, and Embedded Voice Recognition	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Large Center Console with integrated shifter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Back up alarm (43B)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Front License plate bracket	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Vinyl Front and Rear floor covering (16E)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Windows-all-around, fixed	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Step Well pads – black	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Advance Trac with Roll Stability Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Introduced on: December 3, 2025
 Adopted on: December 3, 2025
 Official Resolution#: 2025001694

ITEM #4 – CURRENT MODEL YEAR, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

<u>DESCRIPTION (CONT'D)</u>	<u>COMPLIANCE</u>	
	<u>YES</u>	<u>NO</u>
Tire Pressure Monitoring System	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tachometer, fuel level & Coolant temp	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Safety Belts – 3 point, all position	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Reverse Sensing	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Rear View Camera.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Cruise Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Heavy-Duty Trailer Tow Package (53B)– Including:		
- Tow/haul mode Trailer wiring provisions		
- 4/7-pin connector assembly and rear jumper		
- Frame Mounted hitch receiver		
- Relay system for backup/B+/Running lights	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Trailer brake Controller (67D)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6-ton combination hitch:		
- 2 inch ball and pintle		
- adjustable Tri-ball hitch with 1-7/8 in. ball, 2 in ball, 2-5/16 in ball.		
- locking hitch pin with key		
- hitch is to fit tightly into the receiver		
In the event the hitch does not fit tightly, then a sleeve shall be provided. (Ford Part Number: HC3Z-19H282-A)	<input checked="" type="checkbox"/>	<input type="checkbox"/>

PAINT

Color to be specified from standard color chart on purchase order when ordering. YES NO

UNDERCOATING

Entire chassis and underside of cab to be coated with tectyl 2423 or Z Guard Product, or equal. This is a low VOC, high solids, emulsion corrosion preventative coating. YES NO

WARRANTY

Bumper to Bumper: 3 years/36,000 miles YES NO

Vehicle equipment MUST be rustproofed and warrantied by the manufacturer against rust for five (5) years or 50,000 miles, whichever comes last. This equipment MUST also meet or exceed all applicable state, federal and PEOSHA laws and regulations. YES NO

OPTIONS

4a. Metallic Paint Colors YES NO

4b. Rear Interior Door Handles Inoperable/Lock Operable YES NO

Introduced on: December 3, 2025
 Adopted on: December 3, 2025
 Official Resolution#: 2025001694

ITEM #4 – CURRENT MODEL YEAR, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

OPTIONS (CONT'D)

COMPLIANCE
YES **NO**

4c. Whelen: IX8AAA - Liberty II, Solo IX Low Current Series Light Bar - 48", Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Light, Corner light wired on a Separate switch

4d. Light Color Option - Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick.

4e. Ford Protect ExtraCare Extended Service Plan - covering 113 components, eight (8) years/ 125,000 miles with \$0.00 deductible.

4f. Diagnostic Tools / Test Equipment

1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link

2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.

3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.

4. All software installations and activations will be completed by the successful bidder at no cost to the County.

5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.

6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.

7. Training shall be provided on all items in this section at a County location.

4g. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.

2. #12 AWG BLACK wire connected to chassis ground.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The Official Record of the Board of Supervisors, December 3, 2025. The wires shall be protected from making contact with grounded metal surfaces.

ITEM #4 – CURRENT MODEL YEAR, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE
YES **NO**

OPTIONS (Cont'd)

4h. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
2. #12 AWG BLACK wire connected to chassis ground.
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

4i. Technical Support

Technical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.

The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.

Technical support may be requested in the following areas

- Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.
- Transmission – 1 day at each location
- Electrical – 1 day at each location
- Brakes – 1 day at each location

Technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks).

Shorter training days shall be allowed only with consent of Vehicle Services.

Total training hours shall be provided and no additional compensation will be considered.

Actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder.

For the purpose of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel actual class size will be determined by the Vehicle Services Department at

ITEM #4 – CURRENT MODEL YEAR, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE

OPTIONS (Cont'd)

YES **NO**

4i. Technical Support (Cont'd)

Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:

- Toms River, 152 Chestnut Street, Toms River, N.J. 08753
(Two (2) sessions will be provided at this location: One beginning at 7 am and another beginning at 1:30 pm)
- Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050

Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting Department.

Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only.

Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service.

4j. Ford Factory Installed Options Discount Percentage

Supply the Ford Factory Options List with Bid